



Internal Hexagon
Product Catalog 2022

Internal Hexagon
Product Catalog

TABLE OF CONTENTS



4 - 26.

IMPLANT SYSTEMS

SEVEN	6
M4	16
LINK	26



28 - 67.

TOOLS AND KITS

Step Pilot Drills, External Irrigation	30
SEVEN Twist Drills, External Irrigation	32
M4 Twist Drills, External Irrigation	33
SEVEN and M4 Short Twist Drills, Ext. Irrigation	34
Marking Drills and Countersinks	36
Trephine Burrs	38
Surgical Tools	39
Prosthetic Instruments	42
SEVEN Surgical Kit	45
SEVEN Drill Replacement Kit	49
M4 Surgical Kit	50
SEVEN Drill Stoppers Kit, Standard Platform	53
SEVEN Drill Stoppers Kit, Depth Based	54
MULTIFIX Drilling Set	55
Bone Profiler Kit	56
Bone Compression Kit	57
Sinus Lift Osteotome Set	59
Convex Osteotome Set	60
Prosthetic Tools Kit	61
Abutment Holding System Kit	64
Crown Set	65
Control Units	66



68 - 102.

PROSTHETIC OPTIONS

Analogs and Impression Copings	70
Temporary Cylinders	72
Multi-Unit System	74
Plastic Cylinders	77
EZ-Base System	79
Ti-Bases	80
Scan Post Kit	81
Digital Model Analogs	82
Titanium Blanks	83
Cementable Abutments	84
Cementing Posts	87
CPK - Complete Prosthetic Kit	89
LOCKIT Attachment System	92
OT-Equator Kits	95
Ball Attachment System	97
Bars	99



100 - 107.

MGUIDE

MGUIDE Custom Surgical Template	102
MGUIDE Surgical Set for SEVEN Implant	103
MGUIDE Kit for SEVEN Implant ,Narrow Sleeve	107



109 - 115.

REGENERATIVE SOLUTIONS

4MATRIX+	112
BONDBONE	113
4BONE BCH	114
4BONE RCM	115



116 - 127.

ADDITIONAL INFORMATION

Pilot Drills, Ext. Irrigation	118
SEVEN Twist Drills,Ext. Irrigation	119
M4 Twist Drills, Ext. Irrigation	120
SEVEN & M4 Short Twist Drills, Ext. Irrigation	121
Restorative Components	122
Alloy Composition	123



124 - 131.


INDEX



IMPLANT SYSTEMS


MIS proudly offers an extensive range of implant systems, providing simple solutions for a wide variety of clinical scenarios, from basic to complex. Our implants are the outcome of an exceptionally high-level R&D process resulting in implant systems that are simple, yet offer enhanced functionality and performance features. MIS implants are made of biocompatible, medical grade titanium alloy, with a surface of the highest quality. They are treated by both sand-blasting and acid-etching, to promote extraordinary cleanliness and facilitate long-lasting osseointegration.





Implant Systems

SEVEN Implant
Internal Hex.
Ø3.30 NP



Implant Cover Screw
and Healing Caps:

Ø4mm

2/3/4/6/8mm

MH-N2330
MH-N3330
MH-N4330
MH-N6330
MH-N8330

Ø4.3mm

2/3/4/5/6mm

MH-52330
MH-53330
MH-54330
MH-55330
MH-56330





Ø4mm

4/5/6mm

CONCAVE

MH-N0440
MH-N0540
MH-N0640



Cat. No	Dimensions (mm)	Description	Material	Item includes
 MF7-10330	Ø3.30 L=10	SEVEN internal hex. implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-11330	Ø3.30 L=11.5	SEVEN internal hex. implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-13330	Ø3.30 L=13	SEVEN internal hex. implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-16330	Ø3.30 L=16	SEVEN internal hex. implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill


L = Length

Ø3.30mm Drilling Protocol

	BONE TYPE				
	1	2	3	Hard 1 and 2	4
Drilling Speed (RPM)	1200- 1500	900- 1200		200-400	15-25
Diameter	Ø1.90	Ø2.40	Ø2.40	Ø2.20 Ø3.20	Ø3.30





Do not use the final drill for bone types 3 and 4. The drilling sequence is illustrated using a 13mm implant. Procedure recommended by MIS cannot replace the judgment and professional experience of the surgeon.















Implant Systems

SEVEN Implant
Internal Hex.
Ø3.75 SP



Implant Cover Screw and Healing Caps:

 <p>Ø4mm 3/4/5/6mm</p>	<p>MH-03375 MH-04375 MH-05375 MH-06375</p>	 <p>Ø4.8mm 3/4/5/6mm</p>	<p>MH-A3375 MH-A4375 MH-A5375 MH-A6375</p>	 <p>Ø5.5mm 3/4/5/6mm</p>	<p>MH-53375 MH-54375 MH-55375 MH-56375</p>	 <p>Ø4.8mm 4/5/6mm CONCAVE</p>	<p>MH-S0448 MH-S0548 MH-S0648</p>	 <p>Cover screw</p>
---	--	---	--	---	--	---	---	--


Cat. No	Dimensions (mm)	Description	Material	Item includes
 MF7-08375	Ø3.75 L=8	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-10375	Ø3.75 L=10	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-11375	Ø3.75 L=11.5	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-13375	Ø3.75 L=13	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-16375	Ø3.75 L=16	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-18375	Ø3.75 L=18	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-20375	Ø3.75 L=20	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill

L = Length

Ø3.75mm Drilling Protocol




Do not use the final drill for bone types 3 and 4. The drilling sequence is illustrated using a 13mm implant. Procedure recommended by MIS cannot replace the judgment and professional experience of the surgeon.










Implant Systems

SEVEN Implant
Internal Hex.
Ø4.20 SP



Implant Cover Screw and Healing Caps:


 <p>Ø4mm 3/4/5/6mm</p>	 <p>Ø4.8mm 3/4/5/6mm</p>	 <p>Ø5.5mm 3/4/5/6mm</p>	 <p>Ø4.8mm 4/5/6mm CONCAVE</p>	 <p>Cover screw</p>
<p>MH-03375 MH-04375 MH-05375 MH-06375</p>	<p>MH-A3375 MH-A4375 MH-A5375 MH-A6375</p>	<p>MH-53375 MH-54375 MH-55375 MH-56375</p>	<p>MH-S0448 MH-S0548 MH-S0648</p>	

Cat. No	Dimensions (mm)	Description	Material	Item includes
 MF7-06420	Ø4.20 L=6	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-08420	Ø4.20 L=8	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-10420	Ø4.20 L=10	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-11420	Ø4.20 L=11.5	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-13420	Ø4.20 L=13	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-16420	Ø4.20 L=16	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-18420	Ø4.20 L=18	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-20420	Ø4.20 L=20	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill


L = Length

Ø4.20mm Drilling Protocol

Drilling Speed (RPM)	BONE TYPE						Hard 1 and 2		Soft 3 and 4	
	1200-1500	900-1200	500-700	400-700	Ø3.20	Ø3.20	200-400	200-500	15-25	
Diameter	Ø1.90	Ø2.40	Ø2.40	Ø2.80	Ø3.20	Ø3.20	Ø3.50 Ø4.10 Final drill	Ø3.30 Ø4.20 Countersink	Ø4.20	




i Do not use the final drill for bone types 3 and 4. The drilling sequence is illustrated using a 13mm implant. Procedure recommended by MIS cannot replace the judgment and professional experience of the surgeon.



Implant Systems

SEVEN Implant
Internal Hex.
Ø5 WP



Implant Cover Screw
and Healing Caps:



MH-W3500
MH-W4500
MH-W5500









MH-W3630
MH-W4630
MH-W5630



MH-W0455
MH-W0555
MH-W0655




Cover screw


Cat. No	Dimensions (mm)	Description	Material	Item includes
 MF7-06500	Ø5 L=6	SEVEN internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-08500	Ø5 L=8	SEVEN internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-10500	Ø5 L=10	SEVEN internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-11500	Ø5 L=11.5	SEVEN internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-13500	Ø5 L=13	SEVEN internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-16500	Ø5 L=16	SEVEN internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill

L = Length

Ø5mm Drilling Protocol




i Do not use the final drill for bone types 3 and 4. The drilling sequence is illustrated using a 13mm implant. Procedure recommended by MIS cannot replace the judgment and professional experience of the surgeon.



Implant Systems

SEVEN Implant
Internal Hex.
Ø6 WP



Implant Cover Screw
and Healing Caps:



MH-W3500
MH-W4500
MH-W5500








MH-W3630
MH-W4630
MH-W5630



MH-W0455
MH-W0555
MH-W0655



Cover screw

	Cat. No	Dimensions (mm)	Description	Material	Item includes
	MF7-06600	Ø6 L=6	SEVEN internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	MF7-08600	Ø6 L=8	SEVEN internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	MF7-10600	Ø6 L=10	SEVEN internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	MF7-11600	Ø6 L=11.5	SEVEN internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	MF7-13600	Ø6 L=13	SEVEN internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill


L = Length

Ø6mm Drilling Protocol

										BONETYPE		15-25
	1200-1500	900-1200		500-700	400-700	400-600	300-500	300-500		Hard 1 and 2	Soft 3 and 4	
Drilling Speed (RPM)	1200-1500	900-1200		500-700	400-700	400-600	300-500	300-500		200-400	200-500	15-25
Diameter	Ø1.90	Ø2.40	Ø2.40	Ø2.80	Ø3.20	Ø4	Ø4.50	Ø5	Ø5	Ø4.30 Ø5.90	Ø6 Countersink	Ø6




i Do not use the final drill for bone types 3 and 4. The drilling sequence is illustrated using a 13mm implant. Procedure recommended by MIS cannot replace the judgment and professional experience of the surgeon.



Implant Systems


M4 Implant
Internal Hex.
Ø3.30 NP



Implant Cover Screw
and Healing Caps:



MH-N2330
MH-N3330
MH-N4330
MH-N6330
MH-N8330







MH-52330
MH-53330
MH-54330
MH-55330
MH-56330



MH-N0440
MH-N0540
MH-N0640



Cover screw


Cat. No	Dimensions (mm)	Description	Material	Item includes
 MF4-10330	Ø3.30 L=10	M4 internal hex. implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-11330	Ø3.30 L=11.5	M4 internal hex. implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-13330	Ø3.30 L=13	M4 internal hex. implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-16330	Ø3.30 L=16	M4 internal hex. implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw

L = Length

Ø3.30mm Drilling Protocol





i The drilling sequence is illustrated using a 13mm implant.
 Procedure recommended by MIS cannot replace the judgment and professional experience of the surgeon.



Implant Systems

M4 Implant
Internal Hex.
Ø3.75 SP



Implant Cover Screw
and Healing Caps:



MH-03375
MH-04375
MH-05375
MH-06375



MH-A3375
MH-A4375
MH-A5375
MH-A6375








MH-53375
MH-54375
MH-55375
MH-56375




MH-S0448
MH-S0548
MH-S0648





Cat. No	Dimensions (mm)	Description	Material	Item includes
 MF4-08375	Ø3.75 L=8	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-10375	Ø3.75 L=10	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-11375	Ø3.75 L=11.5	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-13375	Ø3.75 L=13	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-16375	Ø3.75 L=16	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw

L = Length

Ø3.75mm Drilling Protocol





 The drilling sequence is illustrated using a 13mm implant. Procedure recommended by MIS cannot replace the judgment and professional experience of the surgeon.



Implant Systems

M4 Implant
Internal Hex.
Ø4.20 SP



Implant Cover Screw
and Healing Caps:



MH-03375
MH-04375
MH-05375
MH-06375



MH-A3375
MH-A4375
MH-A5375
MH-A6375









MH-53375
MH-54375
MH-55375
MH-56375




MH-S0448
MH-S0548
MH-S0648




Cat. No	Dimensions (mm)	Description	Material	Item includes
 MF4-06420	Ø4.20 L=6	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-08420	Ø4.20 L=8	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-10420	Ø4.20 L=10	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-11420	Ø4.20 L=11.5	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-13420	Ø4.20 L=13	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-16420	Ø4.20 L=16	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw

L = Length

Ø4.20mm Drilling Protocol





i The drilling sequence is illustrated using a 13mm implant. Procedure recommended by MIS cannot replace the judgment and professional experience of the surgeon.



Implant Systems

M4 Implant
Internal Hex.
Ø5 WP



Implant Cover Screw
and Healing Caps:



MH-W3500
MH-W4500
MH-W5500



MH-W3630
MH-W4630
MH-W5630



MH-W0455
MH-W0555
MH-W0655




Cover screw


Cat. No	Dimensions (mm)	Description	Material	Item includes
 MF4-06500	Ø5 L=6	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-08500	Ø5 L=8	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-10500	Ø5 L=10	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-11500	Ø5 L=11.5	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-13500	Ø5 L=13	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-16500	Ø5 L=16	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw

L = Length

Ø5mm Drilling Protocol





i The drilling sequence is illustrated using a 13mm implant.
 Procedure recommended by MIS cannot replace the judgment and professional experience of the surgeon.



Implant Systems

M4 Implant
Internal Hex.
Ø6 WP



Implant Cover Screw
and Healing Caps:



MH-W3500
MH-W4500
MH-W5500








MH-W3630
MH-W4630
MH-W5630



MH-W0455
MH-W0555
MH-W0655



Cover screw

Cat. No	Dimensions (mm)	Description	Material	Item includes
 MF4-06600	Ø6 L=6	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-08600	Ø6 L=8	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-10600	Ø6 L=10	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-11600	Ø6 L=11.5	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-13600	Ø6 L=13	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw

L = Length

Ø6mm Drilling Protocol





i The drilling sequence is illustrated using a 13mm implant.
 Procedure recommended by MIS cannot replace the judgment and professional experience of the surgeon.



Implant Systems

LINK - Orthodontic Anchor Screw



	Cat. No	Dimensions (mm)	Description	Material	Item includes
	MG2-06160	Ø1.6 L=6	LINK - Orthodontic anchor screw	Titanium Alloy Ti 6Al 4V ELI	
	MG2-08160	Ø1.6 L=8	LINK - Orthodontic anchor screw	Titanium Alloy Ti 6Al 4V ELI	
	MG2-10160	Ø1.6 L=10	LINK - Orthodontic anchor screw	Titanium Alloy Ti 6Al 4V ELI	
	MG2-12160	Ø1.6 L=12	LINK - Orthodontic anchor screw	Titanium Alloy Ti 6Al 4V ELI	
	MT-TDO01	Ø1 L=28	LINK - Orthodontic anchor pilot drill	Stainless steel	
	MT-SCD20	L=28	Short cross driver for orthodontic screws	Stainless steel	
	MT-LCD20	L=54	Long cross driver for orthodontic screws	Stainless steel	
	MT-MSD20	L=140	Surgical adapter driver	Stainless steel + Aluminum	

L = Length



TOOLS AND KITS

MIS offers a wide range of surgical instruments and innovative tools to assure smooth and accurate surgical procedures. The range incorporates a wide variety of drills, body try-ins, keys, ratchets and insertion tools.

MIS Surgical Kits bring all the RIGHT tools for each and every Drilling Protocol you may need into convenient, accurate and quality packages, making every job simple, and every surgery as safe and comfortable for the patient as possible. All kits feature an ergonomical kit design, for easy, single-handed opening.

MIS Prosthetic Kits, and all of the complementary products included, help to ensure the final results by way of providing solutions for patient requirements, both functional and esthetic.


























Tools and Kits

Step Pilot Drills, External Irrigation



	Cat. No	Dimensions (mm)	Description	Material	Sold
	MT-TDN20	Ø2 L=37.3	Pilot drill, external irrigation	Stainless steel	 
	CT-P2406	Ø2.4/2.0 L=31.8	Step pilot drill with built-in stopper for 6mm length implants	Stainless steel	 
	CT-P2408	Ø2.4/2.0 L=28	Step pilot drill with built-in stopper for 8mm length implants	Stainless steel	 
	CT-P2410	Ø2.4/2.0 L=28	Step pilot drill with built-in stopper for 10mm length implants	Stainless steel	 

L = Length


Cat. No	Dimensions (mm)	Description	Material	Sold
 CT-P2411	Ø2.4/2.0 L=33	Step pilot drill with built-in stopper for 11.5mm length implants	Stainless steel	 
 CT-P2413	Ø2.4/2.0 L=33	Step pilot drill with built-in stopper for 13mm length implants	Stainless steel	 
 CT-P2416	Ø2.4/2.0 L=37.5	Step pilot drill for 16mm length implants	Stainless steel	 

L = Length



6

Depth Marks




















Tools and Kits

SEVEN Twist Drills, External Irrigation



	Cat. No	Dimensions (mm)	Description	Material	Sold
	MT-TDT28	Ø2.80 L=37.5	Twist drill, external irrigation	Stainless steel	 
	MT-TDT32	Ø3.20 L=37.5	Twist drill, external irrigation	Stainless steel	 
	MT-TDT40	Ø4 L=37.5	Twist drill, external irrigation	Stainless steel	 
	MT-TDT45	Ø4.50 L=38.2	Twist drill, external irrigation	Stainless steel	 
	MT-TDT50	Ø5 L=38.2	Twist drill, external irrigation	Stainless steel	 



















L = Length



Tools and Kits

M4 Twist Drills, External Irrigation



Cat. No	Dimensions (mm)	Description	Material	Sold
 MT-TDN28	Ø2.80 L=37.5	Twist drill, external irrigation	Stainless steel	 
 MT-TDN32	Ø3.20 L=37.6	Twist drill, external irrigation	Stainless steel	 
 MT-TDN38	Ø3.80 L=37.8	Twist drill, external irrigation	Stainless steel	 
 MT-TDN45	Ø4.50 L=38.2	Twist drill, external irrigation	Stainless steel	 
 MT-TDN50	Ø5 L=38.2	Twist drill, external irrigation	Stainless steel	 
 MT-TDN55	Ø5.50 L=38.2	Twist drill, external irrigation	Stainless steel	 

L = Length









Tools and Kits

SEVEN and M4 Short Twist Drills, External Irrigation



	Cat. No	Dimensions (mm)	Description	Material	Sold
	MT-TDI28	Ø2.80 L=30	Short twist drill	Short twist drill	
	MT-TDI32	Ø3.20 L=30	Short twist drill	Short twist drill	
	MT-TDI38	Ø3.80 L=30	Short twist drill	Short twist drill	
	MT-TDI40	Ø4.0 L=30	Short twist drill	Short twist drill	

L = Length

Cat. No	Dimensions (mm)	Description	Material	Sold
 MT-TDI45	Ø4.50 L=30	Short twist drill	Stainless steel	
 MT-TDI50	Ø5.0 L=30	Short twist drill	Stainless steel	
 MT-TDI55	Ø5.50 L=30	Short twist drill	Stainless steel	

L = Length



7

Drilling Diameter Options






















Tools and Kits

Marking Drills and Countersinks



	Cat. No	Dimensions (mm)	Description	Material	Sold
	MT-TDN19	Ø1.90 L=34	Marking drill, external irrigation	Stainless steel	 
	MT-TD110	Ø1.90 L=34	Marking drill, internal irrigation	Stainless steel	
	MT-SMD10	L=30	Spade marking drill	Stainless steel	 
	MT-PD440	Ø4 L=32.7	Position drill	Stainless steel	 

L = Length


Cat. No	Dimensions (mm)	Description	Material	Sold
 MT-TDI45	Ø4.50 L=30	Short twist drill	Stainless steel	
 MT-TDI50	Ø5.0 L=30	Short twist drill	Stainless steel	
 MT-TDI55	Ø5.50 L=30	Short twist drill	Stainless steel	

L = Length




5


Countersinks Depth Marks



Narrow Platform



Standard Platform



Wide Platform



Tools and Kits

Trepine Burrs



	Cat. No	Dimensions (mm)	Description	Material	Sold
	MT-00400	Ø4/5 L=37	Trepine burr	Stainless steel	
	MT-00500	Ø5/6 L=37	Trepine burr	Stainless steel	
	MT-00600	Ø6/7 L=37	Trepine burr	Stainless steel	

















L = Length



Tools and Kits


































Surgical Tools












	Cat. No	Dimensions (mm)	Description	Material	Sold
	MT-HLI21	L=28.2	Long motor insertion tool, internal hex., narrow platform	Stainless steel	 
	MT-HSI21	L=24.4	Short motor insertion tool, internal hex., narrow platform	Stainless steel	
	MT-HLI10	L=28.2	Long motor insertion tool, internal hex., standard platform	Stainless steel	 
	MT-HSI10	L=24.4	Short motor insertion tool, internal hex., standard platform	Stainless steel	 
	MT-LRH21	L=32.3	Long ratchet insertion tool, internal hex., narrow platform	Stainless steel	 
	MT-SRH21	L=22.3	Short ratchet insertion tool, internal hex., narrow platform	Stainless steel	

L = Length

Surgical Tools

	Cat. No	Dimensions (mm)	Description	Material	Sold
	MT-LRH20	L=32.3	Long ratchet insertion tool, internal hex., standard platform	Stainless steel	 
	MT-SRH20	L=22.3	Short ratchet insertion tool, internal hex., standard platform	Stainless steel	 
	MT-RDS30	L=21.3	Short driver for 0.05 inch hex.	Stainless steel	 
	MT-RDL30	L=27	Long driver for 0.05 inch hex.	Stainless steel	 
	MT-RB225	L=22	Ball attachment anchor key	Stainless steel	 
	MT-SM005	L=24	Short motor adapter for 0.05 inch hex.	Stainless steel	
	MT-LM005	L=30	Long motor adapter for 0.05 inch hex.	Stainless steel	 
	MT-RMR10	L=38.5	Long direct hand and ratchet key	Stainless steel	 
	MT-SRA10	L=15.50	Square connection to ratchet adapter	Stainless steel	
	MT-PP001	Ø2.0/3.20 L=24	Parallel pin	Stainless steel	 
	MT-DE001	L=24	Drill extender	Stainless steel	 
	MT-TP500	Ø4.5 L=28	Tissue punch	Stainless steel	

L = Length
























	Cat. No	Dimensions (mm)	Description	Material	Sold
	MT-RT070	L=95	Surgical torque ratchet		 
	MT-RI030	L=84	Monoblock ratchet		 
	MT-RA480		Ratchet to hex. adapter	Stainless steel	
	MT-MFXGS		MIS MULTIFIX Guide Strip		

L = Length

































Tools and Kits

Prosthetic Instruments



















	Cat. No	Dimensions (mm)	Description	Material	Sold
	MT-IT100	L=16.5	Impression coping key for closed tray	Stainless steel	
	MT-LM005	L=30	Long motor adapter for 0.05 inch hex.	Stainless steel	 
	MT-SM005	L=24	Short motor adapter for 0.05 inch hex.	Stainless steel	
	MT-MSD20	L=140	Surgical adapter driver	Stainless steel + Aluminum	 
	MT-HTS10	L=142.5	Technical hex. screwdriver	Stainless steel + plastic	 
	MT-RB225	L=22	Ball attachment anchor key	Stainless steel	 
	MT-NB225	L=22	Ball attachment anchor key	Stainless steel	
	MT-RDE30	L=32	Extra-long driver for 0.05 inch hex.	Stainless steel	
	MT-RDL30	L=27	Long driver for 0.05 inch hex.	Stainless steel	 

L = Length

	Cat. No	Dimensions (mm)	Description	Material	Sold
	MT-RDS30	L=21.3	Short driver for 0.05 inch hex.	Stainless steel	 
	MT-RDM30	L=11.5	Extra-short driver for 0.05 inch hex.	Stainless steel	
	MT-RE172	L=28.5	Int. connection abutment extractor	Titanium	 
	MT-RE160	L=28.5	Int. connection abutment extractor, narrow platform	Titanium	 
	MT-MURL2	L=21	Straight Multi-Unit long ratchet key	Stainless steel	 
	MT-MURS2	L=16	Straight Multi-Unit short ratchet key	Stainless steel	
	MT-MUML2	L=31	Straight Multi-Unit long motor key	Stainless steel	
	MT-MUMS2	L=24	Straight Multi-Unit short motor key	Stainless steel	
	MT-RA480		Ratchet to hex. adapter	Stainless steel	
	MT-RSD19	L=19	LOCKIT short torque ratchet driver	Stainless steel	 
	MT-RSD24	L=24	LOCKIT long torque ratchet driver	Stainless steel	 
	MT-ELM10	L=30	Long motor key for angled screw channel	Stainless steel	

L = Length

Prosthetic Instruments

	Cat. No	Dimensions (mm)	Description	Material	Sold
	MT-ESM10	L=24	Short motor key for angled screw channel	Stainless steel	
	MT-ELR10	L=22.5	Long ratchet key for angled screw channel	Stainless steel	 
	MT-ESR10	L=18.7	Short ratchet key for angled screw channel	Stainless steel	
	MT-LOC10	Ø7.8 L=86	LOCKiT core tool	Stainless steel	 
	MT-TSD10	L=50	Screwdriver for titanium ball cap	Stainless steel	
	ET-IT002		OT-Equator handling tool		 
	MT-RI040	L=95	Torque ratchet for prosthetic screws		 

L = Length





















Tools and Kits

SEVEN Surgical Kit

The SEVEN Surgical Kit is also available with a monoblock ratchet.
Product number: MK-EI48







































MK-T048
SEVEN Surgical Kit

Cat. No	Dimensions (mm)	Description	Material	Sold
 MT-TDN19	Ø1.90 L=34	Marking drill, external irrigation	Stainless steel	 
 MT-SMD10	L=30	Spade marking drill	Stainless steel	 
 CT-P2406	Ø2.40/2.0 L=31.8	Step pilot drill with built-in stopper for 6mm length implants	Stainless steel	 
 CT-P2408	Ø2.40/2.0 L=28	Step pilot drill with built-in stopper for 8mm length implants	Stainless steel	 
 CT-P2410	Ø2.40/2.0 L=28	Step pilot drill with built-in stopper for 10mm length implants	Stainless steel	 
 CT-P2411	Ø2.40/2.0 L=33	Step pilot drill with built-in stopper for 11.5mm length implants	Stainless steel	 

L = Length

SEVEN Surgical Kit













	Cat. No	Dimensions (mm)	Description	Material	Sold
	CT-P2413	Ø2.40/2.0 L=33	Step pilot drill with built-in stopper for 13mm length implants	Stainless steel	 
	CT-P2416	Ø2.40/2.0 L=37.5	Step pilot drill for 16mm length implants	Stainless steel	 
	MT-TDT28	Ø2.80 L=37.5	Twist drill, external irrigation	Stainless steel	 
	MT-TDT32	Ø3.20 L=37.5	Twist drill, external irrigation	Stainless steel	 
	MT-TDT40	Ø4 L=37.5	Twist drill, external irrigation	Stainless steel	 
	MT-TDT45	Ø4.50 L=38.2	Twist drill, external irrigation	Stainless steel	 
	MT-TDT50	Ø5 L=38.2	Twist drill, external irrigation	Stainless steel	 
	CT-BTC24	Ø2.40 L=28.5	Body try-in	Titanium	 
	MT-BTT28	Ø2.80 L=28.5	Body try-in	Titanium	 
	MT-BTT32	Ø3.20 L=28.5	Body try-in	Titanium	 
	MT-BTT40	Ø4 L=28.5	Body try-in	Titanium	 
	MT-BTT45	Ø4.50 L=28.5	Body try-in	Titanium	 

L = Length

	Cat. No	Dimensions (mm)	Description	Material	Sold
	MT-BTT50	Ø5 L=28.5	Body try-in	Titanium	 
	MT-GDN33	Ø3.75/4.20 L=26	Countersink, standard platform	Stainless steel	 
	MT-GDN50	Ø5/6 L=26.8	Countersink, wide platform	Stainless steel	 
	MT-PP240	Ø2.40-3 L=24	Parallel pin	Stainless steel	
	MT-HLI21	L=28.2	Long motor insertion tool, internal hex., narrow platform	Stainless steel	 
	MT-HLI10	L=28.2	Long motor insertion tool, internal hex., standard platform	Stainless steel	 
	MT-HS10	L=24.4	Short motor insertion tool, internal hex., standard platform	Stainless steel	 
	MT-LRH21	L=32.3	Long ratchet insertion tool, internal hex., narrow platform	Stainless steel	 
	MT-LRH20	L=32.3	Long ratchet insertion tool, internal hex., standard platform	Stainless steel	 
	MT-SRH20	L=22.3	Short ratchet insertion tool, internal hex., standard platform	Stainless steel	 
	MT-DE001	L=24	Drill extender	Stainless steel	 
	MT-RMR10	L=38.5	Long direct hand and ratchet key	Stainless steel	 


L = Length

SEVEN
Surgical Kit

Cat. No	Dimensions (mm)	Description	Material	Sold
 MT-RDL30	L=27	Long driver for 0.05 inch hex.	Stainless steel	 
 MT-RDS30	L=21.3	Short driver for 0.05 inch hex.	Stainless steel	 
 MN-PF330 MD-PF375	Ø4.5, L=11 Ø5, L=11	Direct press fit for closed tray, internal hex.	Titanium	 
 MT-RT070	L=95	Surgical torque ratchet		 

L = Length

 **5** Procedures
































Tools and Kits

SEVEN Drill Replacement Kit



MK-SD01 
SEVEN Drill Replacement Kit

	Cat. No	Dimensions (mm)	Description	Material	Sold
	CT-P2408	Ø2.40/2.0 L=28	Step pilot drill with built-in stopper for 8mm length implants	Stainless steel	 
	CT-P2410	Ø2.40/2.0 L=28	Step pilot drill with built-in stopper for 10mm length implants	Stainless steel	 
	CT-P2411	Ø2.40/2.0 L=33	Step pilot drill with built-in stopper for 11.5mm length implants	Stainless steel	 
	CT-P2413	Ø2.40/2.0 L=33	Step pilot drill with built-in stopper for 13mm length implants	Stainless steel	 
	CT-P2416	Ø2.40/2.0 L=37.5	Step pilot drill for 16mm length implants	Stainless steel	 
	MT-TDT28	Ø2.80 L=37.5	Twist drill, external irrigation	Stainless steel	 
	MT-TDT32	Ø3.20 L=37.5	Twist drill, external irrigation	Stainless steel	 
	MT-TDT40	Ø4 L=37.5	Twist drill, external irrigation	Stainless steel	 
	MT-TDT45	Ø4.50 L=38.2	Twist drill, external irrigation	Stainless steel	 

L = Length


















Tools and Kits

M4 Surgical Kit



MK-0016
M4 Surgical Kit


















Cat. No	Dimensions (mm)	Description	Material	Sold
 MT-SMD10	L=30	Spade marking drill	Stainless steel	 
 MT-TDN19	Ø1.90 L=34	Marking drill, external irrigation	Stainless steel	 
 CT-P2416	Ø2.40/2.0 L=37.5	Step pilot drill for 16mm length implants	Stainless steel	 
 MT-TDN28	Ø2.80 L=37.5	Twist drill, external irrigation	Stainless steel	 
 MT-TDN32	Ø3.20 L=37.6	Twist drill, external irrigation	Stainless steel	 

L = Length

Cat. No	Dimensions (mm)	Description	Material	Sold
MT-TDN38	Ø3.80 L=37.8	Twist drill, external irrigation	Stainless steel	INSIDE KIT STAND ALONE
MT-TDN45	Ø4.50 L=38.2	Twist drill, external irrigation	Stainless steel	INSIDE KIT STAND ALONE
MT-TDN50	Ø5 L=38.2	Twist drill, external irrigation	Stainless steel	INSIDE KIT STAND ALONE
MT-TDN55	Ø5.50 L=38.2	Twist drill, external irrigation	Stainless steel	INSIDE KIT STAND ALONE
MT-DE001	L=24	Drill extender	Stainless steel	INSIDE KIT STAND ALONE
MT-LM005	L=30	Long motor adapter for 0.05 inch hex.	Stainless steel	INSIDE KIT STAND ALONE
MT-HS110	L=24.4	Short motor insertion tool, internal hex.	Stainless steel	INSIDE KIT STAND ALONE
MT-HL110	L=28.2	Long motor insertion tool, internal hex.	Stainless steel	INSIDE KIT STAND ALONE
MT-CSN33	Ø3.30 L=31	Countersink, narrow platform	Stainless steel	INSIDE KIT STAND ALONE
MT-GDN33	Ø3.75/4.20 L=26	Countersink, standard platform	Stainless steel	INSIDE KIT STAND ALONE
MT-GDN50	Ø5/6 L=26.8	Countersink, wide platform	Stainless steel	INSIDE KIT STAND ALONE
MT-PP240	Ø2.40-3 L=24	Parallel pin	Stainless steel	STAND ALONE

L = Length


M4 Surgical Kit

	Cat. No	Dimensions (mm)	Description	Material	Sold
	MT-LRH21	L=32.3	Long ratchet insertion tool, internal hex., narrow platform	Stainless steel	 
	MT-LRH20	L=32.3	Long ratchet insertion tool, internal hex.	Stainless steel	 
	MT-SRH20	L=22.3	Short ratchet insertion tool, internal hex.	Stainless steel	 
	MT-RMR10	L=38.5	Long direct hand and ratchet key	Stainless steel	 
	MT-RDL30	L=27	Long driver for 0.05 inch hex.	Stainless steel	 
	MT-RI030	L=84	Monoblock ratchet		 

L = Length



5 Surgical Procedures





Tools and Kits

SEVEN Drill Stoppers Kit, Standard Platform

Following the use of MIS length-based pilot drills, the SEVEN Standard Platform Drill Stoppers Kit ensures drilling to the exact depth desired. The kit includes the most commonly used lengths: 8, 10, 11.5 and 13mm.



Cat. No	Dimensions (mm)	Description	Material	Sold
---------	-----------------	-------------	----------	------



MK-BS001

Drill stopper kit for SEVEN implant, standard platform








Tools and Kits

SEVEN Drill Stoppers Kit, Depth Based



MK-SDS(06-13) 
Drill Stoppers Kit


	Cat. No	Dimensions (mm)	Description	Material	Sold
	MK-SDS06	L=6	Drill stoppers kit for 6mm SEVEN implant	Stainless steel	
	MK-SDS08	L=8	Drill stoppers kit for 8mm SEVEN implant	Stainless steel	
	MK-SDS10	L=10	Drill stoppers kit for 10mm SEVEN implant	Stainless steel	
	MK-SDS11	L=11.5	Drill stoppers kit for 11.5mm SEVEN implant	Stainless steel	
	MK-SDS13	L=13	Drill stoppers kit for 13mm SEVEN implant	Stainless steel	

L = Length





















Tools and Kits

MULTIFIX Drilling Set for 18 and 20mm Implants

MK-0058 
Drilling Set for 18 and 20mm Implants



	Cat. No	Dimensions (mm)	Description	Material	Sold
	MT-ETD24	Ø2.40 L=39	Extra-long twist drill	Stainless steel	 
	MT-ETD28	Ø2.80 L=39	Extra-long twist drill	Stainless steel	 
	MT-ETD32	Ø3.20 L=39	Extra-long twist drill	Stainless steel	 
	MT-ETD38	Ø3.80 L=39	Extra-long twist drill	Stainless steel	 
	MT-LBT24	Ø2.40 L=34	Long body try-in	Stainless steel	 
	MT-LBT28	Ø2.80 L=34	Long body try-in	Stainless steel	 

L = Length















Tools and Kits

Bone Profiler Kit



MK-0059 
Bone Profiler Kit

	Cat. No	Dimensions (mm)	Description	Material	Sold
	MT-BP320	Ø3.20	Bone profiler, internal hex., narrow platform	Stainless steel	
	MT-BP370	Ø3.70	Bone profiler, internal hex., standard platform	Stainless steel	
	MT-BP460	Ø4.60	Bone profiler, internal hex., wide platform	Stainless steel	
	MT-BGP32	Ø3.20	Bone profiler guide pin, internal hex., narrow platform	Stainless steel	
	MT-BGP37	Ø3.70	Bone profiler guide pin, internal hex., standard platform	Stainless steel	
	MT-BGP46	Ø4.60	Bone profiler guide pin, internal hex., wide platform	Stainless steel	

L = Length



Tools and Kits

Bone Compression Kit


















MK-0020
Bone Compression Kit

	Cat. No	Dimensions (mm)	Description	Material	Sold
	MO-CO160	Ø1.80-2.90 L=25	Convex compression screw	Stainless steel	
	MO-CO200	Ø2.30-3.30 L=25	Convex compression screw	Stainless steel	
	MO-CO240	Ø2.70-3.70 L=25	Convex compression screw	Stainless steel	
	MO-CO280	Ø3.10-4.50 L=25	Convex compression screw	Stainless steel	
	MO-SO300	Ø3 L=25	Concave sinus screw	Stainless steel	
	MO-SO350	Ø3.50 L=25	Concave sinus screw	Stainless steel	
	MO-SO400	Ø4 L=25	Concave sinus screw	Stainless steel	


L = Length

Bone Compression Kit


	Cat. No	Dimensions (mm)	Description	Material	Sold
	MT-HSI10	L=24.4	Short motor insertion tool, internal hex.	Stainless steel	 
	MT-HLI10	L=28.2	Long motor insertion tool, internal hex.	Stainless steel	 
	MT-LRH20	L=32.3	Long ratchet insertion tool, internal hex.	Stainless steel	 
	MT-SRH20	L=22.3	Short ratchet insertion tool, internal hex.	Stainless steel	 
	MT-RI030	L=84	Monoblock ratchet		 

L = Length

2 Surgical Procedures



Bone Compression



Sinus Lifting



Tools and Kits

Sinus Lift Osteotome Set

The MIS Sinus Lift Osteotome Set is used for closed sinus augmentation procedures. The set includes four straight and four bayonet concave tools. All tools are laser marked for depths of 6, 11 and 15mm, and are equipped with stoppers for convenience and safety.



Cat. No	Dimensions (mm)	Description	Material	Sold
---------	-----------------	-------------	----------	------



MK-0023

Sinus lift osteotome set



Tools and Kits

Convex Osteotome Set

The MIS Convex Osteotome Set is used for closed sinus augmentation procedures. The set includes four straight and four bayonet convex tools. All tools are laser marked for depths of 6, 11 and 15mm, and are equipped with stoppers for convenience and safety.

Convex

6mm

11mm

15mm



Cat. No

Dimensions (mm)

Description

Material

Sold



MK-0024

Convex osteotome set



Tools and Kits

































Prosthetic Tools Kit

 MK-0039
 Prosthetic Tools Kit

















	Cat. No	Dimensions (mm)	Description	Material	Sold
	MT-RDS30	L=21.3	Short driver for 0.05 inch hex.	Stainless steel	
	MT-RDL30	L=27	Long driver for 0.05 inch hex.	Stainless steel	
	MT-SM005	L=24	Short motor adapter for 0.05 inch hex.	Stainless steel	
	MT-LM005	L=30	Long motor adapter for 0.05 inch hex.	Stainless steel	
	MT-MURL2	L=21	Straight Multi-Unit long ratchet key	Stainless steel	

L = Length

Prosthetic Tools Kit

	Cat. No	Dimensions (mm)	Description	Material	Sold
	MT-MUML2	L=31	Straight Multi-Unit long motor key	Stainless steel	 
	MT-RE172	L=28.5	Int. connection abutment extractor	Titanium	 
	MT-RE160	L=28.5	Int. connection abutment extractor, narrow platform	Titanium	 
	MT-RSD19	L=19	LOCKIT short torque ratchet driver	Stainless steel	 
	MT-RSD24	L=24	LOCKIT long torque ratchet driver	Stainless steel	 
	MT-RB225	L=22	Ball attachment anchor key	Stainless steel	 
	MT-UN002	L=24	Implant analog for universal hand driver, internal hex., narrow platform	Stainless steel	 
	MT-US002	L=24	Implant analog for universal hand driver, internal hex., standard platform	Stainless steel	 
	MT-UW002	L=24	Implant analog for universal hand driver, internal hex., wide platform	Stainless steel	 
	CT-UN001	L=24	Implant analog for universal hand driver, conical connection, narrow platform	Stainless steel	
	CT-US001	L=24	Implant analog for universal hand driver, conical connection, standard platform	Stainless steel	
	CT-UW001	L=24	Implant analog for universal hand driver, conical connection, wide platform	Stainless steel	

L = Length



Cat. No	Dimensions (mm)	Description	Material	Sold
 ET-IT002		OT-Equator handling tool		 
 MT-LOC10	Ø7.8 L=86	LOCKiT core tool	Stainless steel	 
 MT-MSD20	L=140	Surgical adapter driver	Stainless steel + Aluminum	 
 MT-ELR10	L=22.5	Long ratchet key for angled screw channel	Stainless steel	 
 MT-RI040	L=95	Torque ratchet for prosthetic screws		 

L = Length



1 Prosthetic Solution

2 Implant Connections





Tools and Kits

Abutment Holding System Kit

The abutment holding system allows convenient grip of prosthetic components for adjustments and preparation of both ceramic and titanium abutments.




Cat. No.	Dimensions (mm)	Description	Material	Sold
----------	-----------------	-------------	----------	------



MK-0001

Abutment holding system kit, internal hex.



The MIS Crown Set is a delivery system comprised of an auto-mix, easy-to-use dispensing syringe and disposable dispensing tips. The resin-based cement combines high retention properties along with the ability to remove a restoration if needed. The cement sets within 120 -150 seconds and allows easy removal of excess material. **Note:** Abutments should be sand-blasted prior to cementation to achieve maximum retention.



Cat. No.	Dimensions (mm)	Description	Material	Sold
----------	-----------------	-------------	----------	------



MK-0022









Crown set



Tools and Kits

Control Units



Cat. No	Dimensions (mm)	Description	Material	Sold
 MWH-SE236		MIS basic physio and contra angle set (230 V)		
 MWH-SE237		MIS basic physio and contra angle set (115 V)		
 MWH-SE225		MIS basic physio and contra angle LED set (230 V)		
 MWH-SE226		MIS basic physio and contra angle LED set (115 V)		
 MWH-2STUB		Irrigation system 1/2 way		
 MWH-MMOTR		Micro motor and cord kit		
 MWH-M7559		Surgical contra-angle 20:1		
 MWH-CAL02		Surgical contra-angle LED 20:1		



PROSTHETIC OPTIONS

MIS offers a comprehensive range of prosthetic systems, which are suitable for any indication and procedure type, including analog and digital workflows. Combined with a wide variety of supporting tools and digital solutions, our products are designed to provide the biological advantages that are critical for successful treatment.

MIS superstructures are designed to meet all prosthetic needs and fit all accepted working methods. Abutments are available in a wide range of heights, gingival collar heights, angles and margin types, as well as a line of concave emergence profile abutments which are designed to facilitate soft tissue management and growth. MIS offers solutions for both screw retained and cement retained treatments, for temporary and permanent restorations.





Impression Coping

Analogs and Impression Copings











	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MN-ITC30	NP	Ø4, H=2, C=6	Direct concave impression coping for closed tray, internal hex.	Titanium	
	MD-ITC30	SP	Ø4.8, H=2, C=6			
	MW-ITC30	WP	Ø5.5, H=2, C=6			
	MN-IO401	NP	Ø5.5, L=11	Direct concave impression coping for open tray, internal hex.	Titanium	
	MD-IO481	SP	Ø6.2, L=11			
	MW-IO551	WP	Ø6.8, L=11			
	MN-IT100	NP	Ø4, L=9	Direct impression coping for closed tray, internal hex.	Stainless steel	
	MD-IT100	SP	Ø4.5, L=9			
	MW-IT100	WP	Ø5.4, L=9			
	MN-I0330	NP	Ø4.6, L=11	Direct impression coping for open tray, internal hex.	Stainless steel	
	MD-I0375	SP	Ø5, L=11			
	MW-I0470	WP	Ø5.5, L=11			

Concave emergence profile

H = Gingival height


C = Crown height

L = Length

	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MN-IT300	NP	Ø4, H=2, C=6	Direct impression coping for closed tray, internal hex.	Titanium	
	MD-IT300	SP	Ø4.8, H=2, C=6			
	MW-IT300	WP	Ø5.5, H=2, C=6			
	MN-PF330	NP	Ø4.5, L=11	Direct press fit for closed tray, internal hex.	Titanium	
	MD-PF375	SP	Ø5, L=11			
	MW-PF550	WP	Ø5.5, L=11			
	MN-RSM10	NP	Ø3.3, L=12	Implant analog, internal hex.	Stainless steel	
	MD-RSM10	SP	Ø3.75, L=12			
	MW-RSM10	WP	Ø4.6, L=12			
	MN-S0160	NP	L=7.6	Direct prosthetic screw, 30 Ncm	Titanium	
	MD-S0220	SP/WP				
	MN-G0160	NP	L=21	Direct impression coping guide pin for open tray	Titanium	
	MD-G0213	SP/WP	L=23			
	MN-GP100	NP	L=16.5	Direct impression coping guide pin, internal hex.	Titanium	
	MD-GP100	SP/WP				

 Concave emergence profile H = Gingival height C = Crown height L = Length

3 Platforms





















Temporary Restoration

Temporary Cylinders






















	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MN-TC023 MD-TC023 MW-TC023	NP SP WP	Ø4, H=2, C=10 Ø4.8, H=2, C=10 Ø5.5, H=2, C=10	Direct concave temporary cylinder, free rotation, internal hex.	Titanium	  
	MN-TC033 MD-TC033 MW-TC033	NP SP WP	Ø4, H=3, C=10 Ø4.8, H=3, C=10 Ø5.5, H=3, C=10	Direct concave temporary cylinder, free rotation, internal hex.	Titanium	  
	MN-TCH23 MD-TCH23 MW-TCH23	NP SP WP	Ø4, H=2, C=10 Ø4.8, H=2, C=10 Ø5.5, H=2, C=10	Direct concave temporary cylinder, anti-rotation, internal hex.	Titanium	  
	MN-TCH33 MD-TCH33 MW-TCH33	NP SP WP	Ø4, H=3, C=10 Ø4.8, H=3, C=10 Ø5.5, H=3, C=10	Direct concave temporary cylinder, anti-rotation, internal hex.	Titanium	  


 Concave emergence profile

H = Gingival height

C = Crown height

L = Length

	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MN-TC013 MD-TC013 MW-TC013	NP SP WP	Ø4, H=1, C=10 Ø4.8, H=1, C=10 Ø5.5, H=1, C=10	Direct temporary cylinder, free rotation, internal hex.	Titanium	  
	MN-TCH13 MD-TCH13 MW-TCH13	NP SP WP	Ø4, H=1, C=10 Ø4.8, H=1, C=10 Ø5.5, H=1, C=10	Direct temporary cylinder, anti-rotation, internal hex.	Titanium	  
	MN-TPA10 MD-TPA10 MW-TPA10	NP SP WP	Ø4, H=1, C=10 Ø4.75, H=1, C=10 Ø5.5, H=1, C=10	Temporary plastic abutment, Internal hex.	PEEK	  
	MN-TPA12 MD-TPA12 MW-TPA12	NP SP WP	Ø3.5, H=1, C=10 Ø3.75, H=1, C=10 Ø4.5, H=1, C=10	Narrow profile temporary plastic abutment, internal hex.	PEEK	  
	MD-TPH50 MW-TPH50	SP WP	Ø5, H=2.5, C=9.5 Ø5.5, H=2.5, C=9.5	Direct temporary plastic cylinder, internal hex.	PEEK	 

 Concave emergence profile
 H = Gingival height
 C = Crown height
 L = Length

2 Abutment Options



Titanium

























Polyether ether ketone



Screw Retained Restoration

Multi-Unit System





























	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MA-NC248 MA-SC248	NP SP	Ø4.8, H=2	Multi-Unit concave abutment, internal hex., 30Ncm	Titanium	 
	MA-NC348 MA-SC348 MA-WC348	NP SP WP	Ø4.8, H=3	Multi-Unit concave abutment, internal hex., 30Ncm	Titanium	  
	MA-NC448 MA-SC448	NP SP	Ø4.8, H=4	Multi-Unit concave abutment, internal hex., 30Ncm	Titanium	 
	MA-WC548	WP	Ø4.8, H=5	Multi-Unit concave abutment, internal hex., 30Ncm	Titanium	
	MA-N1480 MA-S1480 MA-W1480	NP SP WP	Ø4.8, H=1	Multi-Unit abutment, internal hex., 30Ncm	Titanium	  
	MA-N2480 MA-S2480	NP SP	Ø4.8, H=2	Multi-Unit abutment, internal hex., 30Ncm	Titanium	 
	MA-N3480 MA-S3480 MA-W3480	NP SP WP	Ø4.8, H=3	Multi-Unit abutment, internal hex., 30Ncm	Titanium	  

 Concave emergence profile

H = Gingival height

C = Crown height

L = Length

	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MA-N4480 MA-S4480	NP SP	Ø4.8, H=4	Multi-Unit abutment, internal hex., 30Ncm	Titanium	 
	MA-N5480 MA-S5480 MA-W5480	NP SP WP	Ø4.8, H=5	Multi-Unit abutment, internal hex., 30Ncm	Titanium	  
	MA-SO171 MA-WO171	SP WP	Ø4.8, H=1	Multi-Unit angulated abutment, 17°, internal hex., 20Ncm	Titanium	 
	MA-SO172 MA-WO172	SP WP	Ø4.8, H=2	Multi-Unit angulated abutment, 17°, internal hex., 20Ncm	Titanium	 
	MA-SO301 MA-WO301	SP WP	Ø4.8, H=1	Multi-Unit angulated abutment, 30°, internal hex., 20Ncm	Titanium	 
	MA-SO302 MA-WO302	SP WP	Ø4.8, H=2	Multi-Unit angulated abutment, 30°, internal hex., 20Ncm	Titanium	 
	MU-BGC48		L=3.3	Gold bar coping abutment for Multi-Unit	Gold-e	
	MU-RSM48		L=12	Analog for Multi-Unit	Titanium	
	MU-CC480		Ø4.8 L=3.3	Cementing cap for Multi-Unit	Titanium	
	MU-CP048		L=10	Plastic cylinder for Multi-Unit	Burnout plastic	
	MU-S0220		L=3.8	Prosthetic screw for Multi-Unit, 25Ncm	Titanium	
	MU-G0220		L=3.8	Prosthetic gold screw for Multi-Unit, 20Ncm	Gold-s	
	MU-H4480		Ø4.8 L=4.3	Healing cap for Multi-Unit	Titanium	

Multi-Unit System

	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MU-I0480		Ø4.8 L=10	Impression coping for Multi-Unit, open tray	Titanium	
	MU-IT480		Ø4.8 L=8	Impression coping for Multi-Unit, closed tray	Titanium	
	MU-MG480		Ø4.8 L=14.5	Direct gold for Multi-Unit	Burnout plastic + gold-a	
	MU-TO480		Ø4.8 L=10	Titanium temporary cylinder for Multi-Unit	Titanium	
	MU-SP102		L=10	Scan Post for Multi-Unit	Titanium	
	MU-MAN10		Ø4.8 L=10	Digital model analog for Multi-Unit	Titanium	
	MT-MURL2		L=21	Straight Multi-Unit long ratchet key	Stainless steel	
	MT-MURS2		L=16	Straight Multi-Unit short ratchet key	Stainless steel	
	MT-MUML2		L=31	Straight Multi-Unit long motor key	Stainless steel	
	MT-MUMS2		L=24	Straight Multi-Unit short motor key	Stainless steel	
	MT-RDL30		L=27	Long driver for 0.05 inch hex.	Stainless steel	

 Concave emergence profile

H = Gingival height

C = Crown height















L = Length



Screw Retained Restoration

Plastic Cylinders



	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MN-CPH13 MD-CPH13 MW-CPH13	NP SP WP	Ø3.5, C=11 Ø3.75, C=11 Ø4.5, C=11	Direct plastic cylinder, anti-rotation, internal hex.	Burnout Plastic	  
	MN-CP013 MD-CP013 MW-CP013	NP SP WP	Ø3.5, C=11 Ø3.75, C=11 Ø4.5, C=11	Direct plastic cylinder, free rotation, internal hex.	Burnout Plastic	  
	MD-CPH50 MW-CPH60	SP WP	Ø5, C=11 Ø6.5, C=11	Wide profile direct plastic cylinder, anti-rotation, internal hex.	Burnout Plastic	 
	MD-CP050 MW-CP060	SP WP	Ø5, C=11 Ø6.5, C=11	Wide profile direct plastic cylinder, free rotation, internal hex.	Burnout Plastic	 

































 Concave emergence profile

H = Gingival height

C = Crown height

L = Length

Plastic Cylinders

	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MN-GPC10 MD-GPC10 MW-GPC10	NP SP WP	Ø4.3, H=1, C=14 Ø5, H=1, C=14 Ø5.5, H=1, C=14	Direct gold plastic cylinder, anti-rotation, internal hex.	Burnout Plastic + Gold-a	  
	MN-GP010 MD-GP010 MW-GP010	NP SP WP	Ø4.3, H=1, C=14 Ø5, H=1, C=14 Ø5.5, H=1, C=14	Direct gold plastic cylinder, free rotation, internal hex.	Burnout plastic + Gold-a	  
	MN-CCI10 MD-CCI10 MW-CCI10	NP SP WP	Ø4.3, H=1, C=14 Ø5, H=1, C=14 Ø5.5, H=1, C=14	Direct CoCr plastic cylinder, anti-rotation, internal hex.	Cobalt-Chrome	  
	MN-CC010 MD-CC010 MW-CC010	NP SP WP	Ø4.3, H=1, C=14 Ø5, H=1, C=14 Ø5.5, H=1, C=14	Direct CoCr plastic cylinder, free rotation, internal hex.	Cobalt-Chrome	  
	MD-G0220	SP/WP	L=7.7	Direct gold prosthetic screw, 20 Ncm	Gold-s	 
	MD-S0200	SP/WP	L=6.9	Mini prosthetic screw, 30 Ncm	Titanium	 
	MN-S0160 MD-S0220	NP SP/WP	L=7.6	Direct prosthetic screw, 30 Ncm	Titanium	  
	MD-S0222	SP/WP	L=12	Medium prosthetic screw, 30 Ncm	Titanium	 
	MD-S0224	SP/WP	L=14	Long prosthetic screw, 30 Ncm	Titanium	 

 Concave emergence profile

H = Gingival height


C = Crown height












L = Length



Digital Restoration

EZ-Base System




	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MN-EZB15 MD-EZB15 MW-EZB15	NP SP WP	Ø4.25, H=1.5, C=5 Ø4.3, H=1.5, C=5 Ø5.7, H=1.5, C=5	EZ-Base abutment, internal hex.	Titanium	  
	MT-ELM10		L=30	Long motor key for angled screw channel	Stainless steel	
	MT-ESM10		L=24	Short motor key for angled screw channel	Stainless steel	
	MT-ELR10		L=22.5	Long ratchet key for angled screw channel	Stainless steel	
	MT-ESR10		L=18.7	Short ratchet key for angled screw channel	Stainless steel	
	MN-E0160 MD-E0220	NP SP	L=7.1 L=7.6	EZ-Base prosthetic screw	Titanium	 


 Concave emergence profile

H = Gingival height

C = Crown height

L = Length




	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MN-TBC15 MD-TBC15 MW-TBC15	NP SP WP	Ø4.2, H=1.5, C=4 Ø4.3, H=1.5, C=4 Ø5.7, H=1.5, C=4	Ti-Base, concave, anti-rotation, internal hex.	Titanium	  
	MN-FTB15 MD-FTB15 MW-FTB15	NP SP WP	Ø4.2, H=1.5, C=4 Ø4.3, H=1.5, C=4 Ø5.7, H=1.5, C=4	Ti-Base, concave, free rotation, internal hex.	Titanium	  
	MN-TBC30 MD-TBC30 MW-TBC30	NP SP WP	Ø4.2, H=3, C=4 Ø4.3, H=3, C=4 Ø5.7, H=3, C=4	Ti-Base, concave, anti-rotation, internal hex.	Titanium	  
	MN-FTB30 MD-FTB30 MW-FTB30	NP SP WP	Ø4.2, H=3, C=4 Ø4.3, H=3, C=4 Ø5.7, H=3, C=4	Ti-Base, concave, free rotation, internal hex.	Titanium	  
	MN-TB001 MD-TB001 MW-TB001	NP SP WP	Ø4.2, H=0.5, C=4 Ø4.3, H=0.5, C=4 Ø5.7, H=0.5, C=4	Ti-Base, anti-rotation, internal hex.	Titanium	  
	MN-TB002 MD-TB002 MW-TB002	NP SP WP	Ø4, H=0.5, C=4 Ø4.3, H=0.5, C=4 Ø5.7, H=0.5, C=4	Ti-Base, free rotation, internal hex.	Titanium	  
	MN-IN060 MD-IN060	NP SP	Ø4.2, H=0.5, C=6 Ø4.3, H=0.5, C=6	Incisor esthetic Ti abutment, internal hex.	Titanium	 
	MN-S0160 MD-S0220	NP SP/WP	L=7.6	Direct prosthetic screw, 30 Ncm	Titanium	  

 Concave emergence profile

H = Gingival height

C = Crown height




L = Length



Digital Restoration

Scan Post Kit



	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MN-SP102 MD-SP102 MW-SP102	NP SP WP	L=10	Scan Post, internal hex.	Titanium	
	MU-SP102		L=10	Scan Post for Multi-Unit	Titanium	

● Concave emergence profile H = Gingival height C = Crown height L = Length






Digital Restoration

Digital Model Analogs



Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
----------	----------	-----------------	-------------	----------	----------



MN-MAN10	NP	Ø3.30, L=10	Digital model analog, internal hex.	Titanium	  
MD-MAN10	SP	Ø3.80, L=10			
MW-MAN10	WP	Ø4.60, L=10			



MU-MAN10		Ø4.80 L=10	Digital model analog for Multi-Unit	Titanium	
----------	--	---------------	-------------------------------------	----------	--

 Concave emergence profile

H = Gingival height

C = Crown height

L = Length



Digital Restoration

Titanium Blanks



	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MN-IB091 MD-IB091 MW-IB091	NP SP WP	Ø9 L=13.5	Titanium Blank, anti-rotation, internal hex.	Titanium	
	MN-IB121 MD-IB121 MW-IB121	NP SP WP	Ø12 L=13.5	Titanium Blank, anti-rotation, internal hex.	Titanium	
	MN-AGT12 MD-AGT12 MW-AGT12	NP SP WP	Ø12 L=13.5	Titanium Blank for Amann Girrbach, anti-rotation, internal hex.	Titanium	
	MN-MAB10 MD-MAB10 MW-MAB10	NP SP WP	Ø5 L=13.5	Milling analog for Titanium Blank, internal hex.	Stainless steel	

Concave emergence profile

H = Gingival height


C = Crown height

L = Length



Cemented Restoration

Cementable Abutments

































	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MN-AT102	NP	Ø4, H=2, C=7	Cementable angulated abutment, 10°, concave, internal hex.	Titanium	
	MD-AT152 MW-AT152	SP WP	Ø4.8, H=2, C=7.5 Ø5.5, H=2, C=7.5	Cementable angulated abutment, 15°, concave, internal hex.	Titanium	
	MD-AT153	SP	Ø4.8, H=3, C=7.5	Cementable angulated abutment, 15°, concave, internal hex.	Titanium	
	MN-AT202	NP	Ø4, H=2, C=7	Cementable angulated abutment, 20°, concave, internal hex.	Titanium	

Concave emergence profile














H = Gingival height

C = Crown height

L = Length

	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MD-AT252	SP	Ø4.8, H=2, C=7.5	Cementable angulated abutment, 25°, concave, internal hex.	Titanium	
	MD-AT253	SP	Ø4.8, H=3, C=7.5	Cementable angulated abutment, 25°, concave, internal hex.	Titanium	
	MD-A0010 MW-P0010	SP WP	Ø5.5, H=1, C=8 Ø6.3, H=1, C=8	Cementable abutment, internal hex.	Titanium	 
	MD-P0030	SP	Ø5.6, H=3, C=8	Cementable abutment, internal hex.	Titanium	
	MN-AT101	NP	Ø4, H=1, C=7	Cementable angulated abutment, 10°, internal hex.	Titanium	
	MD-A1510 MW-P1510	SP WP	Ø5.2, H=1, C=8 Ø5.8, H=1, C=8	Cementable angulated abutment, 15°, internal hex.	Titanium	 
	MN-AN020	NP	Ø4, H=1, C=7.3	Cementable angulated abutment, 20°, internal hex.	Titanium	
	MD-AN151 MW-AN151	SP WP	Ø4.9, H=1, C=7.5 Ø6, H=1, C=7.3	Cementable angulated abutment, 15°, internal hex.	Titanium	 
	MD-P1530	SP	Ø5.2, H=3, C=8	Cementable angulated abutment, 15°, internal hex.	Titanium	
	MD-A2510	SP	Ø5.6, H=1, C=8	Cementable angulated abutment, 25°, internal hex.	Titanium	
	MD-AN251	SP	Ø5.9, H=1, C=7	Cementable angulated abutment, 25°, internal hex.	Titanium	
	MD-P2530	SP	Ø5.7, H=3, C=8	Cementable angulated abutment, 25°, internal hex.	Titanium	
	MD-G0220	SP/WP	L=7.7	Direct gold prosthetic screw, 20 Ncm	Gold-s	 

Cementable Abutments

	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MD-S0200	SP/WP	L=6.9	Mini prosthetic screw, 30 Ncm	Titanium	 
	MN-S0160 MD-S0220	NP SP/WP	L=7.6	Direct prosthetic screw, 30 Ncm	Titanium	  
	MD-S0222	SP/WP	L=12	Medium prosthetic screw, 30 Ncm	Titanium	 
	MD-S0224	SP/WP	L=14	Long prosthetic screw, 30 Ncm	Titanium	 


 Concave emergence profile

H = Gingival height

C = Crown height

L = Length

5 Angle Options


















Cemented Restoration

Cementing Posts



	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MN-MC102 MD-MC102 MW-MC102	NP SP WP	Ø4, H=2, C=10 Ø4.8, H=2, C=10 Ø5.5, H=2, C=10	Cementing post, concave, internal hex.	Titanium	  
	MN-MAC10 MD-MAC10 MW-MAC10	NP SP WP	Ø4, H=1, C=10 Ø4.75, H=1, C=10 Ø5.5, H=1, C=10	Cementing post, internal hex.	Titanium	  
	MD-WMAC1 MW-WMAC1	SP WP	Ø5.5, H=1, C=10 Ø6.5, H=1, C=10	Wide profile cementing post, internal hex.	Titanium	 
	MD-MACF1	SP	Ø4.8, H=2.5, C=8.5	Friction fit cementing post with platform switching, internal hex.	Titanium	




















 Concave emergence profile

H = Gingival height

C = Crown height


L = Length

Cementing Posts

	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MD-CTP10 MW-CTP10	SP WP	Ø3.75, H=0, C=8.5 Ø5.5, H=0, C=8.5	Narrow profile cementing post, internal hex.	Titanium	 
	MD-G0220	SP/WP	L=7.7	Direct gold prosthetic screw, 20 Ncm	Gold-s	 
	MD-S0200	SP/WP	L=6.9	Mini prosthetic screw, 30 Ncm	Titanium	 
	MN-S0160 MD-S0220	NP SP/WP	L=7.6	Direct prosthetic screw, 30 Ncm	Titanium	  
	MD-S0222	SP/WP	L=12	Medium prosthetic screw, 30 Ncm	Titanium	 
	MD-S0224	SP/WP	L=14	Long prosthetic screw, 30 Ncm	Titanium	 

 Concave emergence profile H = Gingival height C = Crown height L = Length

4 Screw Height Options





Cemented Restoration

CPK - Complete Prosthetic Kit



	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MK-NPC62	NP	Ø4, H=2, C=6	Complete Prosthetic Kit, concave, internal hex.	Titanium	
	MK-CPC62	SP	Ø4.8, H=2, C=6			
	MK-WPC62	WP	Ø5.5, H=2, C=6			
	MK-NPC63	NP	Ø4, H=3, C=6	Complete Prosthetic Kit, concave, internal hex.	Titanium	
	MK-CPC63	SP	Ø4.8, H=3, C=6			
	MK-WPC63	WP	Ø5.5, H=3, C=6			
	MK-NPC64	NP	Ø4, H=4, C=6	Complete Prosthetic Kit, concave, internal hex.	Titanium	
	MK-CPC64	SP	Ø4.8, H=4, C=6			
	MK-WPC64	WP	Ø5.5, H=4, C=6			
	MK-NPK41	NP	Ø4, H=1, C=4	Complete Prosthetic Kit, internal hex.	Titanium	
	MK-CPK41	SP	Ø4.8, H=1, C=4			
	MK-WPK41	WP	Ø5.5, H=1, C=4			
	MK-NPK42	NP	Ø4, H=2, C=4	Complete Prosthetic Kit, internal hex.	Titanium	
	MK-CPK42	SP	Ø4.8, H=2, C=4			
	MK-WPK42	WP	Ø5.5, H=2, C=4			
	MK-NPK43	NP	Ø4, H=3, C=4	Complete Prosthetic Kit, internal hex.	Titanium	
	MK-CPK43	SP	Ø4.8, H=3, C=4			
	MK-WPK43	WP	Ø5.5, H=3, C=4			

Concave emergence profile











































H = Gingival height

C = Crown height

L = Length

CPK - Complete Prosthetic Kit

	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MK-NPK44	NP	Ø4, H=4, C=4	Complete Prosthetic Kit, internal hex.	Titanium	
	MK-CPK44	SP	Ø4.8, H=4, C=4			
	MK-WPK44	WP	Ø5.5, H=4, C=4			
	MK-NPK61	NP	Ø4, H=1, C=6	Complete Prosthetic Kit, internal hex.	Titanium	
	MK-CPK61	SP	Ø4.8, H=1, C=6			
	MK-WPK61	WP	Ø5.5, H=1, C=6			
	MK-NPK62	NP	Ø4, H=2, C=6	Complete Prosthetic Kit, internal hex.	Titanium	
	MK-CPK62	SP	Ø4.8, H=2, C=6			
	MK-WPK62	WP	Ø5.5, H=2, C=6			
	MK-NPK63	NP	Ø4, H=3, C=6	Complete Prosthetic Kit, internal hex.	Titanium	
	MK-CPK63	SP	Ø4.8, H=3, C=6			
	MK-WPK63	WP	Ø5.5, H=3, C=6			
	MK-NPK64	NP	Ø4, H=4, C=6	Complete Prosthetic Kit, internal hex.	Titanium	
	MK-CPK64	SP	Ø4.8, H=4, C=6			
	MK-WPK64	WP	Ø5.5, H=4, C=6			
	MK-CPK81	SP	Ø4.8, H=1, C=8	Complete Prosthetic Kit, internal hex.	Titanium	
	MK-WPK81	WP	Ø5.5, H=1, C=8			
	MK-CPK82	SP	Ø4.8, H=2, C=8	Complete Prosthetic Kit, internal hex.	Titanium	
	MK-WPK82	WP	Ø5.5, H=2, C=8			
	MK-CPK83	SP	Ø4.8, H=3, C=8	Complete Prosthetic Kit, internal hex.	Titanium	
	MK-WPK83	WP	Ø5.5, H=3, C=8			
	MK-CPK84	SP	Ø4.8, H=4, C=8	Complete Prosthetic Kit, internal hex.	Titanium	
	MK-WPK84	WP	Ø5.5, H=4, C=8			
	MN-CPC62	NP	Ø4, H=2, C=6	Transgingival concave abutment, internal hex.	Titanium	
	MD-CPC62	SP	Ø4.8, H=2, C=6			
	MW-CPC62	WP	Ø5.5, H=2, C=6			
	MN-CPC63	NP	Ø4, H=3, C=6	Transgingival concave abutment, internal hex.	Titanium	
	MD-CPC63	SP	Ø4.8, H=3, C=6			
	MW-CPC63	WP	Ø5.5, H=3, C=6			
	MN-CPC64	NP	Ø4, H=4, C=6	Transgingival concave abutment, internal hex.	Titanium	
	MD-CPC64	SP	Ø4.8, H=4, C=6			
	MW-CPC64	WP	Ø5.5, H=4, C=6			




	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MN-CPK41 MD-CPK41 MW-CPK41	NP SP WP	Ø4, H=1, C=4 Ø4.8, H=1, C=4 Ø5.5, H=1, C=4	Transgingival abutment, internal hex.	Titanium	  
	MN-CPK42 MD-CPK42 MW-CPK42	NP SP WP	Ø4, H=2, C=4 Ø4.8, H=2, C=4 Ø5.5, H=2, C=4	Transgingival abutment, internal hex.	Titanium	  
	MN-CPK43 MD-CPK43 MW-CPK43	NP SP WP	Ø4, H=3, C=4 Ø4.8, H=3, C=4 Ø5.5, H=3, C=4	Transgingival abutment, internal hex.	Titanium	  
	MN-CPK44 MD-CPK44 MW-CPK44	NP SP WP	Ø4, H=4, C=4 Ø4.8, H=4, C=4 Ø5.5, H=4, C=4	Transgingival abutment, internal hex.	Titanium	  
	MN-CPK61 MD-CPK61 MW-CPK61	NP SP WP	Ø4, H=1, C=6 Ø4.8, H=1, C=6 Ø5.5, H=1, C=6	Transgingival abutment, internal hex.	Titanium	  
	MN-CPK62 MD-CPK62 MW-CPK62	NP SP WP	Ø4, H=2, C=6 Ø4.8, H=2, C=6 Ø5.5, H=2, C=6	Transgingival abutment, internal hex.	Titanium	  
	MN-CPK63 MD-CPK63 MW-CPK63	NP SP WP	Ø4, H=3, C=6 Ø4.8, H=3, C=6 Ø5.5, H=3, C=6	Transgingival abutment, internal hex.	Titanium	  
	MN-CPK64 MD-CPK64 MW-CPK64	NP SP WP	Ø4, H=4, C=6 Ø4.8, H=4, C=6 Ø5.5, H=4, C=6	Transgingival abutment, internal hex.	Titanium	  
	MD-CPK81 MW-CPK81	SP WP	Ø4.8, H=1, C=8 Ø5.5, H=1, C=8	Transgingival abutment, internal hex.	Titanium	 
	MD-CPK82 MW-CPK82	SP WP	Ø4.8, H=2, C=8 Ø5.5, H=2, C=8	Transgingival abutment, internal hex.	Titanium	 
	MD-CPK83 MW-CPK83	SP WP	Ø4.8, H=3, C=8 Ø5.5, H=3, C=8	Transgingival abutment, internal hex.	Titanium	 
	MD-CPK84 MW-CPK84	SP WP	Ø4.8, H=4, C=8 Ø5.5, H=4, C=8	Transgingival abutment, internal hex.	Titanium	 



Overdentures

LOCKiT Attachment System



	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MN-LOC01 MD-LOC01 MW-LOC01	NP SP WP	Ø3.75, H=1 Ø3.75, H=1 Ø4.5, H=1	LOCKiT abutment, internal hex.	Titanium	  
	MN-LOC02 MD-LOC02	NP SP	Ø3.75, H=2	LOCKiT abutment, internal hex.	Titanium	 
	MN-LOC03 MD-LOC03 MW-LOC03	NP SP WP	Ø3.75, H=3 Ø3.75, H=3 Ø4.5, H=3	LOCKiT abutment, internal hex.	Titanium	  
	MN-LOC04 MD-LOC04	NP SP	Ø3.75, H=4	LOCKiT abutment, internal hex.	Titanium	 
	MN-LOC05 MD-LOC05 MW-LOC05	NP SP WP	Ø3.75, H=5 Ø3.75, H=5 Ø4.5, H=5	LOCKiT abutment, internal hex.	Titanium	  

 Concave emergence profile








H = Gingival height

C = Crown height

L = Length

	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MK-NLC1 MK-SLC1 MK-WLC1	NP SP WP	Ø3.75, H=1 Ø3.75, H=1 Ø4.5, H=1	LOCKiT abutment kit, internal hex.	Titanium	
	MK-NLC2 MK-SLC2	NP SP	Ø3.75, H=2	LOCKiT abutment kit, internal hex.	Titanium	
	MK-NLC3 MK-SLC3 MK-WLC3	NP SP	Ø3.75, H=3 Ø3.75, H=3 Ø4.5, H=3	LOCKiT abutment kit, internal hex.	Titanium	
	MK-NLC4 MK-SLC4	NP SP	Ø3.75, H=4	LOCKiT abutment kit, internal hex.	Titanium	
	MK-NLC5 MK-SLC5 MK-WLC5	NP SP WP	Ø3.75, H=5 Ø3.75, H=5 Ø4.5, H=5	LOCKiT abutment kit, internal hex.	Titanium	
	MT-LOC10		Ø7.8 L=86	LOCKiT core tool	Stainless steel	
	MM-LOC11		Ø5.4 L=4.4	LOCKiT impression coping	Titanium	
	MM-LOA40 MM-LOA50	NP/SP WP	Ø4, L=10.2 Ø5, L=10.2	LOCKiT analog	Titanium	
	MM-LOC02			LOCKiT male processing package		
	MM-CLE10		Ø4.75 H=1.78	LOCKiT male retention cap (clear)	Nylon	
	MM-PIN10		Ø4.72 H=1.78	LOCKiT light retention male cap (pink)	Nylon pink	
	MM-BLU10		Ø4.72 H=1.78	LOCKiT extra light male retention cap (blue)	Nylon blue	

LOCKiT Attachment System

	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MM-GRE10		Ø4.75 H=1.78	LOCKiT extended range male retention cap (green)	Nylon green	
	MM-RED10		Ø4.72 H=1.78	LOCKiT extra light extended range male retention cap (red)	Nylon red	
	MM-BLA10		Ø4.75 H=1.9	LOCKiT male processing cap (black)	Polyethylene black	
	MM-TIT10		Ø5.5 H=2.25	LOCKiT metal housing titanium cap	Titanium	
	MT-RSD19		L=19	LOCKiT short torque ratchet driver	Stainless steel	
	MT-RSD24		L=24	LOCKiT long torque ratchet driver	Stainless steel	
	MT-LOC11		Ø7.35 H=4.1	LOCKiT abutment holder sleeve		

 Concave emergence profile


H = Gingival height

C = Crown height

L = Length



5 Retention Options





Overdentures

OT-Equator Kits



	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MK-NOE1	NP	Ø4, H=1	OT-Equator kit, internal hex.	Titanium	
	MK-SOE1	SP	Ø4, H=1			
	MK-WOE1	WP	Ø5, H=1			
	MK-NOE2	NP	Ø4, H=2	OT-Equator kit, internal hex.	Titanium	
	MK-SOE2	SP	Ø4, H=2			
	MK-NOE3	NP	Ø4, H=3	OT-Equator kit, internal hex.	Titanium	
	MK-SOE3	SP	Ø4, H=3			
	MK-WOE3	WP	Ø5, H=3			
	MK-NOE4	NP	Ø4, H=4	OT-Equator kit, internal hex.	Titanium	
	MK-SOE4	SP	Ø4, H=4			
	MK-NOE5	NP	Ø4, H=5	OT-Equator kit, internal hex.	Titanium	
	MK-SOE5	SP	Ø4, H=5			
	MK-WOE5	WP	Ø5, H=5			













Concave emergence profile

H = Gingival height

C = Crown height

L = Length

OT-Equator Kits

	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	ET-IT002			OT-Equator handling tool		
	OE-IC002			OT-Equator impression coping cap		
	OE-IC001			OT-Equator impression transfer cap		
	OE-RSM60			OT-Equator analog	Stainless steel	
	MT-RDL30		L=27	Long driver for 0.05 inch hex.	Stainless steel	
	MT-RDS30		L=21.3	Short driver for 0.05 inch hex.	Stainless steel	
	OE-RCP01			OT-Equator soft retentive cap (pink)		
	OE-RCW01			OT-Equator standard retentive cap (white)		
	OE-RCV01			OT-Equator rigid retentive cap (violet)		
	OE-RCY01			OT-Equator extra soft retentive cap (yellow)		
	OE-RCB01			OT-Equator laboratory retentive cap (black)		
	OE-MH001			OT-Equator metal housing		



Overdentures

Ball Attachment System



	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MB-N1375 MW-B1500	SP WP	Ø4, H=1 Ø5, H=1	Ball attachment anchor, internal hex.	Titanium alloy + Titanium nitride	SP WP
	MB-N2330 MB-N2375	NP SP	Ø4, H=2	Ball attachment anchor, internal hex.	Titanium alloy + Titanium nitride	NP SP
	MB-N3330 MB-N3375 MW-B3500	NP SP WP	Ø4, H=3 Ø4, H=3 Ø5, H=3	Ball attachment anchor, internal hex.	Titanium alloy + Titanium nitride	NP SP WP
	MB-N4330 MB-N4375	NP SP	Ø4, H=4	Ball attachment anchor, internal hex.	Titanium alloy + Titanium nitride	NP SP
	MB-N5375 MW-B5500	SP WP	Ø4, H=5 Ø5, H=5	Ball attachment anchor, internal hex.	Titanium alloy + Titanium nitride	SP WP
	MB-AN152	SP	H=2	Ball anchor angulated abutment, 15°, internal hex.	Titanium	SP
	MB-AN252	SP	H=2	Ball anchor angulated abutment, 25°, internal hex.	Titanium	SP
	MB-RS375		L=15.1	Ball attachment analog	Stainless steel	













Concave emergence profile


H = Gingival height






C = Crown height



L = Length

Ball Attachment System

	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MB-SF200		Ø3.7 L=3.5	Plastic ball cap	Plastic	
	MB-GPS10		L=2.4	Gold ball cap	Gold-e	
	MB-TTP10		Ø3.5 L=3.1	Titanium ball cap	Titanium	
	MB-PR010		Ø3.8 L=2	Plastic mounting sleeve	Plastic	
	MB-TBS10		Ø2.5	Titanium ball cap spring, standard	Steel	
	MB-TBS20		Ø2.6	Titanium ball cap spring, soft	Steel	
	MB-DMH10			Double metal housing		
	MB-PPC10		Ø4.2 L=2.6	Standard plastic cap for metal housing	Plastic	
	MB-PPR10		Ø4.2 L=2.6	Soft plastic cap for metal housing, retention 800-950g	Plastic	
	MB-DB235		Ø15 L=2.6	Plastic disc for ball attachment	Plastic	
	MT-NB225		L=22	Ball attachment anchor key	Stainless steel	
	MT-RB225		L=22	Ball attachment anchor key	Stainless steel	



	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MM-TRU10		Ø2.8 H=2.9 L=50	Titanium rider	Titanium	
	MM-PBU10		Ø1.6 H=2.3 L=80	Plastic bar	Plastic	
	MM-GBU10		H=2.3 L=50	Gold bar	Gold-e	
	MM-PC100		Ø1.9 L=85	Plastic round bar	Burnout plastic	
	MM-GB100		Ø1.9 L=50	Gold bar	Gold-e	



MGUIDE - DIGITAL DENTISTRY

MGUIDE is an innovative guided surgery system, which was designed to provide clinicians with a worry-free solution, and flawlessly incorporates prosthetically driven planning and easy-to-use tools, to deliver the most predictable results.





MGUIDE

MGUIDE Custom Surgical Template



Cat. No	Dimensions (mm)	Description	Material	Sold
---------	-----------------	-------------	----------	------



MG-TMP10

MGUIDE value pack



MG-TMP20

MGUIDE value pack for edentulous cases
























MGUIDE

MGUIDE Surgical Set for SEVEN Implant



MG-K001
MGUIDE Set for SEVEN Implant

	Cat. No	Dimensions (mm)	Description	Material	Sold
	MG-TP047	Ø4.7 L=26	MGUIDE tissue punch	Stainless steel	 
	MG-TP055	Ø5.5 L=26	MGUIDE tissue punch	Stainless steel	 
	MG-BM047	Ø4.7 L=24.5	MGUIDE bone mill	Stainless steel	 
	MG-BM055	Ø5.5 L=24.5	MGUIDE bone mill	Stainless steel	 
	MG-D0624	Ø2.4 L=30.8	MGUIDE pilot drill for 6mm length implant	Stainless steel	 
	MG-D0824	Ø2.4 L=32.8	MGUIDE pilot drill for 8mm length implant	Stainless steel	 
	MG-D1024	Ø2.4 L=34.8	MGUIDE pilot drill for 10mm length implant	Stainless steel	 

L = Length

MGUIDE Surgical Set for SEVEN Implant

	Cat. No	Dimensions (mm)	Description	Material	Sold
	MG-D1124	Ø2.4 L=36.3	MGUIDE pilot drill for 11.5mm length implant	Stainless steel	 
	MG-D1324	Ø2.4 L=37.8	MGUIDE pilot drill for 13mm length implant	Stainless steel	 
	MG-D0633	Ø2.2-3.2 L=30.8	MGUIDE drill for Ø3.30 x 6mm length implant	Stainless steel	 
	MG-D0833	Ø2.2-3.2 L=32.8	MGUIDE drill for Ø3.30 x 8mm length implant	Stainless steel	 
	MG-D1033	Ø2.2-3.2 L=34.8	MGUIDE drill for Ø3.30 x 10mm length implant	Stainless steel	 
	MG-D1133	Ø2.2-3.2 L=36.3	MGUIDE drill for Ø3.30 x 11.5mm length implant	Stainless steel	 
	MG-D1333	Ø2.2-3.2 L=37.8	MGUIDE drill for Ø3.30 x 13mm length implant	Stainless steel	 
	MG-D0637	Ø2.8-3.6 L=30.8	MGUIDE drill for Ø3.75 x 6mm length implant	Stainless steel	 
	MG-D0837	Ø2.8-3.6 L=32.8	MGUIDE drill for Ø3.75 x 8mm length implant	Stainless steel	 
	MG-D1037	Ø2.8-3.6 L=34.8	MGUIDE drill for Ø3.75 x 10mm length implant	Stainless steel	 
	MG-D1137	Ø2.8-3.6 L=36.3	MGUIDE drill for Ø3.75 x 11.5mm length implant	Stainless steel	 
	MG-D1337	Ø2.8-3.6 L=37.8	MGUIDE drill for Ø3.75 x 13mm length implant	Stainless steel	 

	Cat. No	Dimensions (mm)	Description	Material	Sold
	MG-D0642	Ø3.3-4.1 L=30.8	MGUIDE drill for Ø4.20 x 6mm length implant	Stainless steel	 
	MG-D0842	Ø3.3-4.1 L=32.8	MGUIDE drill for Ø4.20 x 8mm length implant	Stainless steel	 
	MG-D1042	Ø3.3-4.1 L=34.8	MGUIDE drill for Ø4.20 x 10mm length implant	Stainless steel	 
	MG-D1142	Ø3.3-4.1 L=36.3	MGUIDE drill for Ø4.20 x 11.5mm length implant	Stainless steel	 
	MG-D1342	Ø3.3-4.1 L=37.8	MGUIDE drill for Ø4.20 x 13mm length implant	Stainless steel	 
	MG-D0650	Ø4.1-4.9 L=30.8	MGUIDE drill for Ø5 x 6mm length implant	Stainless steel	 
	MG-D0850	Ø4.1-4.9 L=32.8	MGUIDE drill for Ø5 x 8mm length implant	Stainless steel	 
	MG-D1050	Ø4.1-4.9 L=34.8	MGUIDE drill for Ø5 x 10mm length implant	Stainless steel	 
	MG-D1150	Ø4.1-4.9 L=36.3	MGUIDE drill for Ø5 x 11.5mm length implant	Stainless steel	 
	MG-D1350	Ø4.1-4.9 L=37.8	MGUIDE drill for Ø5 x 13mm length implant	Stainless steel	 
	MG-DLG55	Ø5.5 L=55	MGUIDE drill length gauge	Titanium	 
	MG-GRI01	Ø7 L=29.7	MGUIDE direct ratchet insertion tool, internal hex.	Stainless steel	 

MGUIDE Surgical Set for SEVEN Implant

	Cat. No	Dimensions (mm)	Description	Material	Sold
	MG-GRN01	Ø7 L=29.7	MGUIDE direct ratchet insertion tool, internal hex., narrow platform	Stainless steel	 
	MG-GMI10	L=28.9	MGUIDE motor insertion tool, internal hex.	Stainless steel	 
	MG-GRI10	Ø7 L=24.5	MGUIDE ratchet insertion tool, internal hex.	Stainless steel	 
	MT-RDL30	L=27	Long driver for 0.05 inch hex.	Stainless steel	
	MG-IE172	L=32.7	MGUIDE insertion tool extractor, internal hex.	Titanium	 
	MG-IE160	L=32.7	MGUIDE insertion tool extractor, internal hex., narrow platform	Titanium	 
	MG-DFP20	Ø2 L=35.3	MGUIDE drill for fixation pin	Stainless steel	 
	MG-FP020	Ø2 L=29	MGUIDE fixation pin	Titanium	 
	MG-TAS55	Ø5.5 L=24	MGUIDE template anchoring screw	Titanium	 
	MT-RI030	L=84	Monoblock ratchet		 
	MT-RA480		Ratchet to hex. adapter	Stainless steel	

L = Length


















MGUIDE

MGUIDE Kit for SEVEN Implant Narrow Sleeve



MG-K002
MGUIDE Kit for SEVEN Implant,
Narrow Sleeve

























Cat. No	Dimensions (mm)	Description	Material	Sold
 MG-NBM40	Ø4 L=24.5	MGUIDE Narrow Sleeve bone mill	Stainless steel	 
 MG-NTP40	Ø4 L=26	MGUIDE Narrow Sleeve tissue punch	Stainless steel	 
 MG-N0624	Ø2.4 L=30.8	MGUIDE Narrow Sleeve pilot drill for 6mm length implant	Stainless steel	 
 MG-N0824	Ø2.4 L=32.8	MGUIDE Narrow Sleeve pilot drill for 8mm length implant	Stainless steel	 
 MG-N1024	Ø2.4 L=34.8	MGUIDE Narrow Sleeve pilot drill for 10mm length implant	Stainless steel	 

L = Length

MGUIDE Kit for SEVEN Implant Narrow Sleeve

	Cat. No	Dimensions (mm)	Description	Material	Sold
	MG-N1124	Ø2.4 L=36.3	MGUIDE Narrow Sleeve pilot drill for 11.5mm length implant	Stainless steel	 
	MG-N1324	Ø2.4 L=37.8	MGUIDE Narrow Sleeve pilot drill for 13mm length implant	Stainless steel	 
	MG-N0633	Ø2.2-3.2 L=30.8	MGUIDE Narrow Sleeve drill for Ø3.30 x 6mm length implant	Stainless steel	 
	MG-N0833	Ø2.2-3.2 L=32.8	MGUIDE Narrow Sleeve drill for Ø3.30 x 8mm length implant	Stainless steel	 
	MG-N1033	Ø2.2-3.2 L=34.8	MGUIDE Narrow Sleeve drill for Ø3.30 x 10mm length implant	Stainless steel	 
	MG-N1133	Ø2.2-3.2 L=36.3	MGUIDE Narrow Sleeve drill for Ø3.30 x 11.5mm length implant	Stainless steel	 
	MG-N1333	Ø2.2-3.2 L=37.8	MGUIDE Narrow Sleeve drill for Ø3.30 x 13mm length implant	Stainless steel	 
	MG-N0637	Ø2.8-3.6 L=30.8	MGUIDE Narrow Sleeve drill for Ø3.75 x 6mm length implant	Stainless steel	 
	MG-N0837	Ø2.8-3.6 L=32.8	MGUIDE Narrow Sleeve drill for Ø3.75 x 8mm length implant	Stainless steel	 
	MG-N1037	Ø2.8-3.6 L=34.8	MGUIDE Narrow Sleeve drill for Ø3.75 x 10mm length implant	Stainless steel	 
	MG-N1137	Ø2.8-3.6 L=36.3	MGUIDE Narrow Sleeve drill for Ø3.75 x 11.5mm length implant	Stainless steel	 
	MG-N1337	Ø2.8-3.6 L=37.8	MGUIDE Narrow Sleeve drill for Ø3.75 x 13mm length implant	Stainless steel	 

L = Length

	Cat. No	Dimensions (mm)	Description	Material	Sold
	MG-NLG40	Ø4 L=55	MGUIDE Narrow Sleeve drill length gauge	Titanium	 
	MG-NMN10	Ø5 L=30.4	MGUIDE Narrow Sleeve motor insertion tool, internal hex., narrow platform	Stainless steel	 
	MG-NMS10	Ø5 L=28.9	MGUIDE Narrow Sleeve motor insertion tool, internal hex., standard platform	Stainless steel	 
	MG-NRN01	Ø5.3 L=29.5	MGUIDE Narrow Sleeve direct ratchet insertion tool, internal hex., narrow platform	Stainless steel	 
	MG-NRS01	Ø5.3 L=24.7	MGUIDE Narrow Sleeve direct insertion tool, internal hex., standard platform	Stainless steel	 
	MG-NRN10	Ø5.3 L=25	MGUIDE Narrow Sleeve ratchet insertion tool, internal hex., narrow platform	Stainless steel	 
	MG-NRS10	Ø5.3 L=24.5	MGUIDE Narrow Sleeve ratchet insertion tool, internal hex., standard platform	Stainless steel	 
	MG-NTAS0	Ø5.3 L=24	MGUIDE Narrow Sleeve template anchoring screw	Titanium	 

L = Length



REGENERATIVE SOLUTIONS

MIS offers a range of regenerative materials for dental use aimed at providing solutions for a wide variety of clinical needs. MIS regenerative products are available in varying volumes and sizes for simple and easy delivery directly to the surgical site. High quality engineering and manufacturing processes ensure safety of all MIS products.





Bone Graft Substitutes

4MATRIX+
Bone Graft Putty

Please note, 4MATRIX+ products might not be registered or available in every country/region.



Cat. No. Description



BS-4MXP1 4MATRIX+ bone graft putty, 1cc



BS-4MXP5 4MATRIX+ bone graft putty, 0.5cc



Bone Graft Substitutes

BONDBONE Bone Graft Cement



Cat. No.

Description



BS-BB005

BONDBONE 0.5cc, 3 drivers



BS-BB010

BONDBONE 1cc, 3 drivers



Bone Graft Substitutes

4BONE BCH
Bone Graft Particulate



Cat. No. Description



BS-4BS01 4BONE BCH syringe, 0.5cc, granule size: 0.5-1mm



BS-4BS1S 4BONE BCH tube, 1cc, granule size: 0.5-1mm



BS-4BS25 4BONE BCH tube, 2.5cc, granule size: 1-2mm



Barrier Membrane

4BONE RCM
Resorbable Collagen
Membrane



Cat. No. Description

	BR-C1525	4BONE RCM membrane, 15x25mm
	BR-C2030	4BONE RCM membrane, 20x30mm
	BR-C3040	4BONE RCM Membrane, 30x40mm




ADDITIONAL INFORMATION

For your convenience, the following section provides an additional resource about products and processes that may require expanded explanations in the form of visuals, schematics, technical information or documentation.



Additional information


Pilot Drills, External Irrigation





Additional information

SEVEN Twist Drills, External Irrigation





Additional information

M4 Twist Drills, External Irrigation

- 16mm depth
- 13mm depth
- 11.5mm depth
- 10mm depth
- 8mm depth
- 6mm depth



MT-TDN28




MT-TDN32




MT-TDN38



MT-TDN45



MT-TDN50





MT-TDN55



Additional information

SEVEN and M4 Short Twist Drills, External Irrigation





Guidelines for using MIS Restorative Components

Location	Anterior Maxilla		Anterior Mandible	Canine, Premolars and Molars					Premolars and Molars
Crown/ Implant Inclination Ratio	15° or 25°	15° or 25°	Up to 2.5°	Up to 3.5°				15° or 25°	Up to 4°
Gingival Height	Up to 2mm buccal Up to 4mm palatal	Up to 4mm buccal Up to 6mm palatal	Adjustable, based on abutment preparation	Up to 2mm buccal Up to 6mm lingual/palatal	Adjustable, based on abutment preparation	Adjustable, based on abutment preparation	Up to 2mm	Up to 2mm buccal Up to 3mm buccal	According to gingival height available in heights of 1,2,3,4mm
Catalog Number	MD-A1510 MD-A2510	MD-P1530 MD-P2530	MD-CTP10	MD-A0010 MD-P0030	MD-MAC10 MD-WMAC1	MD-MACF1	MD-GPC10 MD-GP010	MD-AN151 MD-AN251	MD-CPK41 MD-CPK42 MD-CPK43 MD-CPK44 MD-CPK61 MD-CPK62 MD-CPK63 MD-CPK64 MD-CPK81 MD-CPK82 MD-CPK83 MD-CPK84
Abutment description	Esthetic angulated abutment	Esthetic angulated abutment	Conical post abutment	Esthetic abutment	Standard post abutment	Friction fit post with platform switching	Screw-retained gold-plastic/CC abutment	Angulated abutment	Transgingival abutment
Upper view									

*Recommendation only




Additional information

Alloy Composition

Material	Titanium Alloy Ti 6Al 4V ELI	Gold-a	Gold-s	Gold-e	
Application	C, K	L, G, K	L, G, K	L, K	
Composition	Gold %	-	60	61	70
	Platinum %	-	19	13.5	8.50
	Silver %	-	-	16.5	13.40
	Palladium %	-	20	-	-
	Copper %	-	-	9	7.50
	Zinc %		-	Balance	0.05
	Iridium %		Balance	-	0.10
	Titanium (max)	Balance	-	-	-
	Carbon (max)	0.08	-	-	-
	Iron (max)	0.25	-	-	-
	Oxygen (max)	0.13	-	-	-
	Nitrogen (max)	0.05	-	-	-
	Hydrogen (max)	0.013	-	-	-
	Aluminum	5.5-6.5	-	-	-
	Vanadium	3.5-4.5	-	-	-
	Melting range °C	1604-1660	1400-1490	950-1050	895-1010
	Hardness	Soft annealing HV5	-	145	160
Hardened HV5		350-385	240	250	295
Soft °C / min		-	100/30	750/5	750/5
Hardened °C / min		-	700/30	350/15	450/15

Legend: C-bonding K-resin L-soldering G-casting onto



INDEX

Cat. No.	Page	Cat. No.	Page	Cat. No.	Page
B		E		MB-N2375	97
BR-C1525	115	ET-IT002	44	MB-N3330	97
BR-C2030	115	ET-IT002	63	MB-N3375	97
BR-C3040	115	ET-IT002	96	MB-N4330	97
BS-4BS01	114			MB-N4375	97
BS-4BS1S	114			MB-N5375	97
BS-4BS25	114			MB-PPC10	98
BS-4MXP1	112			MB-PPR10	98
BS-4MXP5	112			MB-PR010	98
BS-BB005	113			MB-RS375	97
BS-BB010	113			MB-SF200	98
				MB-TBS10	98
				MB-TBS20	98
				MB-TTP10	98
				MD-A0010	85
				MD-A1510	85
				MD-A2510	85
				MD-AGT12	83
				MD-AN151	85
				MD-AN251	85
				MD-AT152	84
				MD-AT153	84
				MD-AT252	85
				MD-AT253	85
				MD-CC010	78
				MD-CCI10	78
				MD-CP013	77
				MD-CP050	77
				MD-CPC62	90
				MD-CPC63	90
				MD-CPC64	90
				MD-CPH13	77
				MD-CPH50	77
				MD-CPK41	91
				MD-CPK42	91
				MD-CPK43	91
				MD-CPK44	91
				MD-CPK61	91
				MD-CPK62	91
				MD-CPK63	91
				MD-CPK64	91
				MD-CPK81	91
				MD-CPK82	91
				MD-CPK83	91
				MD-CPK84	91
				MD-CTP10	88
				MD-E0220	79
				MD-EZB15	79
				MD-FTB15	80
				MD-FTB30	80
				MD-G0213	71
				MD-G0220	78
				MD-G0220	85
C					
CT-BTC24	46	MA-N1480	74		
CT-P2406	30	MA-N2480	74		
CT-P2406	45	MA-N3480	74		
CT-P2408	30	MA-N4480	75		
CT-P2408	45	MA-N5480	75		
CT-P2408	49	MA-NC248	74		
CT-P2410	30	MA-NC348	74		
CT-P2410	45	MA-NC448	74		
CT-P2410	49	MA-S1480	74		
CT-P2411	31	MA-S2480	74		
CT-P2411	45	MA-S3480	74		
CT-P2411	49	MA-S4480	75		
CT-P2413	31	MA-S5480	75		
CT-P2413	46	MA-SC248	74		
CT-P2413	49	MA-SC348	74		
CT-P2416	31	MA-SC448	74		
CT-P2416	46	MA-SO171	75		
CT-P2416	49	MA-SO172	75		
CT-P2416	50	MA-SO301	75		
CT-UN001	62	MA-SO302	75		
CT-US001	62	MA-W1480	74		
CT-UW001	62	MA-W3480	74		
		MA-W5480	75		
		MA-WC348	74		
		MA-WC548	74		
		MA-WO171	75		
		MA-WO172	75		
		MA-WO301	75		
		MA-WO302	75		
		MB-AN152	97		
		MB-AN252	97		
		MB-DB235	98		
		MB-DMH10	98		
		MB-GPS10	98		
		MB-N1375	97		
		MB-N2330	97		

Cat. No.	Page	Cat. No.	Page	Cat. No.	Page
MD-G0220	88	MD-TPA10	73	MF7-16375	9
MD-GP010	78	MD-TPA12	73	MF7-16420	11
MD-GP100	71	MD-TPH50	73	MF7-16500	13
MD-GPC10	78	MD-WMAC1	87	MF7-18375	9
MD-I0375	70	MF4-06420	21	MF7-18420	11
MD-IB091	83	MF4-06500	23	MF7-20375	9
MD-IB121	83	MF4-06600	25	MF7-20420	11
MD-IN060	80	MF4-08375	19	MG2-06160	27
MD-IO481	70	MF4-08420	21	MG2-08160	27
MD-IT100	70	MF4-08500	23	MG2-10160	27
MD-IT300	71	MF4-08600	25	MG2-12160	27
MD-ITC30	70	MF4-10330	17	MG-BM047	103
MD-LOC01	92	MF4-10375	19	MG-BM055	103
MD-LOC02	92	MF4-10420	21	MG-D0624	103
MD-LOC03	92	MF4-10500	23	MG-D0633	104
MD-LOC04	92	MF4-10600	25	MG-D0637	104
MD-LOC05	92	MF4-11330	17	MG-D0642	105
MD-MAB10	83	MF4-11375	19	MG-D0650	105
MD-MAC10	87	MF4-11420	21	MG-D0824	103
MD-MACF1	87	MF4-11500	23	MG-D0833	104
MD-MAN10	82	MF4-11600	25	MG-D0837	104
MD-MC102	87	MF4-13330	17	MG-D0842	105
MD-P0030	85	MF4-13375	19	MG-D0850	105
MD-P1530	85	MF4-13420	21	MG-D1024	103
MD-P2530	85	MF4-13500	23	MG-D1033	104
MD-PF375	48	MF4-13600	25	MG-D1037	104
MD-PF375	71	MF4-16330	17	MG-D1042	105
MD-RSM10	71	MF4-16375	19	MG-D1050	105
MD-S0200	78	MF4-16420	21	MG-D1124	104
MD-S0200	86	MF4-16500	23	MG-D1133	104
MD-S0200	88	MF7-06420	11	MG-D1137	104
MD-S0220	71	MF7-06500	13	MG-D1142	105
MD-S0220	78	MF7-06600	15	MG-D1150	105
MD-S0220	80	MF7-08375	9	MG-D1324	104
MD-S0220	86	MF7-08420	11	MG-D1333	104
MD-S0220	88	MF7-08500	13	MG-D1337	104
MD-S0222	78	MF7-08600	15	MG-D1342	105
MD-S0222	86	MF7-10330	7	MG-D1350	105
MD-S0222	88	MF7-10375	9	MG-DFF20	106
MD-S0224	78	MF7-10420	11	MG-DLG55	105
MD-S0224	86	MF7-10500	13	MG-FP020	106
MD-S0224	88	MF7-10600	15	MG-GMI10	106
MD-SP102	81	MF7-11330	7	MG-GRI01	105
MD-TB001	80	MF7-11375	9	MG-GRI10	106
MD-TB002	80	MF7-11420	11	MG-GRN01	106
MD-TBC15	80	MF7-11500	13	MG-IE160	106
MD-TBC30	80	MF7-11600	15	MG-IE172	106
MD-TC013	73	MF7-13330	7	MG-K001	103
MD-TC023	72	MF7-13375	9	MG-K002	107
MD-TC033	72	MF7-13420	11	MG-N0624	107
MD-TCH13	73	MF7-13500	13	MG-N0633	108
MD-TCH23	72	MF7-13600	15	MG-N0637	108
MD-TCH33	72	MF7-16330	7	MG-N0824	107

Cat. No.	Page	Cat. No.	Page	Cat. No.	Page
MG-N0833	108	MK-NLC3	93	MK-WPK81	90
MG-N0837	108	MK-NLC4	93	MK-WPK82	90
MG-N1024	107	MK-NLC5	93	MK-WPK83	90
MG-N1033	108	MK-NOE1	95	MK-WPK84	90
MG-N1037	108	MK-NOE2	95	MM-BLA10	94
MG-N1124	108	MK-NOE3	95	MM-BLU10	93
MG-N1133	108	MK-NOE4	95	MM-CLE10	93
MG-N1137	108	MK-NOE5	95	MM-GB100	99
MG-N1324	108	MK-NPC62	89	MM-GBU10	99
MG-N1333	108	MK-NPC63	89	MM-GRE10	94
MG-N1337	108	MK-NPC64	89	MM-LOA40	93
MG-NBM40	107	MK-NPK41	89	MM-LOA50	93
MG-NLG40	109	MK-NPK42	89	MM-LOC02	93
MG-NMN10	109	MK-NPK43	89	MM-LOC1	93
MG-NMS10	109	MK-NPK44	90	MM-PBU10	99
MG-NRN01	109	MK-NPK61	90	MM-PC100	99
MG-NRN10	109	MK-NPK62	90	MM-PIN10	93
MG-NRS01	109	MK-NPK63	90	MM-RED10	94
MG-NRS10	109	MK-NPK64	90	MM-TIT10	94
MG-NTAS0	109	MK-SD01	49	MM-TRU10	99
MG-NTP40	107	MK-SDS06	54	MN-AGT12	83
MG-TAS55	106	MK-SDS08	54	MN-AN020	85
MG-TMP10	102	MK-SDS10	54	MN-AT101	85
MG-TMP20	102	MK-SDS11	54	MN-AT102	84
MG-TP047	103	MK-SDS13	54	MN-AT202	84
MG-TP055	103	MK-SLC1	93	MN-CC010	78
MK-0001	64	MK-SLC2	93	MN-CCI10	78
MK-0016	50	MK-SLC3	93	MN-CP013	77
MK-0020	57	MK-SLC4	93	MN-CPC62	90
MK-0022	65	MK-SLC5	93	MN-CPC63	90
MK-0023	59	MK-SOE1	95	MN-CPC64	90
MK-0024	60	MK-SOE2	95	MN-CPH13	77
MK-0056	81	MK-SOE3	95	MN-CPK41	91
MK-0058	55	MK-SOE4	95	MN-CPK42	91
MK-0059	56	MK-SOE5	95	MN-CPK43	91
MK-BS001	53	MK-T048	45	MN-CPK44	91
MK-CPC62	89	MK-WLC1	93	MN-CPK61	91
MK-CPC63	89	MK-WLC3	93	MN-CPK62	91
MK-CPC64	89	MK-WLC5	93	MN-CPK63	91
MK-CPK41	89	MK-WOE1	95	MN-CPK64	91
MK-CPK42	89	MK-WOE3	95	MN-E0160	79
MK-CPK43	89	MK-WOE5	95	MN-EZB15	79
MK-CPK44	90	MK-WPC62	89	MN-FTB15	80
MK-CPK61	90	MK-WPC63	89	MN-FTB30	80
MK-CPK62	90	MK-WPC64	89	MN-G0160	71
MK-CPK63	90	MK-WPK41	89	MN-GP010	78
MK-CPK64	90	MK-WPK42	89	MN-GP100	71
MK-CPK81	90	MK-WPK43	89	MN-GPC10	78
MK-CPK82	90	MK-WPK44	90	MN-I0330	70
MK-CPK83	90	MK-WPK61	90	MN-IB091	83
MK-CPK84	90	MK-WPK62	90	MN-IB121	83
MK-NLC1	93	MK-WPK63	90	MN-IN060	80
MK-NLC2	93	MK-WPK64	90	MN-IO401	70

Cat. No.	Page	Cat. No.	Page	Cat. No.	Page
MN-IT100	70	MT-BTT50	47	MT-MFXGS	41
MN-IT300	71	MT-CSN33	51	MT-MSD20	27
MN-ITC30	70	MT-DE001	40	MT-MSD20	42
MN-LOC01	92	MT-DE001	47	MT-MSD20	63
MN-LOC02	92	MT-DE001	51	MT-MUML2	43
MN-LOC03	92	MT-ELM10	43	MT-MUML2	62
MN-LOC04	92	MT-ELM10	79	MT-MUML2	76
MN-LOC05	92	MT-ELR10	44	MT-MUMS2	43
MN-MAB10	83	MT-ELR10	63	MT-MUMS2	76
MN-MAC10	87	MT-ELR10	79	MT-MURL2	43
MN-MAN10	82	MT-ESM10	44	MT-MURL2	61
MN-MC102	87	MT-ESM10	79	MT-MURL2	76
MN-PF330	48	MT-ESR10	44	MT-MURS2	43
MN-PF330	71	MT-ESR10	79	MT-MURS2	76
MN-RSM10	71	MT-ETD24	55	MT-NB225	42
MN-S0160	71	MT-ETD28	55	MT-NB225	98
MN-S0160	78	MT-ETD32	55	MT-PD440	36
MN-S0160	80	MT-ETD38	55	MT-PP001	40
MN-S0160	86	MT-GDN33	47	MT-PP240	47
MN-S0160	88	MT-GDN33	51	MT-PP240	51
MN-SP102	81	MT-GDN50	47	MT-RA480	41
MN-TB001	80	MT-GDN50	51	MT-RA480	43
MN-TB002	80	MT-HLI10	39	MT-RA480	106
MN-TBC15	80	MT-HLI10	47	MT-RB225	40
MN-TBC30	80	MT-HLI10	51	MT-RB225	42
MN-TC013	73	MT-HLI10	58	MT-RB225	62
MN-TC023	72	MT-HLI21	39	MT-RB225	98
MN-TC033	72	MT-HLI21	47	MT-RDE30	42
MN-TCH13	73	MT-HSI10	39	MT-RDL30	40
MN-TCH23	72	MT-HSI10	47	MT-RDL30	42
MN-TCH33	72	MT-HSI10	51	MT-RDL30	48
MN-TPA10	73	MT-HSI10	58	MT-RDL30	52
MN-TPA12	73	MT-HSI21	39	MT-RDL30	61
MO-CO160	57	MT-HTS10	42	MT-RDL30	76
MO-CO200	57	MT-IT100	42	MT-RDL30	96
MO-CO240	57	MT-LBT24	55	MT-RDL30	106
MO-CO280	57	MT-LBT28	55	MT-RDM30	43
MO-SO300	57	MT-LCD20	27	MT-RDS30	40
MO-SO350	57	MT-LM005	40	MT-RDS30	43
MO-SO400	57	MT-LM005	42	MT-RDS30	48
MT-00400	38	MT-LM005	51	MT-RDS30	61
MT-00500	38	MT-LM005	61	MT-RDS30	96
MT-00600	38	MT-LOC10	44	MT-RE160	43
MT-BGP32	56	MT-LOC10	63	MT-RE160	62
MT-BGP37	56	MT-LOC10	93	MT-RE172	43
MT-BGP46	56	MT-LOC11	94	MT-RE172	62
MT-BP320	56	MT-LRH20	40	MT-RI030	41
MT-BP370	56	MT-LRH20	47	MT-RI030	52
MT-BP460	56	MT-LRH20	52	MT-RI030	58
MT-BTT28	46	MT-LRH20	58	MT-RI030	106
MT-BTT32	46	MT-LRH21	39	MT-RI040	44
MT-BTT40	46	MT-LRH21	47	MT-RI040	63
MT-BTT45	46	MT-LRH21	52	MT-RMR10	40

Cat. No.	Page	Cat. No.	Page	Cat. No.	Page
MT-RMR10	47	MT-TDT32	32	MW-CPK64	91
MT-RMR10	52	MT-TDT32	46	MW-CPK81	91
MT-RSD19	43	MT-TDT32	49	MW-CPK82	91
MT-RSD19	62	MT-TDT40	32	MW-CPK83	91
MT-RSD19	94	MT-TDT40	46	MW-CPK84	91
MT-RSD24	43	MT-TDT40	49	MW-CTP10	88
MT-RSD24	62	MT-TDT45	32	MW-EZB15	79
MT-RSD24	94	MT-TDT45	46	MW-FTB15	80
MT-RT070	41	MT-TDT45	49	MW-FTB30	80
MT-RT070	48	MT-TDT50	32	MW-GP010	78
MT-SCD20	27	MT-TDT50	46	MW-GPC10	78
MT-SM005	40	MT-TP500	40	MWH-2STUB	66
MT-SM005	42	MT-TSD10	44	MWH-CAL02	66
MT-SM005	61	MT-UN002	62	MWH-M7559	66
MT-SMD10	36	MT-US002	62	MWH-MMOTR	66
MT-SMD10	45	MT-UW002	62	MWH-SE225	66
MT-SMD10	50	MU-BGC48	75	MWH-SE226	66
MT-SRA10	40	MU-CC480	75	MWH-SE236	66
MT-SRH20	40	MU-CP048	75	MWH-SE237	66
MT-SRH20	47	MU-G0220	75	MW-IO470	70
MT-SRH20	52	MU-H4480	75	MW-IB091	83
MT-SRH20	58	MU-IO480	76	MW-IB121	83
MT-SRH21	39	MU-IT480	76	MW-IO551	70
MT-TD110	36	MU-MAN10	76	MW-IT100	70
MT-TDI28	34	MU-MAN10	82	MW-IT300	71
MT-TDI32	34	MU-MG480	76	MW-ITC30	70
MT-TDI38	34	MU-RSM48	75	MW-LOC01	92
MT-TDI40	34	MU-S0220	75	MW-LOC03	92
MT-TDI45	35	MU-SP102	76	MW-LOC05	92
MT-TDI45	37	MU-SP102	81	MW-MAB10	83
MT-TDI50	35	MU-TO480	76	MW-MAC10	87
MT-TDI50	37	MW-AGT12	83	MW-MAN10	82
MT-TDI55	35	MW-AN151	85	MW-MC102	87
MT-TDI55	37	MW-AT152	84	MW-P0010	85
MT-TDN19	36	MW-B1500	97	MW-P1510	85
MT-TDN19	45	MW-B3500	97	MW-PF550	71
MT-TDN19	50	MW-B5500	97	MW-RSM10	71
MT-TDN20	30	MW-CC010	78	MW-SP102	81
MT-TDN28	33	MW-CCI10	78	MW-TB001	80
MT-TDN28	50	MW-CP013	77	MW-TB002	80
MT-TDN32	33	MW-CP060	77	MW-TBC15	80
MT-TDN32	50	MW-CPC62	90	MW-TBC30	80
MT-TDN38	33	MW-CPC63	90	MW-TC013	73
MT-TDN38	51	MW-CPC64	90	MW-TC023	72
MT-TDN45	33	MW-CPH13	77	MW-TC033	72
MT-TDN50	33	MW-CPH60	77	MW-TCH13	73
MT-TDN50	51	MW-CPK41	91	MW-TCH23	72
MT-TDN55	33	MW-CPK42	91	MW-TCH33	72
MT-TDN55	51	MW-CPK43	91	MW-TPA10	73
MT-TDO01	27	MW-CPK44	91	MW-TPA12	73
MT-TDT28	32	MW-CPK61	91	MW-TPH50	73
MT-TDT28	46	MW-CPK62	91	MW-WMAC1	87
MT-TDT28	49	MW-CPK63	91		


Cat. No.

Page

O

OE-IC001	96
OE-IC002	96
OE-MH001	96
OE-RCB01	96
OE-RCP01	96
OE-RCV01	96
OE-RCW01	96
OE-RCY01	96
OE-RSM60	96

IT'S SIMPLE
TO BE A
WINNER



MIS | **SEVEN**

Learn more about MIS Implants.
Visit our website: www.mis-implants.com

