

**Internal Hexagon**  
Product Catalog


**2020**



The MIS vision, to be the preferred choice of dentists worldwide by simplifying their world, has guided the company on its way. Through creative thinking, passion and persistence, driven to be better while maintaining its core values, MIS Implants Technologies Ltd. has evolved into the innovation hub of expertise that it is today, and is building its future through excellence.

In this catalog, you'll find the comprehensive range of MIS internal hex. implants and their corresponding prosthetic components and tools, as well as regenerative solutions.







# TABLE OF CONTENTS



## IMPLANT SYSTEMS

6 - 31	Implant Systems
32 - 48	Tools
49 - 77	Kits



## PROSTHETIC OPTIONS

80 - 81	Impression Coping
82 - 83	Temporary Restoration
84 - 88	Screw Retained Restoration
89 - 93	Digital Restoration
94 - 104	Cemented Restoration
103 - 112	Overdenture



MGUIDE - DIGITAL DENTISTRY  
116 - 123 MGUIDE




REGENERATIVE SOLUTIONS  
126 - 128 Bone Graft Substitutes  
129 Barrier Membrane



ADDITIONAL INFORMATION  
130 - 137



INDEX





## IMPLANT SYSTEMS.

MIS proudly offers an extensive range of implant systems, providing simple solutions for a wide variety of clinical scenarios, from basic to complex. Our implants are the outcome of an exceptionally high-level R&D process resulting in implant systems that are simple, yet offer enhanced functionality and performance features. MIS implants are made of biocompatible, medical grade titanium alloy, with a surface of the highest quality. They are treated by both sand blasting and acid-etching, to promote extraordinary cleanliness and facilitate long-lasting osseointegration.











Implant Systems

SEVEN Internal Hex.  
Ø3.30 NP



Implant Cover Screw and Healing Caps:



	Cat. No.	Dimensions (mm)	Description	Material	Item includes
	MF7-10330	Ø3.30 L=10	SEVEN internal hex. implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	MF7-11330	Ø3.30 L=11.5	SEVEN internal hex. implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	MF7-13330	Ø3.30 L=13	SEVEN internal hex. implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	MF7-16330	Ø3.30 L=16	SEVEN internal hex. implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill

L = Length

### Ø3.30mm Implant Procedure

Drilling Speed (RPM)	1200-1500	900-1200	200-400	15-25	
Diameter	Ø1.90	Ø2.40	Ø2.40	Ø2.20 Ø3.20	Ø3.30



Do not use the final drill for bone types 3&4.

The drilling sequence is illustrated using a 13mm implant.

Procedures recommended by MIS cannot replace the judgment and professional experience of the surgeon.



Implant  
Systems


## SEVEN Internal Hex. Ø3.75 SP



Implant Cover Screw  
and Healing Caps:



MH-03375  
MH-04375  
MH-05375  
MH-06375



MH-A3375  
MH-A4375  
MH-A5375  
MH-A6375



MH-53375  
MH-54375  
MH-55375  
MH-56375



MH-S0448  
MH-S0548  
MH-S0648




Cover screw

	Cat. No.	Dimensions (mm)	Description	Material	Item includes
	MF7-08375	Ø3.75 L=8	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	MF7-10375	Ø3.75 L=10	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	MF7-11375	Ø3.75 L=11.5	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	MF7-13375	Ø3.75 L=13	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	MF7-16375	Ø3.75 L=16	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	MF7-18375	Ø3.75 L=18	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	MF7-20375	Ø3.75 L=20	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill

L = Length

### Ø3.75mm Implant Procedure

Drilling Speed (RPM)	1200-1500	900-1200	500-700	200-400	200-500	15-25
Diameter	Ø1.90	Ø2.40	Ø2.40	Ø2.80	Ø2.80	Ø3.75
					Ø3.60	Ø3.75



Do not use the final drill for bone types 3&4.

The drilling sequence is illustrated using a 13mm implant.

Procedures recommended by MIS cannot replace the judgment and professional experience of the surgeon.



Implant  
Systems


SEVEN Internal Hex.  
Ø4.20 SP



Implant Cover Screw  
and Healing Caps:



MH-03375  
MH-04375  
MH-05375  
MH-06375



MH-A3375  
MH-A4375  
MH-A5375  
MH-A6375



MH-53375  
MH-54375  
MH-55375  
MH-56375



MH-S0448  
MH-S0548  
MH-S0648




	Cat. No.	Dimensions (mm)	Description	Material	Item includes
	MF7-06420	Ø4.20 L=6	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	MF7-08420	Ø4.20 L=8	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	MF7-10420	Ø4.20 L=10	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	MF7-11420	Ø4.20 L=11.5	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	MF7-13420	Ø4.20 L=13	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	MF7-16420	Ø4.20 L=16	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	MF7-18420	Ø4.20 L=18	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	MF7-20420	Ø4.20 L=20	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill

L = Length

### Ø4.20mm Implant Procedure

Drilling Speed (RPM)	1200-1500	900-1200	500-700	400-700	200-400	200-500	15-25
Diameter	Ø1.90	Ø2.40	Ø2.40	Ø2.80	Ø3.20	Ø3.20	Ø3.50 Ø4.10
							Ø3.30 Ø4.20



Do not use the final drill for bone types 3&4.


The drilling sequence is illustrated using a 13mm implant.

Procedures recommended by MIS cannot replace the judgment and professional experience of the surgeon.



Implant  
Systems

SEVEN Internal Hex.  
Ø5 WP




Implant Cover Screw  
and Healing Caps:



MH-W3500  
MH-W4500  
MH-W5500



MH-W3630  
MH-W4630  
MH-W5630



MH-W0455  
MH-W0555  
MH-W0655



Cover screw


	Cat. No.	Dimensions (mm)	Description	Material	Item includes
	MF7-06500	Ø5 L=6	SEVEN internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	MF7-08500	Ø5 L=8	SEVEN internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	MF7-10500	Ø5 L=10	SEVEN internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	MF7-11500	Ø5 L=11.5	SEVEN internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	MF7-13500	Ø5 L=13	SEVEN internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	MF7-16500	Ø5 L=16	SEVEN internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill

L = Length

### Ø5mm Implant Procedure

Drilling Speed (RPM)	1200-1500	900-1200	500-700	400-700	400-600	200-400	200-500	15-25
Diameter	Ø1.90	Ø2.40	Ø2.40	Ø2.80	Ø3.20	Ø4	Ø4	Ø4.30 Ø4.90

OR



Do not use the final drill for bone types 3&4.


The drilling sequence is illustrated using a 13mm implant.

Procedures recommended by MIS cannot replace the judgment and professional experience of the surgeon.



Implant  
Systems

SEVEN Internal Hex.  
Ø6 WP




Implant Cover Screw  
and Healing Caps:



MH-W3500  
MH-W4500  
MH-W5500



MH-W3630  
MH-W4630  
MH-W5630



MH-W0455  
MH-W0555  
MH-W0655




Cover screw

Cat. No.	Dimensions (mm)	Description	Material	Item includes
 MF7-06600	Ø6 L=6	SEVEN internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-08600	Ø6 L=8	SEVEN internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-10600	Ø6 L=10	SEVEN internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-11600	Ø6 L=11.5	SEVEN internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-13600	Ø6 L=13	SEVEN internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill

L = Length

### Ø6mm Implant Procedure

Drilling Speed (RPM)	1200-1500	900-1200	500-700	400-700	400-600	300-500	300-500	Ø5	Ø5	200-400	200-500	15-25
Diameter	Ø1.90	Ø2.40	Ø2.40	Ø2.80	Ø3.20	Ø4	Ø4.50	Ø5	Ø5	Ø4.30 Ø5.90	Ø6	Ø6



Do not use the final drill for bone types 3&4.


The drilling sequence is illustrated using a 13mm implant.

Procedures recommended by MIS cannot replace the judgment and professional experience of the surgeon.




Implant  
Systems


M4 Internal Hex.  
Ø3.30 NP



Implant Cover Screw  
and Healing Caps:



MH-N2330  
MH-N3330  
MH-N4330  
MH-N6330  
MH-N8330







MH-52330  
MH-53330  
MH-54330  
MH-55330  
MH-56330



MH-N0440  
MH-N0540  
MH-N0640



Cover screw

	Cat. No.	Dimensions (mm)	Description	Material	Item includes
	MF4-10330	Ø3.30 L=10	M4 internal hex. implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
	MF4-11330	Ø3.30 L=11.5	M4 internal hex. implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
	MF4-13330	Ø3.30 L=13	M4 internal hex. implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
	MF4-16330	Ø3.30 L=16	M4 internal hex. implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw

L = Length

### Ø3.30mm Implant Procedure

Drilling Speed (RPM)	1200-1500	900-1200	500-700	200-500	15-25
Diameter	Ø1.90	Ø2.40	Ø2.80	Ø3.00 Ø3.30	Ø3.30




Procedures recommended by MIS cannot replace the judgment and professional experience of the surgeon.



Implant  
Systems


M4 Internal Hex.  
Ø3.75 SP



Implant Cover Screw  
and Healing Caps:



- MH-03375
- MH-04375
- MH-05375
- MH-06375



- MH-A3375
- MH-A4375
- MH-A5375
- MH-A6375








- MH-53375
- MH-54375
- MH-55375
- MH-56375



- MH-S0448
- MH-S0548
- MH-S0648




Cover screw

	Cat. No.	Dimensions (mm)	Description	Material	Item includes
	MF4-08375	Ø3.75 L=8	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
	MF4-10375	Ø3.75 L=10	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
	MF4-11375	Ø3.75 L=11.5	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
	MF4-13375	Ø3.75 L=13	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
	MF4-16375	Ø3.75 L=16	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw

L = Length

### Ø3.75mm Implant Procedure

Drilling Speed (RPM)	1200-1500	900-1200	500-700	400-700	200-500	15-25
Diameter	Ø1.90	Ø2.40	Ø2.80	Ø3.20	Ø3.75	Ø3.75




Procedures recommended by MIS cannot replace the judgment and professional experience of the surgeon.




Implant Systems

M4 Internal Hex.  
Ø4.20 SP




Ø2.45



Implant Cover Screw  
and Healing Caps:



MH-03375  
MH-04375  
MH-05375  
MH-06375



MH-A3375  
MH-A4375  
MH-A5375  
MH-A6375



MH-53375  
MH-54375  
MH-55375  
MH-56375



MH-S0448  
MH-S0548  
MH-S0648




Cover screw

	Cat. No.	Dimensions (mm)	Description	Material	Item includes
	MF4-06420	Ø4.20 L=6	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
	MF4-08420	Ø4.20 L=8	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
	MF4-10420	Ø4.20 L=10	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
	MF4-11420	Ø4.20 L=11.5	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
	MF4-13420	Ø4.20 L=13	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
	MF4-16420	Ø4.20 L=16	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw

L = Length

### Ø4.20mm Implant Procedure

Drilling Speed (RPM)	1200-1500	900-1200	500-700	400-700	400-600	200-500	15-25
Diameter	Ø1.90	Ø2.40	Ø2.80	Ø3.20	Ø3.80	Ø4.20	Ø4.20





Procedures recommended by MIS cannot replace the judgment and professional experience of the surgeon.



Implant  
Systems

M4 Internal Hex.  
Ø5 WP



Implant Cover Screw  
and Healing Caps:



MH-W3500  
MH-W4500  
MH-W5500









MH-W3630  
MH-W4630  
MH-W5630



MH-W0455  
MH-W0555  
MH-W0655



Cover screw

	Cat. No.	Dimensions (mm)	Description	Material	Item includes
	MF4-06500	Ø5 L=6	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
	MF4-08500	Ø5 L=8	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
	MF4-10500	Ø5 L=10	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
	MF4-11500	Ø5 L=11.5	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
	MF4-13500	Ø5 L=13	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
	MF4-16500	Ø5 L=16	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw

L = Length

## Ø5mm Implant Procedure

Drilling Speed (RPM)	1200-1500	900-1200	500-700	400-700	400-600	400-600	200-500	15-25
Diameter	Ø1.90	Ø2.40	Ø2.80	Ø3.20	Ø3.80	Ø4.50	Ø5	Ø5




Procedures recommended by MIS cannot replace the judgment and professional experience of the surgeon.



Implant  
Systems

M4 Internal Hex.  
Ø6 WP



Implant Cover Screw  
and Healing Caps:



MH-W3500  
MH-W4500  
MH-W5500








MH-W3630  
MH-W4630  
MH-W5630



MH-W0455  
MH-W0555  
MH-W0655



Cover screw

	Cat. No.	Dimensions (mm)	Description	Material	Item includes
	MF4-06600	Ø6 L=6	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
	MF4-08600	Ø6 L=8	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
	MF4-10600	Ø6 L=10	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
	MF4-11600	Ø6 L=11.5	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
	MF4-13600	Ø6 L=13	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw

L = Length

### Ø6mm Implant Procedure

Drilling Speed (RPM)	1200-1500	900-1200	500-700	400-700	400-600	400-600	300-500	300-500	200-500	15-25
Diameter	Ø1.90	Ø2.40	Ø2.80	Ø3.20	Ø3.80	Ø4.50	Ø5	Ø5.50	Ø6	Ø6








Procedures recommended by MIS cannot replace the judgment and professional experience of the surgeon.



Implant  
Systems

## UNO One-Piece Implant Ø3



	Cat. No.	Dimensions (mm)	Description	Material	Item includes
	MO1-10300	Ø3 L=10	UNO One-Piece implant	Titanium Alloy Ti 6Al 4V ELI	
	MO1-11300	Ø3 L=11,5	UNO One-Piece implant	Titanium Alloy Ti 6Al 4V ELI	
	MO1-13300	Ø3 L=13	UNO One-Piece implant	Titanium Alloy Ti 6Al 4V ELI	
	MO1-16300	Ø3 L=16	UNO One-Piece implant	Titanium Alloy Ti 6Al 4V ELI	

L = Length

### Ø3mm Implant Procedure

Drilling Speed (RPM)	1200-1500	900-1200	700-900	15-25		
Diameter	Ø1.90	Ø2	Ø2	Ø2.40	Ø2.40	Ø3








Procedures recommended by MIS cannot replace the judgment and professional experience of the surgeon.



Implant  
Systems

UNO One-Piece  
Implant  $\text{\O}3.50$



	Cat. No.	Dimensions (mm)	Description	Material	Item includes
	MO1-10350	Ø3.50 L=10	UNO One-Piece implant	Titanium Alloy Ti 6Al 4V ELI	
	MO1-11350	Ø3.50 L=11.5	UNO One-Piece implant	Titanium Alloy Ti 6Al 4V ELI	
	MO1-13350	Ø3.50 L=13	UNO One-Piece implant	Titanium Alloy Ti 6Al 4V ELI	
	MO1-16350	Ø3.50 L=16	UNO One-Piece implant	Titanium Alloy Ti 6Al 4V ELI	

L = Length

### Ø3.5mm Implant Procedure

Drilling Speed (RPM)	1200-1500	900-1200	700-900	500-700	15-25	
Diameter	Ø1.90	Ø2	Ø2	Ø2.40	Ø3	Ø3
						Ø3.50













Procedures recommended by MIS cannot replace the judgment and professional experience of the surgeon.



Implant  
Systems

## LINK - Orthodontic Anchor Screw



	Cat. No.	Dimensions (mm)	Description	Material	Item includes
	MG2-06160	Ø1.6 L=6	LINK - Orthodontic anchor screw	Titanium Alloy Ti 6Al 4V ELI	
	MG2-08160	Ø1.6 L=8	LINK - Orthodontic anchor screw	Titanium Alloy Ti 6Al 4V ELI	
	MG2-10160	Ø1.6 L=10	LINK - Orthodontic anchor screw	Titanium Alloy Ti 6Al 4V ELI	
	MG2-12160	Ø1.6 L=12	LINK - Orthodontic anchor screw	Titanium Alloy Ti 6Al 4V ELI	
	MT-TDO01	Ø1 L=28	LINK - Orthodontic anchor pilot drill	Stainless steel	
	MT-SCD20	L=28	Short cross driver for orthodontic screws	Stainless steel	
	MT-LCD20	L=54	Long cross driver for orthodontic screws	Stainless steel	
	MT-MSD20	L=140	Surgical adapter driver	Stainless steel + Aluminum	













L = Length












Tools

## Step Pilot Drills, External Irrigation




	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-TDN20	Ø2 L=37.3	Pilot drill, external irrigation	Stainless steel	 
	CT-P2406	Ø2.4/2.0 L=31.8	Step pilot drill with built-in stopper for 6mm length implants	Stainless steel	 
	CT-P2408	Ø2.4/2.0 L=28	Step pilot drill with built-in stopper for 8mm length implants	Stainless steel	 
	CT-P2410	Ø2.4/2.0 L=28	Step pilot drill with built-in stopper for 10mm length implants	Stainless steel	 

L = Length

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	CT-P2411	Ø2.4/2.0 L=33	Step pilot drill with built-in stopper for 11.5mm length implants	Stainless steel	 
	CT-P2413	Ø2.4/2.0 L=33	Step pilot drill with built-in stopper for 13mm length implants	Stainless steel	 
	CT-P2416	Ø2.4/2.0 L=37.5	Step pilot drill for 16mm length implants	Stainless steel	 

L = Length

## 6 Depth Marks




















Tools

## SEVEN Twist Drills, External Irrigation



Cat. No.	Dimensions (mm)	Description	Material	Sold
 MT-TDT28	Ø2.80 L=37.5	Twist drill, external irrigation	Stainless steel	 
 MT-TDT32	Ø3.20 L=37.5	Twist drill, external irrigation	Stainless steel	 
 MT-TDT40	Ø4 L=37.5	Twist drill, external irrigation	Stainless steel	 
 MT-TDT45	Ø4.50 L=38.2	Twist drill, external irrigation	Stainless steel	 
 MT-TDT50	Ø5 L=38.2	Twist drill, external irrigation	Stainless steel	 



















L = Length



Tools

## M4 Twist Drills, External Irrigation



Cat. No.	Dimensions (mm)	Description	Material	Sold
 MT-TDN28	Ø2.80 L=37.5	Twist drill, external irrigation	Stainless steel	 
 MT-TDN32	Ø3.20 L=37.6	Twist drill, external irrigation	Stainless steel	 
 MT-TDN38	Ø3.80 L=37.8	Twist drill, external irrigation	Stainless steel	 
 MT-TDN45	Ø4.50 L=38.2	Twist drill, external irrigation	Stainless steel	 
 MT-TDN50	Ø5 L=38.2	Twist drill, external irrigation	Stainless steel	 
 MT-TDN55	Ø5.50 L=38.2	Twist drill, external irrigation	Stainless steel	 









L = Length









Tools

## SEVEN and M4 Short Twist Drills, External Irrigation




Cat. No.	Dimensions (mm)	Description	Material	Sold
 MT-TDI28	Ø2.80 L=30	Short twist drill	Stainless steel	
 MT-TDI32	Ø3.20 L=30	Short twist drill	Stainless steel	
 MT-TDI38	Ø3.80 L=30	Short twist drill	Stainless steel	
 MT-TDI40	Ø4.0 L=30	Short twist drill	Stainless steel	

L = Length

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-TDI45	Ø4.50 L=30	Short twist drill	Stainless steel	
	MT-TDI50	Ø5.0 L=30	Short twist drill	Stainless steel	
	MT-TDI55	Ø5.50 L=30	Short twist drill	Stainless steel	

L = Length

## 7 Drilling Diameter Options

























Tools

## Marking Drills and Countersinks



	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-TDN19	Ø1.90 L=34	Marking drill, external irrigation	Stainless steel	 
	MT-TD110	Ø1.90 L=34	Marking drill, internal irrigation	Stainless steel	
	MT-SMD10	L=30	Spade marking drill	Stainless steel	 
	MT-PD440	Ø4 L=32.7	Position drill	Stainless steel	 


L = Length

Cat. No.	Dimensions (mm)	Description	Material	Sold
 MT-CSN33	Ø3.30 L=31	Countersink, narrow platform	Stainless steel	 
 MT-GDN33	Ø3.75/4.20 L=26	Countersink, standard platform	Stainless steel	 
 MT-GDN50	Ø5/6 L=26.8	Countersink, wide platform	Stainless steel	 


L = Length




## 5 Countersinks Depth Marks



Narrow Platform



Standard Platform









Wide Platform



Tools

## Ceramic Drills



	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-CRD21	Ø2.10 L=28.5	Ceramic marking drill	Ceramic	
	MT-CRD20	Ø2 L=33.5	Ceramic pilot drill	Ceramic	
	MT-CRD28	Ø2.80 L=35	Ceramic twist drill	Ceramic	

L = Length



Tools

## Trepine Burrs



	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-00400	Ø4/5 L=37	Trepine burr	Stainless steel	
	MT-00500	Ø5/6 L=37	Trepine burr	Stainless steel	
	MT-00600	Ø6/7 L=37	Trepine burr	Stainless steel	

















L = Length




Tools

## Surgical Tools
















	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-HLI21	L=28.2	Long motor insertion tool, internal hex., narrow platform	Stainless steel	 
	MT-HSI21	L=24.4	Short motor insertion tool, internal hex., narrow platform	Stainless steel	
	MT-HLI10	L=28.2	Long motor insertion tool, internal hex., standard platform	Stainless steel	 
	MT-HSI10	L=24.4	Short motor insertion tool, internal hex., standard platform	Stainless steel	 
	MT-LRH21	L=32.3	Long ratchet insertion tool, internal hex., narrow platform	Stainless steel	 
	MT-SRH21	L=22.3	Short ratchet insertion tool, internal hex., narrow platform	Stainless steel	















L = Length

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-LRH20	L=32.3	Long ratchet insertion tool, internal hex., standard platform	Stainless steel	 
	MT-SRH20	L=22.3	Short ratchet insertion tool, internal hex., standard platform	Stainless steel	 
	MT-RDS30	L=21.3	Short driver for 0.05 inch hex.	Stainless steel	 
	MT-RDL30	L=27	Long driver for 0.05 inch hex.	Stainless steel	 
	MT-RB225	L=22	Ball attachment anchor key	Stainless steel	 
	MT-SM005	L=24	Short motor adapter for 0.05 inch hex.	Stainless steel	
	MT-LM005	L=30	Long motor adapter for 0.05 inch hex.	Stainless steel	 
	MT-RMR10	L=38.5	Long direct hand and ratchet key	Stainless steel	 
	MT-SRA10	L=15.50	Square connection to ratchet adapter	Stainless steel	
	MT-PP001	Ø2.0/3.20 L=24	Parallel pin	Stainless steel	 
	MT-DE001	L=24	Drill extender	Stainless steel	 
	MT-HW001	L=13	Hand wrench	Stainless steel	 

L = Length

## Surgical Tools


	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-TP500	Ø4.5 L=28	Tissue punch	Stainless steel	
	MT-DI001	L=17	Implant direction indicator	Stainless steel	 
	MT-RKS15	L=13.5	UNO One-Piece short key	Stainless steel	 
	MT-RKL21	L=18	UNO One-Piece long key	Stainless steel	 
	MT-RMR10	L=38.5	Long direct hand and ratchet key	Stainless steel	 
	MT-SRA10	L=15.50	Square connection to ratchet adapter	Stainless steel	
	MT-PP001	Ø2.0/3.20 L=24	Parallel pin	Stainless steel	 
	MT-DE001	L=24	Drill extender	Stainless steel	 
	MT-HW001	L=13	Hand wrench	Stainless steel	 
	MT-TP500	Ø4.5 L=28	Tissue punch	Stainless steel	
	MT-DI001	L=17	Implant direction indicator	Stainless steel	 
	MT-RKS15	L=13.5	UNO One-Piece short key	Stainless steel	 

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-RKL21	L=18	UNO One-Piece long key	Stainless steel	 
	MT-HKO21	L=18.8	UNO One-Piece implant insertion tool	Stainless steel	
	MT-UMS21	L=22	UNO One-Piece implant short motor adapter	Stainless steel	
	MT-UML21	L=30	UNO One-Piece long motor adapter	Stainless steel	 
	MT-RT070	L=95	Surgical torque ratchet		 
	MT-RA480		Ratchet to hex. adapter	Stainless steel	
	MT-MFXGS		MIS MULTIFIX Guide Strip		

L = Length



# 7 Connective Types





Tools

## Prosthetic Instruments



	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-TSD10	L=50	Screwdriver for titanium ball cap	Stainless steel	
	MT-IT100	L=16.5	Impression coping key for closed tray	Stainless steel	
	MT-SM005	L=24	Short motor adapter for 0.05 inch hex.	Stainless steel	
	MT-LM005	L=30	Long motor adapter for 0.05 inch hex.	Stainless steel	 
	MT-NB225	L=22	Ball attachment anchor key	Stainless steel	
	MT-MSD20	L=140	Surgical adapter driver	Stainless steel + Aluminum	 

L = Length

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-URA10	L=27	Universal hand driver ratchet head adapter	Stainless steel	 
	MT-UN002	L=24	Implant analog for universal hand driver, internal hex., narrow platform	Stainless steel	 
	MT-US002	L=24	Implant analog for universal hand driver, internal hex., standard platform	Stainless steel	 
	MT-UW002	L=24	Implant analog for universal hand driver, internal hex., wide platform	Stainless steel	 
	MT-HTS10	L=142.5	Technical hex. screwdriver	Stainless steel+ plastic	 
	MT-GDM01	Ø2/4/6/8	Gingival depth measuring instrument	Stainless steel	
	MM-LCT10	L=83	Locator core tool	Steel / Titanium Nitride coated Ti	 
	MM-RSD15	L=19	Locator short torque ratchet driver	Stainless steel	 
	MM-RSD20	L=24	Locator long torque ratchet driver	Stainless steel	 
	MT-RB225	L=22	Ball attachment anchor key	Stainless steel	 
	MT-RDM30	L=11.50	Extra-short driver for 0.05 inch hex.	Stainless steel	
	MT-RDS30	L=21.3	Short driver for 0.05 inch hex.	Stainless steel	 

L = Length


## Prosthetic Instruments

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-RDL30	L=27	Long driver for 0.05 inch hex.	Stainless steel	 
	MT-RDE30	L=32	Extra-long driver for 0.05 inch hex.	Stainless steel	
	MT-RE172	L=28.5	Internal connection abutment extractor	Titanium	 
	MT-RE160	L=28.5	Internal connection abutment extractor, narrow platform	Titanium	 
	MT-MURL2	L=21	Straight Multi-Unit long ratchet key	Stainless steel	 
	ET-IT002		OT-Equator handling tool		 
	MT-RI040	L=95	Torque ratchet for prosthetic screws		 


L = Length



## 2 Key Types



Motor Connection



Ratchet / Hand Connection



Kits

## SEVEN Surgical Kit

The SEVEN Surgical Kit is also available with a monoblock ratchet.  
Product number: MK-EI48





**MK-T048**  
SEVEN Surgical Kit

Cat. No.	Dimensions (mm)	Description	Material	Sold
 MT-TDN19	Ø1.90 L=34	Marking drill, external irrigation	Stainless steel	 
 MT-SMD10	L=30	Spade marking drill	Stainless steel	 
 CT-P2406	Ø2.40/2.0 L=31.8	Step pilot drill with built-in stopper for 6mm length implants	Stainless steel	 
 CT-P2408	Ø2.4/2.0 L=28	Step pilot drill with built-in stopper for 8mm length implants	Stainless steel	 
 CT-P2410	Ø2.4/2.0 L=28	Step pilot drill with built-in stopper for 10mm length implants	Stainless steel	 
 CT-P2411	Ø2.4/2.0 L=33	Step pilot drill with built-in stopper for 11.5mm length implants	Stainless steel	 

L = Length

## SEVEN Surgical Kit

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	CT-P2413	Ø2.4/2.0 L=33	Step pilot drill with built-in stopper for 13mm length implants	Stainless steel	 
	CT-P2416	Ø2.4/2.0 L=37.5	Step pilot drill for 16mm length implants	Stainless steel	 
	MT-TDT28	Ø2.80 L=37.5	Twist drill, external irrigation	Stainless steel	 
	MT-TDT32	Ø3.20 L=37.5	Twist drill, external irrigation	Stainless steel	 
	MT-TDT40	Ø4 L=37.5	Twist drill, external irrigation	Stainless steel	 
	MT-TDT45	Ø4.50 L=38.2	Twist drill, external irrigation	Stainless steel	 
	MT-TDT50	Ø5 L=38.2	Twist drill, external irrigation	Stainless steel	 
	CT-BTC24	Ø2.4 L=28.5	Body try-in	Titanium	 
	MT-BTT28	Ø2.80 L=28.5	Body try-in	Titanium	 
	MT-BTT32	Ø3.20 L=28.5	Body try-in	Titanium	 
	MT-BTT40	Ø4 L=28.5	Body try-in	Titanium	 
	MT-BTT45	Ø4.50 L=28.5	Body try-in	Titanium	 

L = Length

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-BTT50	Ø5 L=28.5	Body try-in	Titanium	 
	MT-GDN33	Ø3.75/4.20 L=26	Countersink, standard platform	Stainless steel	 
	MT-GDN50	Ø5/6 L=26.8	Countersink, wide platform	Stainless steel	 
	MT-PP240	Ø2.40-3 L=24	Parallel pin	Stainless steel	
	MT-HLI21	L=28.2	Long motor insertion tool, internal hex., narrow platform	Stainless steel	 
	MT-HLI10	L=28.2	Long motor insertion tool, internal hex., standard platform	Stainless steel	 
	MT-HSI10	L=24.4	Short motor insertion tool, internal hex., standard platform	Stainless steel	 
	MT-LRH21	L=32.3	Long ratchet insertion tool, internal hex., narrow platform	Stainless steel	 
	MT-LRH20	L=32.3	Long ratchet insertion tool, internal hex., standard platform	Stainless steel	 
	MT-SRH20	L=22.3	Short ratchet insertion tool, internal hex., standard platform	Stainless steel	 
	MT-DE001	L=24	Drill extender	Stainless steel	 
	MT-RMR10	L=38.5	Long direct hand and ratchet key	Stainless steel	 

L = Length

## SEVEN Surgical Kit


	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-RDL30	L=27	Long driver for 0.05 inch hex.	Stainless steel	 
	MT-RDS30	L=21.3	Short driver for 0.05 inch hex.	Stainless steel	 
	MD-PF375 MN-PF330	Ø5, L=11 Ø4.5, L=11	Direct press fit for closed tray, internal hex.	Titanium	 
	MT-RT070	L=95	Surgical torque ratchet		 

L = Length



# 5

## Procedures
































Kits

## SEVEN Drill Replacement kit



MK-SD01  
SEVEN drill replacement kit

Cat. No.	Dimensions (mm)	Description	Material	Sold
 CT-P2408	Ø2.4/2.0 L=28	Step pilot drill with built-in stopper for 8mm length implants	Stainless steel	 
 CT-P2410	Ø2.4/2.0 L=28	Step pilot drill with built-in stopper for 10mm length implants	Stainless steel	 
 CT-P2411	Ø2.4/2.0 L=33	Step pilot drill with built-in stopper for 11.5mm length implants	Stainless steel	 
 CT-P2413	Ø2.4/2.0 L=33	Step pilot drill with built-in stopper for 13mm length implants	Stainless steel	 
 CT-P2416	Ø2.4/2.0 L=37.5	Step pilot drill for 16mm length implants	Stainless steel	 
 MT-TDT28	Ø2.80 L=37.5	Twist drill, external irrigation	Stainless steel	 
 MT-TDT32	Ø3.20 L=37.5	Twist drill, external irrigation	Stainless steel	 
 MT-TDT40	Ø4 L=37.5	Twist drill, external irrigation	Stainless steel	 
 MT-TDT45	Ø4.50 L=38.2	Twist drill, external irrigation	Stainless steel	 

L = Length


















Kits



























## M4 Surgical Kit



MK-0016  
M4 Surgical Kit


















Cat. No.	Dimensions (mm)	Description	Material	Sold
 MT-SMD10	L=30	Spade marking drill	Stainless steel	 
 MT-TDN19	Ø1.90 L=34	Marking drill, external irrigation	Stainless steel	 
 CT-P2416	Ø2.4/2.0 L=37.5	Step pilot drill for 16mm length implants	Stainless steel	 
 MT-TDN28	Ø2.80 L=37.5	Twist drill, external irrigation	Stainless steel	 
 MT-TDN32	Ø3.20 L=37.6	Twist drill, external irrigation	Stainless steel	 

L = Length

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-TDN38	Ø3.80 L=37.8	Twist drill, external irrigation	Stainless steel	 
	MT-TDN45	Ø4.50 L=38.2	Twist drill, external irrigation	Stainless steel	 
	MT-TDN50	Ø5 L=38.2	Twist drill, external irrigation	Stainless steel	 
	MT-TDN55	Ø5.50 L=38.2	Twist drill, external irrigation	Stainless steel	 
	MT-DE001	L=24	Drill extender	Stainless steel	 
	MT-LM005	L=30	Long motor adapter for 0.05 inch hex.	Stainless steel	 
	MT-HSI10	L=24.4	Short motor insertion tool, internal hex.	Stainless steel	 
	MT-HLI10	L=28.2	Long motor insertion tool, internal hex.	Stainless steel	 
	MT-CSN33	Ø3.30 L=31	Countersink, narrow platform	Stainless steel	 
	MT-GDN33	Ø3.75/4.20 L=26	Countersink, standard platform	Stainless steel	 
	MT-GDN50	Ø5/6 L=26.8	Countersink, wide platform	Stainless steel	 
	MT-PP240	Ø2.40-3 L=24	Parallel pin	Stainless steel	

L = Length

## M4 Surgical Kit


	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-LRH21	L=32.3	Long ratchet insertion tool, internal hex., narrow platform	Stainless steel	 
	MT-LRH20	L=32.3	Long ratchet insertion tool, internal hex.	Stainless steel	 
	MT-SRH20	L=22.3	Short ratchet insertion tool, internal hex.	Stainless steel	 
	MT-RMR10	L=38.5	Long direct hand and ratchet key	Stainless steel	 
	MT-RDL30	L=27	Long driver for 0.05 inch hex.	Stainless steel	 
	MT-RI030	L=84	Monoblock ratchet		 

L = Length



# 5

## Surgical Procedures























Kits

## M4 Drilling Set












**MK-0014**  
M4 Drilling Set

Cat. No.	Dimensions (mm)	Description	Material	Sold
 MT-TDN28	Ø2.80 L=37.5	Twist drill, external irrigation	Stainless steel	 
 MT-TDN32	Ø3.20 L=37.6	Twist drill, external irrigation	Stainless steel	 
 MT-TDN38	Ø3.80 L=37.8	Twist drill, external irrigation	Stainless steel	 
 MT-TDN45	Ø4.50 L=38.2	Twist drill, external irrigation	Stainless steel	 
 MT-TDN50	Ø5 L=38.2	Twist drill, external irrigation	Stainless steel	 
 MT-TDN55	Ø5.50 L=38.2	Twist drill, external irrigation	Stainless steel	 

L = Length

## M4 Drilling Set


	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-CSN33	Ø3.30 L=31	Countersink, narrow platform	Stainless steel	 
	MT-GDN33	Ø3.75/4.20 L=26	Countersink, standard platform	Stainless steel	 
	MT-GDN50	Ø5/6 L=26.8	Countersink, wide platform	Stainless steel	 

L = Length



# 6

## Depth Options





Kits

## Abrahami Drill Guide Kit

The Abrahami Drill Guide Kit was designed to enable the dental surgeon to accurately locate and drill the osteotomies of two or more consecutive implants with optimal spacing, angulation and parallelism. In standard cases, the Abrahami Kit may be used as a simple alternative to a surgical guide. Although designed as a surgical tool, the Abrahami Drill Guide Kit can also be used as a planning tool.



Cat. No.	Dimensions (mm)	Description	Material	Sold
----------	-----------------	-------------	----------	------



MK-0011

Abrahami drill guide kit





















Kits













## UNO Implant Surgical Kit



MK-0036  
UNO Implant Surgical Kit


	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-SMD10	L=30	Spade marking drill	Stainless steel	 
	MT-P2416	Ø2.40 L=37.5	Pilot drill for 16mm length implants	Stainless steel	 
	MT-TDN20	Ø2 L=37.3	Pilot drill, external irrigation	Stainless steel	 
	MT-TDT30	Ø3 L=37.5	Twist drill, external irrigation	Stainless steel	 
	MT-BTT20	Ø2 L=28.5	Body try-in	Titanium	 
	MT-UML21	L=30	UNO One-Piece long motor adapter	Stainless steel	 

L = Length

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-PP001	Ø2.0/3.20 L=24	Parallel pin	Stainless steel	 
	MT-RKS15	L=13.5	UNO One-Piece short key	Stainless steel	 
	MT-RKL21	L=18	UNO One-Piece long key	Stainless steel	 
	MT-RI030	L=84	Monoblock ratchet		 

L = Length

## 2 Key Heights





Kits

## SEVEN Drill Stoppers Kit, Standard Platform

Following the use of MIS length-based pilot drills, the SEVEN Standard Platform Drill Stoppers Kit ensures drilling to the exact depth desired. The kit includes the most commonly used lengths: 8, 10, 11.5 and 13mm.



Cat. No.	Dimensions (mm)	Description	Material	Sold
----------	-----------------	-------------	----------	------



MK-BS001

Drill stopper kit for SEVEN implant, standard platform

L = Length








Kits

## SEVEN Drill Stopper Kits, Depth Based



**MK-SDS(06-13)**  
Drill stoppers kit

Cat. No.	Dimensions (mm)	Description	Material	Sold
 MK-SDS06	L=6	Drill stoppers kit for 6mm SEVEN implants	Stainless steel	
 MK-SDS08	L=8	Drill stoppers kit for 8mm SEVEN implants	Stainless steel	
 MK-SDS10	L=10	Drill stoppers kit for 10mm SEVEN implants	Stainless steel	
 MK-SDS11	L=11.5	Drill stoppers kit for 11.5mm SEVEN implants	Stainless steel	
 MK-SDS13	L=13	Drill stoppers kit for 13mm SEVEN implants	Stainless steel	

L = Length



























Kits

## MIS MULTIFIX Drilling Set for 18 and 20mm Implants



**MK-0058**  
Drilling set for 18 and  
20mm implants

Cat. No.	Dimensions (mm)	Description	Material	Sold
 MT-ETD24	Ø2.4 L=39	Extra-long twist drill	Stainless steel	 
 MT-ETD28	Ø2.8 L=39	Extra-long twist drill	Stainless steel	 
 MT-ETD32	Ø3.2 L=39	Extra-long twist drill	Stainless steel	 
 MT-ETD38	Ø3.8 L=39	Extra-long twist drill	Stainless steel	 
 MT-LBT24	Ø2.4 L=34	Long body try-in	Stainless steel	 
 MT-LBT28	Ø2.8 L=34	Long body try-in	Stainless steel	 
 MT-LBT32	Ø3.2 L=34	Long body try-in	Stainless steel	 
 MT-LBT38	Ø3.8 L=34	Long body try-in	Stainless steel	 

L = Length









Kits

## Bone Profiler Kit Internal Hex.



MK-0059  
Bone Profiler Kit

Cat. No.	Dimensions (mm)	Description	Material	Sold
 MT-BP320	Ø3.2	Bone profiler, internal hex., narrow platform	Stainless steel	<a href="#">INSIDE KIT</a> <a href="#">STAND ALONE</a>
 MT-BP370	Ø3.7	Bone profiler, internal hex., standard platform	Stainless steel	<a href="#">INSIDE KIT</a> <a href="#">STAND ALONE</a>
 MT-BP460	Ø4.6	Bone profiler, internal hex., wide platform	Stainless steel	<a href="#">INSIDE KIT</a> <a href="#">STAND ALONE</a>
 MT-BGP32	Ø3.2	Bone profiler guide pin, internal hex., narrow platform	Stainless steel	<a href="#">INSIDE KIT</a> <a href="#">STAND ALONE</a>
 MT-BGP37	Ø3.7	Bone profiler guide pin, internal hex., standard platform	Stainless steel	<a href="#">INSIDE KIT</a> <a href="#">STAND ALONE</a>
 MT-BGP46	Ø4.6	Bone profiler guide pin, internal hex., wide platform	Stainless steel	<a href="#">INSIDE KIT</a> <a href="#">STAND ALONE</a>

L = Length

















Kits

## Bone Compression Kit



**MK-0020**   
Bone Compression Kit


	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MO-CO160	Ø1.80-2.90 L=25	Convex compression screw	Stainless steel	
	MO-CO200	Ø2.30-3.30 L=25	Convex compression screw	Stainless steel	
	MO-CO240	Ø2.70-3.70 L=25	Convex compression screw	Stainless steel	
	MO-CO280	Ø3.1-4.50 L=25	Convex compression screw	Stainless steel	
	MO-SO300	Ø3 L=25	Concave sinus screw	Stainless steel	
	MO-SO350	Ø3.50 L=25	Concave sinus screw	Stainless steel	
	MO-SO400	Ø4 L=25	Concave sinus screw	Stainless steel	

L = Length


	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-SMD10	L=30	Spade marking drill	Stainless steel	 
	MT-HS10	L=24.4	Short motor insertion tool, internal hex.	Stainless steel	 
	MT-HL10	L=28.2	Long motor insertion tool, internal hex.	Stainless steel	 
	MT-LRH20	L=32.3	Long ratchet insertion tool, internal hex.	Stainless steel	 
	MT-SRH20	L=22.3	Short ratchet insertion tool, internal hex.	Stainless steel	 
	MT-RI030	L=84	Monoblock ratchet		 

L = Length

## 2 Surgical Procedures



Bone Compression



Sinus Lifting



Kits

## Sinus Lift Osteotome Set

The MIS Sinus Lift Osteotome Set is used for closed sinus augmentation procedures. The set includes four straight and four bayonet concave tools. All tools are laser marked for depths of 6, 11 and 15mm, and are equipped with stoppers for convenience and safety.



Cat. No.	Dimensions (mm)	Description	Material	Sold
MK-0023		Sinus lift osteotome set		





Kits

## Convex Osteotome Set

The MIS Convex Osteotome Set is used for closed sinus augmentation procedures. The set includes four straight and four bayonet convex tools. All tools are laser marked for depths of 6, 11 and 15mm, and are equipped with stoppers for convenience and safety.



Cat. No.	Dimensions (mm)	Description	Material	Sold
----------	-----------------	-------------	----------	------



MK-0024

Convex osteotome set

















Kits

## Prosthetic Tools Kit



MK-0039   
Prosthetic Tools Kit









Cat. No.	Dimensions (mm)	Description	Material	Sold
 MT-RDS30	L=21.3	Short driver for 0.05 inch hex.	Stainless steel	 
 MT-RDL30	L=27	Long driver for 0.05 inch hex.	Stainless steel	 
 MT-SM005	L=24	Short motor adapter for 0.05 inch hex.	Stainless steel	
 MT-LM005	L=30	Long motor adapter for 0.05 inch hex.	Stainless steel	 
 MT-MURL2	L=21	Straight Multi-Unit long ratchet key	Stainless steel	 

L = Length

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-MUML2	L=31	Straight Multi-Unit long motor key	Stainless steel	
	MT-RE160	L=28.5	Int. connection abutment extractor, narrow platform	Titanium	 
	MT-RE172	L=28.5	Int. connection abutment extractor	Titanium	 
	MM-RSD15	L=19	Locator short torque ratchet driver	Stainless steel	 
	MM-RSD20	L=24	Locator long torque ratchet driver	Stainless steel	 
	MT-RB225	L=22	Ball attachment anchor key	Stainless steel	 
	MT-UN002	L=24	Implant analog for universal hand driver, internal hex., narrow platform	Stainless steel	 
	MT-US002	L=24	Implant analog for universal hand driver, internal hex., standard platform	Stainless steel	 
	MT-UW002	L=24	Implant analog for universal hand driver, internal hex., wide platform	Stainless steel	 
	CT-UN001	L=24	Implant analog for universal hand driver, conical connection, narrow platform	Stainless steel	 
	CT-US001	L=24	Implant analog for universal hand driver, conical connection, standard platform	Stainless steel	 
	CT-UW001	L=24	Implant analog for universal hand driver, conical connection, wide platform	Stainless steel	 

L = Length

## Prosthetic Tools Kit

Cat. No.	Dimensions (mm)	Description	Material	Sold
 ET-IT002		OT-Equator handling tool		 
 MM-LCT10	L=83	Locator core tool	Steel / Titanium Nitride coated Ti	 
 MT-MSD20	L=140	Surgical adapter driver	Stainless steel + Aluminum	 
 MT-URA10	L=27	Universal hand driver ratchet head adapter	Stainless steel	 
 MT-ELR10	L=22.5	Long ratchet key for angled screw channel	Stainless steel	 
 MT-RI040	L=95	Torque ratchet for prosthetic screws		 

L = Length



# 4

Prosthetic Options

# 2

Implant Connections



Hex. Connection



Conical Connection



Kits

## Prosthetic Planning Kit

The MIS Prosthetic Planning Kit consists of replicas of the most commonly used MIS cement retained abutments. The kit allows doctors and technicians to evaluate different abutments and to select the best fitting size, diameter and shape on a case-by-case basis. The replicas can be used either directly in the patient's mouth or on implant-level master models. The titanium superstructures are color-coded in accordance with MIS platforms: purple for Standard and green for Wide.



Cat. No.	Dimensions (mm)	Description	Material	Sold
----------	-----------------	-------------	----------	------



MK-0040

Prosthetic planning kit



Kits

## Abutment Holding System Kit

The abutment holding system allows convenient grip of prosthetic components for adjustments and preparation of both ceramic and titanium abutments.



Cat. No.	Dimensions (mm)	Description	Material	Sold
----------	-----------------	-------------	----------	------



MK-0001

Abutment holding system kit, internal hex.



Kits

## Crown Set

The MIS Crown Set is a delivery system comprised of an auto-mix, easy-to-use dispensing syringe and disposable dispensing tips. The resin-based cement combines high retention properties along with the ability to remove a restoration if needed. The cement sets within 90 seconds and allows easy removal of excess material. Note: Abutments should be sand-blasted prior to cementation to achieve maximum retention.



Cat. No.	Dimensions (mm)	Description	Material	Sold
----------	-----------------	-------------	----------	------



MK-0022

Crown set













Kits

## Zircon Diamond Burr Set



**MK-DB01**   
Zircon Diamond Burr Set






Cat. No.	Dimensions (mm)	Description	Material	Sold
 MT-A4022		Diamond burr, 2.20mm		
 MT-B4018		Diamond burr, 1.80mm		
 MT-F2121		Diamond burr, 2.10mm		
 MT-K2023		Diamond burr, 2.30mm		
 MT-C3125		Diamond burr, 2.50mm		




Kits

## Control Units




	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MWH-SE236		MIS basic physio and contra angle set (230 V)		
	MWH-SE237		MIS basic physio and contra angle set (115 V)		
	MWH-SE225		MIS basic physio and contra angle LED set (230 V)		
	MWH-SE226		MIS basic physio and contra angle LED set (115 V)		
	MWH-2STUB		Irrigation system 1/2 way		
	MWH-MMOTR		Micro motor and cord kit		
	MWH-M7559		Surgical contra-angle 20:1		
	MWH-CAL02		Surgical contra-angle LED 20:1		





## PROSTHETIC OPTIONS.

MIS offers a comprehensive range of prosthetic systems, which are suitable for any indication and procedure type. Combined with a wide variety of supporting tools, our products are designed to provide the biological advantages that are critical for successful treatment. MIS superstructures are designed to meet all prosthetic needs and fit all accepted working methods. Abutments are available in a wide range of heights, gingival collar heights, angles and margin types, as well as a line of concave emergence profile abutments which are designed to facilitate better soft tissue management and growth. MIS offers solutions for both screw retained and cement retained restorations.





## Impression Coping

### Analogs and Impression Coping















	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MN-ITC30 MD-ITC30 MW-ITC30	NP SP WP	Ø4, H=2, C=6 Ø4.8, H=2, C=6 Ø5.5, H=2, C=6	Direct concave impression coping for closed tray, internal hex.	Titanium	
	MN-IO401 MD-IO481 MW-IO551	NP SP WP	Ø5.5, L=11 Ø6.2, L=11 Ø6.8, L=11	Direct concave impression coping for open tray, internal hex.	Titanium	
	MN-IT100 MD-IT100 MW-IT100	NP SP WP	Ø4, L=9 Ø4.5, L=9 Ø5.4, L=9	Direct impression coping for closed tray, internal hex.	Stainless steel	
	MN-IO330 MD-IO375 MW-IO470	NP SP WP	Ø4.6, L=11 Ø5, L=11 Ø5.5, L=11	Direct impression coping for open tray, internal hex.	Stainless steel	

Concave emergence profile

H = Gingival height

C = Crown height

L = Length

	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MN-IT300 MD-IT300 MW-IT300	NP SP WP	Ø4, H=2, C=6 Ø4.8, H=2, C=6 Ø5.5, H=2, C=6	Direct impression coping for closed tray, internal hex.	Titanium	
	MN-PF330 MD-PF375 MW-PF550	NP SP WP	Ø4.5, L=11 Ø5, L=11 Ø5.5, L=11	Direct press fit for closed tray, internal hex.	Titanium	
	MN-RSM10 MD-RSM10 MW-RSM10	NP SP WP	Ø3.3, L=12 Ø3.75, L=12 Ø4.6, L=12	Implant analog, internal hex.	Stainless steel	
	MN-S0160 MD-S0200 MD-S0200	NP SP WP	L=7.6	Mini prosthetic screw, 30 Ncm	Titanium	
	MN-G0160 MD-G0213 MD-G0213	NP SP WP	L=21 L=23 L=23	Direct impression coping guide pin for open tray	Titanium	
	MN-GP100 MD-GP100 MD-GP100	NP SP WP	L=16.5	Direct impression coping guide pin, internal hex.	Titanium	

 Concave emergence profile      H = Gingival height      C = Crown height      L = Length

## 3 Platforms

  
Narrow

  
Standard

  
Wide



Temporary  
Restoration

## Temporary Cylinders













	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MN-TC023 MD-TC023 MW-TC023	NP SP WP	Ø4, H=2, C=10 Ø4.8, H=2, C=10 Ø5.5, H=2, C=10	Direct concave temporary free rotation cylinder, internal hex.	Titanium	
	MN-TC033 MD-TC033 MW-TC033	NP SP WP	Ø4, H=3, C=10 Ø4.8, H=3, C=10 Ø5.5, H=3, C=10	Direct concave temporary free rotation cylinder, internal hex.	Titanium	
	MN-TCH23 MD-TCH23 MW-TCH23	NP SP WP	Ø4, H=2, C=10 Ø4.8, H=2, C=10 Ø5.5, H=2, C=10	Direct concave temporary anti-rotation cylinder, internal hex.	Titanium	
	MN-TCH33 MD-TCH33 MW-TCH33	NP SP WP	Ø4, H=3, C=10 Ø4.8, H=3, C=10 Ø5.5, H=3, C=10	Direct concave temporary anti-rotation cylinder, internal hex.	Titanium	

Concave emergence profile

H = Gingival height

C = Crown height

L = Length

	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MN-TC013 MD-TC013 MW-TC013	NP SP WP	Ø4, H=1, C=10 Ø4.8, H=1, C=10 Ø5.5, H=1, C=10	Direct temporary free rotation cylinder, internal hex.	Titanium	
	MN-TCH13 MD-TCH13 MW-TCH13	NP SP WP	Ø4, H=1, C=10 Ø4.8, H=1, C=10 Ø5.5, H=1, C=10	Direct temporary anti-rotation cylinder, internal hex.	Titanium	
	MN-TPA10 MD-TPA10 MW-TPA10	NP SP WP	Ø4, H=1, C=10 Ø4.75, H=1, C=10 Ø5.5, H=1, C=10	Temporary plastic abutment, Internal hex.	PEEK	
	MN-TPA12 MD-TPA12 MW-TPA12	NP SP WP	Ø3.5, H=1, C=10 Ø3.75, H=1, C=10 Ø4.5, H=1, C=10	Narrow profile temporary plastic abutment, internal hex.	PEEK	
	MD-TPH50 MW-TPH50	SP WP	Ø5, H=2.5, C=9.5 Ø5.5, H=2.5, C=9.5	Direct temporary plastic cylinder, internal hex.	PEEK	

● Concave emergence profile    H = Gingival height    C = Crown height    L = Length

## 2 Abutment Options



Titanium















Polyether ether ketone



Screw  
Retained  
Restoration

## Multi-Unit System



	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MA-NC248 MA-SC248	NP SP	Ø4.8, H=2	Multi-Unit concave abutment, internal hex., 30Ncm	Titanium	
	MA-NC348 MA-SC348 MA-WC348	NP SP WP	Ø4.8, H=3	Multi-Unit concave abutment, internal hex., 30Ncm	Titanium	
	MA-NC448 MA-SC448	NP SP	Ø4.8, H=4	Multi-Unit concave abutment, internal hex., 30Ncm	Titanium	
	MA-WC548	WP	Ø4.8, H=5	Multi-Unit concave abutment, internal hex., 30Ncm	Titanium	
	MA-N1480 MA-S1480 MA-W1480	NP SP WP	Ø4.8, H=1	Multi-Unit abutment, internal hex., 30Ncm	Titanium	
	MA-N2480 MA-S2480	NP SP	Ø4.8, H=2	Multi-Unit abutment, internal hex., 30Ncm	Titanium	


 Concave emergence profile

H = Gingival height

C = Crown height

L = Length

	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MA-N3480 MA-S3480 MA-W3480	NP SP WP	Ø4.8, H=3	Multi-Unit abutment, internal hex., 30Ncm	Titanium	
	MA-N4480 MA-S4480	NP SP	Ø4.8, H=4	Multi-Unit abutment, internal hex., 30Ncm	Titanium	
	MA-N5480 MA-S5480 MA-W5480	NP SP WP	Ø4.8, H=5	Multi-Unit abutment, internal hex., 30Ncm	Titanium	
	MA-SO171 MA-WO171	SP WP	Ø4.8, H=1	Solid Multi-Unit angulated abutment, 17°, internal hex., 20Ncm	Titanium	
	MA-SO172 MA-WO172	SP WP	Ø4.8, H=2	Solid Multi-Unit angulated abutment, 17°, internal hex., 20Ncm	Titanium	
	MA-SO301 MA-WO301	SP WP	Ø4.8, H=1	Solid Multi-Unit angulated abutment, 30°, internal hex., 20Ncm	Titanium	
	MA-SO302 MA-WO302	SP WP	Ø4.8, H=2	Solid Multi-Unit angulated abutment, 30° internal hex., 20Ncm	Titanium	
	MU-BGC48		L=3.3	Gold bar coping abutment for Multi-Unit	Gold-e	
	MU-RSM48		L=12	Analog for Multi-Unit	Titanium	
	MU-CC480		Ø4.8 L=3.3	Cementing cap for Multi-Unit	Titanium	
	MU-CP048		L=10	Plastic cylinder for Multi-Unit	Burnout plastic	
	MU-S0220		L=3.8	Prosthetic screw for Multi-Unit, 25Ncm	Titanium	

 Concave emergence profile

H = Gingival height

C = Crown height

L = Length

## Multi-Unit System















	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MU-G0220		L=3.8	Prosthetic gold screw for Multi-Unit, 20Ncm	Gold-s	
	MU-H4480		Ø4.8 L=4.3	Healing cap for Multi-Unit	Titanium	
	MU-I0480		Ø4.8 L=10	Impression coping, open tray, for Multi-Unit	Titanium	
	MU-IT480		Ø4.8 L=8	Impression coping, closed tray, for Multi-Unit	Titanium	
	MU-MG480		Ø4.8 L=14.5	Direct gold for Multi-Unit	Burnout plastic+gold-a	
	MU-TO480		Ø4.8 L=10	Titanium temporary cylinder for Multi-Unit	Titanium	
	MU-SP102		L=10	Scan Post for Multi-Unit	Titanium	
	MU-MAN10		Ø4.8 L=10	Digital model analog for Multi-Unit	Titanium	
	MT-MURL2		L=21	Straight Multi-Unit long ratchet key	Stainless steel	
	MT-MUML2		L=31	Straight Multi-Unit long motor key	Stainless steel	
	MT-MUL02		L=22.5	Angulated Multi-Unit long key	Stainless steel	
	MT-MMK07		L=24	Angulated Multi-Unit short motor key	Stainless steel	



Screw  
Retained  
Restoration

## Plastic Cylinders



	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MN-CPH13 MD-CPH13 MW-CPH13	NP SP WP	Ø3.5, H=1, C=11 Ø3.75, H=1, C=11 Ø4.5, H=1, C=11	Direct plastic cylinder, anti-rotation, internal hex.	Burnout Plastic	  
	MN-CP013 MD-CP013 MW-CP013	NP SP WP	Ø3.5, H=1, C=11 Ø3.75, H=1, C=11 Ø4.5, H=1, C=11	Direct plastic cylinder, free rotation, internal hex.	Burnout Plastic	  
	MD-CPH50 MW-CPH60	SP WP	Ø5, H=1, C=11 Ø6.5, H=1, C=11	Wide profile direct plastic cylinder, anti-rotation, Internal hex.	Burnout Plastic	 
	MD-CP050 MW-CP060	SP WP	Ø5, H=1, C=11 Ø6.5, H=1, C=11	Wide profile direct plastic cylinder, free rotation	Burnout Plastic	 

































 Concave emergence profile

H = Gingival height

C = Crown height

L = Length

## Plastic Cylinders

	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MN-GPC10 MD-GPC10 MW-GPC10	NP SP WP	Ø4.3, H=1, C=14 Ø5, H=1, C=14 Ø5.5, H=1, C=14	Direct gold plastic cylinder, anti-rotation	Burnout Plastic+Gold-a	  
	MN-GP010 MD-GP010 MW-GP010	NP SP WP	Ø4.3, H=1, C=14 Ø5, H=1, C=14 Ø5.5, H=1, C=14	Direct gold plastic cylinder, free rotation, internal hex.	Burnout plastic+Gold-a	  
	MN-CC110 MD-CC110 MW-CC110	NP SP WP	Ø4.3, H=1, C=14 Ø5, H=1, C=14 Ø5.5, H=1, C=14	Direct anti-rotation CoCr plastic cylinder, internal hex.	Cobalt-Chrome	  
	MN-CC010 MD-CC010 MW-CC010	NP SP WP	Ø4.3, H=1, C=14 Ø5, H=1, C=14 Ø5.5, H=1, C=14	Direct free rotation CoCr plastic cylinder, internal hex.	Cobalt-Chrome	  
	MD-G0220	SP WP	L=7.7	Direct gold prosthetic screw, 20 Ncm	Gold-s	 
	MD-S0200	SP WP	L=6.9	Mini prosthetic screw, 30 Ncm	Titanium	 
	MN-S0160 MD-S0220 MD-S0220	NP SP WP	L=7.6	Direct prosthetic screw, 30 Ncm	Titanium	  
	MD-S0222	SP WP	L=12	Medium prosthetic screw, 30 Ncm	Titanium	 
	MD-S0224	SP WP	L=14	Long prosthetic screw, 30 Ncm	Titanium	 

 Concave emergence profile

H = Gingival height


C = Crown height








L = Length



Digital Restoration

## EZ-Base System



	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MN-EZB15 MD-EZB15 MW-EZB15	NP SP WP	Ø4.25, H=1.5, C=5 Ø4.3, H=1.5, C=5 Ø5.7, H=1.5, C=5	EZ-Base abutment, internal hex.	Titanium	
	MT-ELM10		L=30	Long motor key for angled screw channel	Stainless steel	
	MT-ESM10		L=24	Short motor key for angled screw channel	Stainless steel	
	MT-ELR10		L=22.5	Long ratchet key for angled screw channel	Stainless steel	
	MT-ESR10		L=18.7	Short ratchet key for angled screw channel	Stainless steel	
	MN-E0160 MD-E0220	NP SP	L=71 L=76	EZ-Base prosthetic screw	Titanium	



Digital  
Restoration

## Ti-Base



	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MN-TBC15 MD-TBC15 MW-TBC15	NP SP WP	Ø4.2, H=1.5, C=4 Ø4.3, H=1.5, C=4 Ø5.7, H=1.5, C=4	Ti-Base, concave, anti-rotation, internal hex.	Titanium	
	MN-FTB15 MD-FTB15 MW-FTB15	NP SP WP	Ø4.2, H=1.5, C=4 Ø4.3, H=1.5, C=4 Ø5.7, H=1.5, C=4	Ti-Base, concave, free rotation, internal hex.	Titanium	
	MN-TBC30 MD-TBC30 MW-TBC30	NP SP WP	Ø4.2, H=3, C=4 Ø4.3, H=3, C=4 Ø5.7, H=3, C=4	Ti-Base, concave, anti-rotation, internal hex.	Titanium	
	MN-FTB30 MD-FTB30 MW-FTB30	NP SP WP	Ø4.2, H=3, C=4 Ø4.3, H=3, C=4 Ø5.7, H=3, C=4	Ti-Base, concave, free rotation, internal hex.	Titanium	
	MN-TB001 MD-TB001 MW-TB001	NP SP WP	Ø4.2, H=0.5, C=4 Ø4.3, H=0.5, C=4 Ø5.7, H=0.5, C=4	Ti-Base, anti-rotation, internal hex.	Titanium	
	MN-TB002 MD-TB002 MW-TB002	NP SP WP	Ø4.2, H=0.5, C=4 Ø4.3, H=0.5, C=4 Ø5.7, H=0.5, C=4	Ti-Base, free rotation, internal hex.	Titanium	
	MN-IN060 MD-IN060	NP SP	Ø4.2, H=0.5, C=6 Ø4.3, H=0.5, C=6	Incisor esthetic Ti abutment, internal hex.	Titanium	
	MN-S0160 MD-S0220 MD-S0220	NP SP WP	L=7.6	Direct prosthetic screw, 30 Ncm	Titanium	

● Concave emergence profile

H = Gingival height

C = Crown height

L = Length








Digital  
Restoration

Scan Post Kit,  
Internal Hex.



[MK-0056](#)  
Scan Post Kit

Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
 MN-SP102 MD-SP102 MW-SP102	NP SP WP	L=10	Scan Post, internal hex.	Titanium	  
 MU-SP102		L=10	Scan Post for Multi-Unit	Titanium	

● Concave emergence profile    H = Gingival height    C = Crown height    L = Length











Digital  
Restoration

## Digital Model Analogs



Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
----------	----------	-----------------	-------------	----------	----------

	MN-MAN10	NP	Digital model analog, internal hex.	Titanium	  
	MD-MAN10	SP			
	MW-MAN10	WP			

	MN-MAN10	NP	Digital model analog, internal hex.	Titanium	  
	MD-MAN10	SP			
	MW-MAN10	WP			



	MU-MAN10	Ø4.80 L=10	Digital model analog for Multi-Unit	Titanium

 Concave emergence profile

H = Gingival height

C = Crown height

L = Length



Digital  
Restoration

## Titanium Blanks



	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MN-IB091 MD-IB091 MW-IB091	NP SP WP	Ø9	Titanium Blank, anti-rotation, internal hex.	Titanium	
	MN-IB121 MD-IB121 MW-IB121	NP SP WP	Ø12	Titanium Blank, anti-rotation, internal hex.	Titanium	
	MN-AGT12 MD-AGT12 MW-AGT12	NP SP WP	Ø12	Titanium Blank for Amann Girrbach, anti-rotation, internal hex.	Titanium	
	MN-MAB10 MD-MAB10 MW-MAB10	NP SP WP	Ø5	Milling analog for Titanium Blank, internal hex.	Stainless Steel	

Concave emergence profile

H = Gingival height

C = Crown height










L = Length



Cemented  
Restoration

## Cementable Abutments











	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MN-AT102	NP	Ø4, H=2, C=7	Cementable angulated abutment, 10°, concave, internal hex.	Titanium	
	MD-AT152 MW-AT152	SP WP	Ø4.8, H=2, C=7.5 Ø5.5, H=2, C=7.5	Cementable angulated abutment, 15°, concave, internal hex.	Titanium	 
	MD-AT153	SP	Ø4.8, H=3, C=7.5	Cementable angulated abutment, 15°, concave, internal hex.	Titanium	
	MN-AT202	NP	Ø4, H=2, C=7	Cementable angulated abutment, 20°, concave, internal hex.	Titanium	

 Concave emergence profile

H = Gingival height

C = Crown height

L = Length

	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MD-AT252	SP	Ø4.8, H=2, C=7.5	Cementable angulated abutment, 25°, concave, internal hex.	Titanium	
	MD-AT253	SP	Ø4.8, H=3, C=7.5	Cementable angulated abutment, 25°, concave, internal hex.	Titanium	
	MD-A0010 MW-P0010	SP WP	Ø5.5, H=1, C=8 Ø6.3, H=1, C=8	Cementable abutment, internal hex.	Titanium	 
	MD-P0030	SP	Ø5.6, H=3, C=8	Cementable abutment, internal hex.	Titanium	
	MN-AT101	NP	Ø4, H=1, C=7	Cementable angulated abutment, 10°, internal hex.	Titanium	
	MD-A1510 MW-P1510	SP WP	Ø5.2, H=1, C=8 Ø5.8, H=1, C=8	Cementable angulated abutment, 15°, internal hex.	Titanium	 
	MN-AN020	NP	Ø4, H=1, C=7.3	Cementable angulated abutment, 20°, internal hex.	Titanium	
	MD-AN151 MW-AN151	SP WP	Ø4.9, H=1, C=7.5 Ø6, H=1, C=7.3	Cementable angulated abutment, 15°, internal hex.	Titanium	 
	MD-P1530	SP	Ø5.2, H=3, C=8	Cementable angulated abutment, 15°, internal hex.	Titanium	
	MD-A2510	SP	Ø5.6, H=1, C=8	Cementable angulated abutment, 25°, internal hex.	Titanium	
	MD-AN251	SP	Ø5.9, H=1, C=7	Cementable angulated abutment, 25°, internal hex.	Titanium	
	MD-P2530	SP	Ø5.7, H=3, C=8	Cementable angulated abutment, 25°, internal hex.	Titanium	
















 Concave emergence profile

H = Gingival height

C = Crown height

L = Length


## Cementable Abutments

	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MD-G0220	SP WP	L=7.7	Direct gold prosthetic screw, 20 Ncm	Gold-s	 
	MD-S0200	SP WP	L=6.9	Mini prosthetic screw, 30 Ncm	Titanium	 
	MN-S0160 MD-S0220 MD-S0220	NP SP WP	L=7.6	Direct prosthetic screw, 30 Ncm	Titanium	  
	MD-S0222	SP WP	L=12	Medium prosthetic screw, 30 Ncm	Titanium	 
	MD-S0224	SP WP	L=14	Long prosthetic screw, 30 Ncm	Titanium	 

 Concave emergence profile    H = Gingival height    C = Crown height    L = Length



## 5 Angle Options


















Cemented  
Restoration

## Cementing Posts










	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MN-MC102 MD-MC102 MW-MC102	NP SP WP	Ø4, H=2, C=10 Ø4.8, H=2, C=10 Ø5.5, H=2, C=10	Cementing post, concave, internal hex.	Titanium	  
	MN-MAC10 MD-MAC10 MW-MAC10	NP SP WP	Ø4, H=1, C=10 Ø4.75, H=1, C=10 Ø5.5, H=1, C=10	Cementing post, internal hex.	Titanium	  
	MD-WMAC1 MW-WMAC1	SP WP	Ø5.5, H=1, C=10 Ø6.5, H=1, C=10	Wide profile cementing post, internal hex.	Titanium	 
	MD-MACF1	SP	Ø4.8, H=1, C=8.5	Friction fit cementing post with platform switching, internal hex.	Titanium	


 Concave emergence profile

H = Gingival height


C = Crown height

L = Length

	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MD-CTP10 MW-CTP10	SP WP	Ø3.75, H=0, C=8.5 Ø5.5, H=0, C=8.5	Narrow profile cementing post, internal hex.	Titanium	 
	MD-G0220	SP WP	L=7.7	Direct gold prosthetic screw, 20 Ncm	Gold-s	 
	MD-S0200	SP WP	L=6.9	Mini prosthetic screw, 30 Ncm	Titanium	 
	MN-S0160 MD-S0220 MD-S0220	NP SP WP	L=7.6	Direct prosthetic screw, 30 Ncm	Titanium	  
	MD-S0222	SP WP	L=12	Medium prosthetic screw, 30 Ncm	Titanium	 
	MD-S0224	SP WP	L=14	Long prosthetic screw, 30 Ncm	Titanium	 

 Concave emergence profile      H = Gingival height      C = Crown height      L = Length

## 4 Screw Height Options





Cemented  
Restoration

## CPK - Complete Prosthetic Kit



	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MK-NPC62 MK-CPC62 MK-WPC62	NP SP WP	Ø4, H=2, C=6 Ø4.8, H=2, C=6 Ø5.5, H=2, C=6	Complete Prosthetic Kit, concave, internal hex.	Titanium	
	MK-NPC63 MK-CPC63 MK-WPC63	NP SP WP	Ø4, H=3, C=6 Ø4.8, H=3, C=6 Ø5.5, H=3, C=6	Complete Prosthetic Kit, concave, internal hex.	Titanium	
	MK-NPC64 MK-CPC64 MK-WPC64	NP SP WP	Ø4, H=4, C=6 Ø4.8, H=4, C=6 Ø5.5, H=4, C=6	Complete Prosthetic Kit, concave, internal hex.	Titanium	
	MK-NPK41 MK-CPK41 MK-WPK41	NP SP WP	Ø4, H=1, C=4 Ø4.8, H=1, C=4 Ø5.5, H=1, C=4	Complete Prosthetic Kit, internal hex.	Titanium	
	MK-NPK42 MK-CPK42 MK-WPK42	NP SP WP	Ø4, H=2, C=4 Ø4.8, H=2, C=4 Ø5.5, H=2, C=4	Complete Prosthetic Kit, internal hex.	Titanium	
	MK-NPK43 MK-CPK43 MK-WPK43	NP SP WP	Ø4, H=3, C=4 Ø4.8, H=3, C=4 Ø5.5, H=3, C=4	Complete Prosthetic Kit, internal hex.	Titanium	

Concave emergence profile

























H = Gingival height

C = Crown height

L = Length

## CPK - Complete Prosthetic Kit

	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MK-NPK44 MK-CPK44 MK-WPK44	NP SP WP	Ø4, H=4, C=4 Ø4.8, H=4, C=4 Ø5.5, H=4, C=4	Complete Prosthetic Kit, internal hex.	Titanium	
	MK-NPK61 MK-CPK61 MK-WPK61	NP SP WP	Ø4, H=1, C=6 Ø4.8, H=1, C=6 Ø5.5, H=1, C=6	Complete Prosthetic Kit, internal hex.	Titanium	
	MK-NPK62 MK-CPK62 MK-WPK62	NP SP WP	Ø4, H=2, C=6 Ø4.8, H=2, C=6 Ø5.5, H=2, C=6	Complete Prosthetic Kit, internal hex.	Titanium	
	MK-NPK63 MK-CPK63 MK-WPK63	NP SP WP	Ø4, H=3, C=6 Ø4.8, H=3, C=6 Ø5.5, H=3, C=6	Complete Prosthetic Kit, internal hex.	Titanium	
	MK-NPK64 MK-CPK64 MK-WPK64	NP SP WP	Ø4, H=4, C=6 Ø4.8, H=4, C=6 Ø5.5, H=4, C=6	Complete Prosthetic Kit, internal hex.	Titanium	
	MK-CPK81 MK-WPK81	SP WP	Ø4.8, H=1, C=8 Ø5.5, H=1, C=8	Complete Prosthetic Kit, internal hex.	Titanium	
	MK-CPK82 MK-WPK82	SP WP	Ø4.8, H=2, C=8 Ø5.5, H=2, C=8	Complete Prosthetic Kit, internal hex.	Titanium	
	MK-CPK83 MK-WPK83	SP WP	Ø4.8, H=3, C=8 Ø5.5, H=3, C=8	Complete Prosthetic Kit, internal hex.	Titanium	
	MK-CPK84 MK-WPK84	SP WP	Ø4.8, H=4, C=8 Ø5.5, H=4, C=8	Complete Prosthetic Kit, internal hex.	Titanium	
	MN-CPC62 MD-CPC62 MW-CPC62	NP SP WP	Ø4, H=2, C=6 Ø4.8, H=2, C=6 Ø5.5, H=2, C=6	Transgingival concave abutment, internal hex.	Titanium	
	MN-CPC63 MD-CPC63 MW-CPC63	NP SP WP	Ø4, H=3, C=6 Ø4.8, H=3, C=6 Ø5.5, H=3, C=6	Transgingival concave abutment, internal hex.	Titanium	
	MN-CPC64 MD-CPC64 MW-CPC64	NP SP WP	Ø4, H=4, C=6 Ø4.8, H=4, C=6 Ø5.5, H=4, C=6	Transgingival concave abutment, internal hex.	Titanium	

	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MN-CPK41 MD-CPK41 MW-CPK41	NP SP WP	Ø4, H=1, C=4 Ø4.8, H=1, C=4 Ø5.5, H=1, C=4	Transgingival abutment, internal hex.	Titanium	
	MN-CPK42 MD-CPK42 MW-CPK42	NP SP WP	Ø4, H=2, C=4 Ø4.8, H=2, C=4 Ø5.5, H=2, C=4	Transgingival abutment, internal hex.	Titanium	
	MN-CPK43 MD-CPK43 MW-CPK43	NP SP WP	Ø4, H=3, C=4 Ø4.8, H=3, C=4 Ø5.5, H=3, C=4	Transgingival abutment, internal hex.	Titanium	
	MN-CPK44 MD-CPK44 MW-CPK44	NP SP WP	Ø4, H=4, C=4 Ø4.8, H=4, C=4 Ø5.5, H=4, C=4	Transgingival abutment, internal hex.	Titanium	
	MN-CPK61 MD-CPK61 MW-CPK61	NP SP WP	Ø4, H=1, C=6 Ø4.8, H=1, C=6 Ø5.5, H=1, C=6	Transgingival abutment, internal hex.	Titanium	
	MN-CPK62 MD-CPK62 MW-CPK62	NP SP WP	Ø4, H=2, C=6 Ø4.8, H=2, C=6 Ø5.5, H=2, C=6	Transgingival abutment, internal hex.	Titanium	
	MN-CPK63 MD-CPK63 MW-CPK63	NP SP WP	Ø4, H=3, C=6 Ø4.8, H=3, C=6 Ø5.5, H=3, C=6	Transgingival abutment, internal hex.	Titanium	
	MN-CPK64 MD-CPK64 MW-CPK64	NP SP WP	Ø4, H=4, C=6 Ø4.8, H=4, C=6 Ø5.5, H=4, C=6	Transgingival abutment, internal hex.	Titanium	
	MD-CPK81 MW-CPK81	SP WP	Ø4.8, H=1, C=8 Ø5.5, H=1, C=8	Transgingival abutment, internal hex.	Titanium	
	MD-CPK82 MW-CPK82	SP WP	Ø4.8, H=2, C=8 Ø5.5, H=2, C=8	Transgingival abutment, internal hex.	Titanium	
	MD-CPK83 MW-CPK83	SP WP	Ø4.8, H=3, C=8 Ø5.5, H=3, C=8	Transgingival abutment, internal hex.	Titanium	
	MD-CPK84 MW-CPK84	SP WP	Ø4.8, H=4, C=8 Ø5.5, H=4, C=8	Transgingival abutment, internal hex.	Titanium	



Overdenture

## OT-Equator Kits


















	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MK-NOE1 MK-SOE1 MK-WOE1	NP SP WP	H=1	OT-Equator kit, internal hex.	Titanium	
	MK-NOE2 MK-SOE2	NP SP	H=2	OT-Equator kit, internal hex.	Titanium	
	MK-NOE3 MK-SOE3 MK-WOE3	NP SP WP	H=3	OT-Equator kit, internal hex.	Titanium	
	MK-NOE4 MK-SOE4	NP SP	H=4	OT-Equator kit, internal hex.	Titanium	

Concave emergence profile

H = Gingival height

C = Crown height

L = Length

	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MK-NOE5 MK-SOE5 MK-WOE5	NP SP WP	H=5	OT-Equator kit, internal hex.	Titanium	  
	ET-IT002			OT-Equator handling tool		
	OE-IC002			OT-Equator impression coping cap		
	OE-IC001			OT-Equator impression transfer cap		
	MT-RDL30		L=27	Long driver for 0.05 inch hex.	Stainless steel	
	MT-RDS30		L=21.3	Short driver for 0.05 inch hex.	Stainless steel	
	OE-RCP01			OT-Equator soft retentive cap (pink)		
	OE-RCW01			OT-Equator standard retentive cap (white)		
	OE-RCV01			OT-Equator rigid retentive cap (violet)		
	OE-RCY01			OT-Equator extra soft retentive cap (yellow)		
	OE-RCB01			OT-Equator laboratory retentive cap (black)		
	OE-MH001			OT-Equator metal housing		

 Concave emergence profile

H = Gingival height

C = Crown height






















L = Length



Overdenture

## Ball Attachment System















	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MB-N1375 MW-B1500	SP WP	Ø4, H=1 Ø5, H=1	Ball attachment anchor, internal hex.	Titanium alloy + Titanium nitride	 
	MB-N2330 MB-N2375	NP SP	Ø4, H=2	Ball attachment anchor, internal hex.	Titanium alloy + Titanium nitride	 
	MB-N3330 MB-N3375 MW-B3500	NP SP WP	Ø4, H=3 Ø4, H=3 Ø5, H=3	Ball attachment anchor, internal hex.	Titanium alloy + Titanium nitride	  
	MB-N4330 MB-N4375	NP SP	Ø4, H=4	Ball attachment anchor, internal hex.	Titanium alloy + Titanium nitride	 
	MB-N5375 MW-B5500	SP WP	Ø4, H=5 Ø5, H=5	Ball attachment anchor, internal hex.	Titanium alloy + Titanium nitride	 
	MB-AN152	SP	H=2	Ball anchor 15° angulated abutment, internal hex.	Titanium	
	MB-AN252	SP	H=2	Ball anchor 25° angulated abutment, internal hex.	Titanium	
	MB-RS375		L=15.1	Ball attachment analog	Stainless steel	

 Concave emergence profile

H = Gingival height

C = Crown height

L = Length

	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MB-SF200		Ø3.7 L=3.5	Plastic ball cap	Plastic	
	MB-GPS10		L=2.4	Gold ball cap	Gold-e	
	MB-TTP10		Ø3.5 L=3.1	Titanium ball cap	Titanium	
	MB-PR010		Ø3.8 L=2	Plastic mounting sleeve	Plastic	
	MB-TBS10		Ø2.5	Titanium ball cap spring, standard	Steel	
	MB-TBS20		Ø2.6	Titanium ball cap spring, soft	Steel	
	MB-DMH10			Double metal housing		
	MB-PPC10		Ø4.2 L=2.6	Standard plastic cap for metal housing	Plastic	
	MB-PPR10		Ø4.2 L=2.6	Soft plastic cap for metal housing retention 800-950g	Plastic	
	MB-DB235		Ø15 L=2.6	Plastic disc for ball attachment	Plastic	
	MT-NB225		L=22	Ball attachment anchor key	Stainless steel	
	MT-RB225		L=22	Ball attachment anchor key	Stainless steel	



Overdenture

## LOCKiT Attachment System



	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MN-LOC01 MD-LOC01 MW-LOC01	NP SP WP	Ø3.75, H=1 Ø3.75, H=1 Ø4.5, H=1	LOCKiT abutment, internal hex.	Titanium	
	MN-LOC02 MD-LOC02	NP SP	Ø3.75, H=2	LOCKiT abutment, internal hex.	Titanium	
	MN-LOC03 MD-LOC03 MW-LOC03	NP SP WP	Ø3.75, H=3 Ø3.75, H=3 Ø4.5, H=3	LOCKiT abutment, internal hex.	Titanium	
	MN-LOC04 MD-LOC04	NP SP	Ø3.75, H=4	LOCKiT abutment, internal hex.	Titanium	
	MN-LOC05 MD-LOC05 MW-LOC05	NP SP WP	Ø3.75, H=5 Ø3.75, H=5 Ø4.5, H=5	LOCKiT abutment, internal hex.	Titanium	

Concave emergence profile

H = Gingival height

C = Crown height

L = Length

	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MK-NLC1 MK-SLC1 MK-WLC1	NP SP WP	Ø3.75, H=1 Ø3.75, H=1 Ø4.5, H=1	LOCKiT abutment kit, internal hex.	Titanium	
	MK-NLC2 MK-SLC2	NP SP	Ø3.75, H=2	LOCKiT abutment kit, internal hex.	Titanium	
	MK-NLC3 MK-SLC3 MK-WLC3	NP SP	Ø3.75, H=3 Ø3.75, H=3 Ø4.5, H=3	LOCKiT abutment kit, internal hex.	Titanium	
	MK-NLC4 MK-SLC4	NP SP	Ø3.75, H=4	LOCKiT abutment kit, internal hex.	Titanium	
	MK-NLC5 MK-SLC5 MK-WLC5	NP SP WP	Ø3.75, H=5 Ø3.75, H=5 Ø4.5, H=5	LOCKiT abutment kit, internal hex.	Titanium	
	MT-LOC10		Ø7.8 L=86	LOCKiT core tool	Stainless steel	
	MM-LOC1		Ø5.4 H=4.4	LOCKiT impression coping		
	MM-LOA40 MM-LOA50	NP SP/WP	Ø4, H=10.2 Ø5, H=10.2	LOCKiT analog		
	MM-LOC02			LOCKiT male processing package		
	MM-CLE10		Ø4.75 H=1.78	LOCKiT male retention cap (clear)	Nylon	
	MM-PIN10		Ø4.72 H=1.78	LOCKiT light retention male cap (pink)	Nylon pink	
	MM-BLU10		Ø4.72 H=1.78	LOCKiT extra light male retention cap (blue)	Nylon blue	








Concave emergence profile

H = Gingival height

C = Crown height


L = Length

## LOCKiT Attachment System

	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MM-GRE10		Ø4.75 H=1.78	LOCKiT extended range male retention cap (green)	Nylon green	
	MM-RED10		Ø4.72 H=1.78	LOCKiT extra light extended range male retention cap (red)	Nylon red	
	MM-BLA10		Ø4.75 H=1.9	LOCKiT male processing cap (black)	Polyethylene black	
	MM-TIT10		Ø5.5 H=2.25	LOCKiT metal housing titanium cap		
	MT-RSD19		L=19	LOCKiT short torque ratchet driver	Stainless steel	
	MT-RSD24		L=24	LOCKiT long torque ratchet driver	Stainless steel	
	MT-LOC11		Ø7.35 H=4.1	LOCKiT abutment holder sleeve		

● Concave emergence profile    H = Gingival height    C = Crown height    L = Length

## 5 Retention Options

























Overdenture

## Locator Attachment System



	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MB-NZL00 MB-SZL00 MB-WZL00	NP SP WP	H=0	Locator abutment, internal hex.	Titanium Nitride coated Ti	  
	MB-NZL01 MB-SZL01 MB-WZL01	NP SP WP	H=1	Locator abutment, internal hex.	Titanium Nitride coated Ti	  
	MB-NZL02 MB-SZL02 MB-WZL02	NP SP WP	H=2	Locator abutment, internal hex.	Titanium Nitride coated Ti	  
	MB-NZL03 MB-SZL03 MB-WZL03	NP SP WP	H=3	Locator abutment, internal hex.	Titanium Nitride coated Ti	  
	MB-NZL04 MB-SZL04 MB-WZL04	NP SP WP	H=4	Locator abutment, internal hex.	Titanium Nitride coated Ti	  

 Concave emergence profile

H = Gingival height

C = Crown height

L = Length

# Locator Attachment System

	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MB-NZL05 MB-SZL05 MB-WZL05	NP SP WP	H=5	Locator abutment, internal hex.	Titanium Nitride coated Ti	
	MB-NZL06 MB-SZL06 MB-WZL06	NP SP WP	H=6	Locator abutment, internal hex.	Titanium Nitride coated Ti	
	MM-LCT10		L=83	Locator core tool	Steel / Titanium Nitride coated Ti	
	MM-LMP02		L=1.8	Locator male processing package (2 pack)	Steel / Nylon	
	MM-LIC10		Ø4.7 L=4.5	Locator impression coping (4 pack)	Aluminum polyethylene	
	MM-LFA40 MM-LFA50	NP/SP WP	Ø4, L=10.4 Ø5, L=10.4	Locator female analog (4 pack)	Aluminum polyethylene	
	MM-LRM10		Ø4.7 L=1.8	Locator replacement male clear (4 pack)	Nylon	
	MM-LLR10		Ø4.7 L=1.8	Locator light extended (4 pack)	Nylon pink	
	MM-LEL10		Ø4.7 L=1.8	Locator extra light retention (4 pack)	Nylon blue	
	MM-LER10		Ø4.7 L=1.8	Locator extended range (4 pack)	Nylon green	
	MM-LELE1		Ø4.7 L=1.8	Locator extra light extended (4 pack)	Nylon red	
	MM-LPP10		Ø4.6 L=1.8	Locator parallel post (4 pack)	Polyethylene black	

 Concave emergence profile

H = Gingival height

C = Crown height


L = Length

	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MM-LBP10		Ø4.6 L=1.8	Locator black processing (4 pack)	Polyethylene black	
	MM-RSD15		L=19	Locator short torque ratchet driver	Stainless steel	
	MM-RSD20		L=24	Locator long torque ratchet driver	Stainless steel	
	MM-LSD15		L=15	Locator short square drive torque ratchet driver	Stainless steel	
	MM-LSD21		L=21	Locator long square drive torque ratchet driver	Stainless steel	

Concave emergence profile    
 H = Gingival height    
 C = Crown height    
 L = Length

## 5 Retention Options


- 2.27 kg
- 1.36-1.82 kg
- 1.36 kg
- 0.68 kg
- 0.68 kg










Overdenture

## Bars



	Cat. No.	Platform	Dimensions (mm)	Description	Material	Platform
	MM-TRU10		Ø2.8 H=2.9 L=50	Titanium rider	Titanium	
	MM-PBU10		Ø1.6 H=2.3 L=80	Plastic bar	Plastic	
	MM-GBU10		H=2.3 L=50	Gold bar	Gold-e	
	MM-PC100		Ø1.9 L=85	Plastic round bar	Burnout plastic	
	MM-GB100		Ø1.9 L=50	Gold bar	Gold-e	

 Concave emergence profile

H = Gingival height

C = Crown height

L = Length








## MGUIDE - DIGITAL DENTISTRY

MGUIDE is an innovative guided surgery system , which was designed to provide clinicians with a worry-free solution, and flawlessly incorporates prosthetically driven planning and easy-to-use tools, to deliver the most predictable results.





MGUIDE

## MGUIDE Custom Surgical Template



Cat. No.

Dimensions (mm)

Description

Material

Sold



MG-TMP10

MGUIDE value pack



MG-TMP20

MGUIDE value pack for edentulous cases
























MGUIDE

# MGUIDE Surgical Set for SEVEN Implant



MG-K001  
MGUIDE set for SEVEN Implant

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MG-TP047	Ø4.7 L=26	MGUIDE tissue punch	Stainless steel	 
	MG-TP055	Ø5.5 L=26	MGUIDE tissue punch	Stainless steel	 
	MG-BM047	Ø4.7 L=24.5	MGUIDE bone mill	Stainless steel	 
	MG-BM055	Ø5.5 L=24.5	MGUIDE bone mill	Stainless steel	 
	MG-D0624	Ø2.4 L=30.8	MGUIDE pilot drill for 6mm length implant	Stainless steel	 
	MG-D0824	Ø2.4 L=32.8	MGUIDE pilot drill for 8mm length implant	Stainless steel	 
	MG-D1024	Ø2.4 L=34.8	MGUIDE pilot drill for 10mm length implant	Stainless steel	 

L = Length

## MGUIDE Surgical Set for SEVEN Implant

Cat. No.	Dimensions (mm)	Description	Material	Sold
 MG-D1124	Ø2.4 L=36.3	MGUIDE pilot drill for 11.5mm length implant	Stainless steel	 
 MG-D1324	Ø2.4 L=37.8	MGUIDE pilot drill for 13mm length implant	Stainless steel	 
 MG-D0633	Ø2.2-3.2 L=30.8	MGUIDE conical drill for Ø3.30, 6mm length implant	Stainless steel	 
 MG-D0833	Ø2.2-3.2 L=32.8	MGUIDE conical drill for Ø3.30, 8mm length implant	Stainless steel	 
 MG-D1033	Ø2.2-3.2 L=34.8	MGUIDE conical drill for Ø3.30, 10mm length implant	Stainless steel	 
 MG-D1133	Ø2.2-3.2 L=36.3	MGUIDE conical drill for Ø3.30, 11.5mm length implant	Stainless steel	 
 MG-D1333	Ø2.2-3.2 L=37.8	MGUIDE conical drill for Ø3.30, 13mm length implant	Stainless steel	 
 MG-D0637	Ø2.8-3.6 L=30.8	MGUIDE conical drill for Ø3.75, 6mm length implant	Stainless steel	 
 MG-D0837	Ø2.8-3.6 L=32.8	MGUIDE conical drill for Ø3.75, 8mm length implant	Stainless steel	 
 MG-D1037	Ø2.8-3.6 L=34.8	MGUIDE conical drill for Ø3.75, 10mm length implant	Stainless steel	 
 MG-D1137	Ø2.8-3.6 L=36.3	MGUIDE conical drill for Ø3.75, 11.5mm length implant	Stainless steel	 
 MG-D1337	Ø2.8-3.6 L=37.8	MGUIDE conical drill for Ø3.75, 13mm length implant	Stainless steel	 

L = Length

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MG-D0642	Ø3.3-4.1 L=30.8	MGUIDE conical drill for Ø4.20, 6mm length implant	Stainless steel	 
	MG-D0842	Ø3.3-4.1 L=32.8	MGUIDE conical drill for Ø4.20, 8mm length implant	Stainless steel	 
	MG-D1042	Ø3.3-4.1 L=34.8	MGUIDE conical drill for Ø4.20, 10mm length implant	Stainless steel	 
	MG-D1142	Ø3.3-4.1 L=36.3	MGUIDE conical drill for Ø4.20, 11.5mm length implant	Stainless steel	 
	MG-D1342	Ø3.3-4.1 L=37.8	MGUIDE conical drill for Ø4.20, 13mm length implant	Stainless steel	 
	MG-D0650	Ø4.1-4.9 L=30.8	MGUIDE conical drill for Ø5, 6mm length implant	Stainless steel	 
	MG-D0850	Ø4.1-4.9 L=32.8	MGUIDE conical drill for Ø5, 8mm length implant	Stainless steel	 
	MG-D1050	Ø4.1-4.9 L=34.8	MGUIDE conical drill for Ø5, 10mm length implant	Stainless steel	 
	MG-D1150	Ø4.1-4.9 L=36.3	MGUIDE conical drill for Ø5, 11.5mm length implant	Stainless steel	 
	MG-D1350	Ø4.1-4.9 L=37.8	MGUIDE conical drill for Ø5, 13mm length implant	Stainless steel	 
	MG-DLG55	Ø5.5 L=55	MGUIDE drill length gauge	Titanium	 
	MG-GRI01	Ø7 L=29.7	MGUIDE direct ratchet insertion tool, internal hex.	Stainless steel	 

L = Length

## MGUIDE Surgical Set for SEVEN Implant

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MG-GRN01	Ø7 L=29.7	MGUIDE direct ratchet insertion tool, internal hex., narrow platform	Stainless steel	 
	MG-GMI10	L=28.9	MGUIDE motor insertion tool, internal hex.	Stainless steel	 
	MG-GRI10	Ø7 L=24.5	MGUIDE ratchet insertion tool, internal hex.	Stainless steel	 
	MT-RDL30	L=27	Long driver for 0.05 inch hex.	Stainless steel	
	MG-IE172	L=32.7	MGUIDE insertion tool extractor, internal hex.	Titanium	 
	MG-IE160	L=32.7	MGUIDE insertion tool extractor, internal hex., narrow platform	Titanium	 
	MG-DFP20	Ø2 L=35.3	MGUIDE drill for fixation pin	Stainless steel	 
	MG-FP020	Ø2 L=29	MGUIDE fixation pin	Titanium	 
	MG-TAS55	Ø5.5 L=24	MGUIDE template anchoring screw	Titanium	 
	MT-RI030	L=84	Monoblock ratchet		 
	MT-RA480		Ratchet to hex. adapter	Stainless steel	

L = Length


















MGUIDE

## MGUIDE Kit for SEVEN Implant Narrow Sleeve



**MG-K002**  
MGUIDE Kit for SEVEN Implant,  
Narrow Sleeve

Cat. No.	Dimensions (mm)	Description	Material	Sold
 MG-NBM40	Ø4 L=24.5	MGUIDE Narrow Sleeve bone mill	Stainless steel	 
 MG-NTP40	Ø4 L=26	MGUIDE Narrow Sleeve tissue punch	Stainless steel	 
 MG-N0624	Ø2.4 L=30.8	MGUIDE Narrow Sleeve pilot drill for 6mm length implant	Stainless steel	 
 MG-N0824	Ø2.4 L=32.8	MGUIDE Narrow Sleeve pilot drill for 8mm length implant	Stainless steel	 
 MG-N1024	Ø2.4 L=34.8	MGUIDE Narrow Sleeve pilot drill for 10mm length implant	Stainless steel	 

L = Length

## MGUIDE Kit for SEVEN Implant Narrow Sleeve

Cat. No.	Dimensions (mm)	Description	Material	Sold
 MG-N1124	Ø2.4 L=36.3	MGUIDE Narrow Sleeve pilot drill for 11.5mm length implant	Stainless steel	 
 MG-N1324	Ø2.4 L=37.8	MGUIDE Narrow Sleeve pilot drill for 13mm length implant	Stainless steel	 
 MG-N0633	Ø2.2-3.2 L=30.8	MGUIDE Narrow Sleeve conical drill for Ø3.30 6mm length implant	Stainless steel	 
 MG-N0833	Ø2.2-3.2 L=32.8	MGUIDE Narrow Sleeve conical drill for Ø3.30 8mm length implant	Stainless steel	 
 MG-N1033	Ø2.2-3.2 L=34.8	MGUIDE Narrow Sleeve conical drill for Ø3.75 10mm length implant	Stainless steel	 
 MG-N1133	Ø2.2-3.2 L=36.3	MGUIDE Narrow Sleeve conical drill for Ø3.30 11.5mm length implant	Stainless steel	 
 MG-N1333	Ø2.2-3.2 L=37.8	MGUIDE Narrow Sleeve conical drill for Ø3.30 13mm length implant	Stainless steel	 
 MG-N0637	Ø2.8-3.6 L=30.8	MGUIDE Narrow Sleeve conical drill for Ø3.75 6mm length implant	Stainless steel	 
 MG-N0837	Ø2.8-3.6 L=32.8	MGUIDE Narrow Sleeve conical drill for Ø3.75 8mm length implant	Stainless steel	 
 MG-N1037	Ø2.8-3.6 L=34.8	MGUIDE Narrow Sleeve conical drill for Ø3.75 10mm length implant	Stainless steel	 
 MG-N1137	Ø2.8-3.6 L=36.3	MGUIDE Narrow Sleeve conical drill for Ø3.75 11.5mm length implant	Stainless steel	 
 MG-N1337	Ø2.8-3.6 L=37.8	MGUIDE Narrow Sleeve conical drill for Ø3.75 13mm length implant	Stainless steel	 

L = Length

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MG-NLG40	Ø4 L=55	MGUIDE Narrow Sleeve drill length gauge	Titanium	 
	MG-NMN10	Ø5 L=30.4	MGUIDE Narrow Sleeve motor insertion tool, internal hex., narrow platform	Stainless steel	 
	MG-NMS10	Ø5 L=28.9	MGUIDE Narrow Sleeve motor insertion tool, internal hex., standard platform	Stainless steel	 
	MG-NRN01	Ø5.3 L=29.5	MGUIDE Narrow Sleeve direct ratchet insertion tool, internal hex., narrow platform	Stainless steel	 
	MG-NRS01	Ø5.3 L=24.7	MGUIDE Narrow Sleeve direct insertion tool, internal hex., standard platform	Stainless steel	 
	MG-NRN10	Ø5.3 L=25	MGUIDE Narrow Sleeve ratchet insertion tool, internal hex., narrow platform	Stainless steel	 
	MG-NRS10	Ø5.3 L=24.5	MGUIDE Narrow Sleeve ratchet insertion tool, internal hex., standard platform	Stainless steel	 
	MG-NTAS0	Ø5.3 L=24	MGUIDE Narrow Sleeve template anchoring screw	Titanium	 

L = Length





## REGENERATIVE SOLUTIONS

MIS offers a range of regenerative materials for dental use aimed at providing solutions for a wide variety of clinical needs. MIS regenerative products are available in varying volumes and sizes for simple and easy delivery directly to the surgical site. High quality engineering and manufacturing processes ensure safety of all MIS products.





Bone Graft  
Substitutes

## 4MATRIX+ Bone Graft Putty

Please note, 4MATRIX+ products might not be registered or available in every country/region.



Cat. No.	Description
BS-4MXP1	4MATRIX+ bone graft putty, 1cc
BS-4MXP5	4MATRIX+ bone graft putty, 0.5cc



BS-4MXP1 4MATRIX+ bone graft putty, 1cc



BS-4MXP5 4MATRIX+ bone graft putty, 0.5cc



Bone Graft  
Substitutes

## BONDBONE Bone Graft Cement



Cat. No.      Description



BS-BB005      BONDBONE 0.5cc, 3 drivers



BS-BB010      BONDBONE 1cc, 3 drivers



Bone Graft  
Substitutes

## 4BONE™ BCH Bone Graft Particulate



Cat. No.	Description
BS-4BS01	4BONE BCH syringe, 0.5cc, granule size: 0.5-1mm
BS-4BS1S	4BONE BCH tube, 1cc, granule size: 0.5-1mm
BS-4BS25	4BONE BCH tube, 2.5cc, granule size: 1-2mm



Barrier  
Membrane

4BONE RCM  
Resorbable Collagen  
Membrane



Cat. No.

Description



BR-C1525

4BONE RCM membrane, 15x25mm



BR-C2030

4BONE RCM membrane, 20x30mm




BR-C3040

4BONE RCM Membrane, 30x40mm




## ADDITIONAL INFORMATION.


For your convenience, the following section provides an additional resource about products and processes that may require expanded explanations in the form of visuals, schematics, technical information or documentation.




# Pilot Drills, External Irrigation




# SEVEN Twist Drills, External Irrigation



# M4 Twist Drills, External Irrigation



SEVEN and M4  
Short Twist Drills,  
External Irrigation





















## Alloy Composition

	Material	Titanium Alloy Ti 6Al 4V ELI	Gold-a	Gold-s	Gold-e	
	Application	C, K	L, G, K	L, G, K	L, K	
Composition	Gold %	-	60	61	70	
	Platinum %	-	19	13.5	8.50	
	Silver %	-	-	16.5	13.40	
	Palladium %	-	20	-	-	
	Copper %	-	-	9	7.50	
	Zinc %	-	-	Balance	0.05	
	Iridium %	-	-	Balance	-	0.10
	Titanium (max)	Balance	-	-	-	
	Carbon (max)	0.08	-	-	-	
	Iron (max)	0.25	-	-	-	
	Oxygen (max)	0.13	-	-	-	
	Nitrogen (max)	0.05	-	-	-	
	Hydrogen (max)	0.013	-	-	-	
	Aluminum	5.5-6.5	-	-	-	
	Vanadium	3.5-4.5	-	-	-	
	Melting range °C	1604-1660	1400-1490	950-1050	895-1010	
Hardness	Soft annealing HV5	-	145	160	170	
	Hardened HV5	350-385	240	250	295	
	Soft °C / min	-	100/30	750/5	750/5	
	Hardened °C / min	-	700/30	350/15	450/15	

Legend: C-bonding K-resin L-soldering G-casting onto

# Restorative Components

## Guidelines for using MIS Restorative Components

Location*	Anterior Maxilla		Anterior Mandible	Canine, Premolars and Molars					Premolars and Molars
	Crown/ Implant Inclination Ratio	15° or 25°	15° or 25°	Up to 2.5°	Up to 3.5°				15° or 25°
Gingival Height	Up to 2mm buccal Up to 4mm palatal	Up to 4mm buccal Up to 6mm palatal	Adjustable, based on abutment preparation	Up to 2mm buccal Up to 6mm lingual/ palatal	Adjustable, based on abutment preparation	Adjustable, based on abutment preparation	Up to 2mm	Up to 2mm buccal Up to 3mm buccal	According to gingival height available in heights of 1,2,3,4mm
Catalog Number	MD-A1510 MD-A2510	MD-P1530 MD-P2530	MD-CTP10	MD-A0010 MD-P0030	MD-MAC10 MD-WMAC1	MD-MACF1	MD-GPC10 MD-GP010	MD-AN151 MD-AN251	MD-CPK41 MD-CPK63 MD-CPK42 MD-CPK64 MD-CPK43 MD-CPK81 MD-CPK44 MD-CPK82 MD-CPK61 MD-CPK83 MD-CPK62 MD-CPK84
Abutment ▶ description	Esthetic angulated abutment	Esthetic angulated abutment	Conical post abutment	Esthetic abutment	Standard post abutment	Friction fit post with platform switching	Screw-retained gold-plastic/ CC abutment	Angulated abutment	Transgingival abutment
									
									

\*Recommendation only



QUATOR

RCM

M4

MIS

MGUIDE

CPK

CPK

M4

SEVEN

OT-EQUATOR

RCM

MIS

M4

CPK

MIS


CPK

MCENTER

M4

SEVEN

INDEX.



Cat. No. Page

**B**

BR-C1525	129
BR-C2030	129
BR-C3040	129
BS-4BS01	128
BS-4BS1S	128
BS-4BS25	128
BS-4MXP1	126
BS-4MXP5	126
BS-BB005	127
BS-BB010	127

**C**

CT-BTC24	50
CT-P2406	32
CT-P2406	49
CT-P2408	32
CT-P2408	49
CT-P2408	53
CT-P2410	32
CT-P2410	49
CT-P2410	53
CT-P2411	33
CT-P2411	49
CT-P2411	53
CT-P2413	33
CT-P2413	50
CT-P2413	53
CT-P2416	33
CT-P2416	50
CT-P2416	54
CT-P2416	53
CT-UN001	71
CT-US001	71
CT-UW001	71

Cat. No. Page

**E**

ET-IT002	48
ET-IT002	72
ET-IT002	103

**M**

MA-N1480	84
MA-N2480	84
MA-N3480	85
MA-N4480	85
MA-N5480	85
MA-NC248	84
MA-NC348	84
MA-NC448	84
MA-S1480	84
MA-S2480	84
MA-S3480	85
MA-S4480	85
MA-S5480	85
MA-SC248	84
MA-SC348	84
MA-SC448	84
MA-SO171	85
MA-SO172	85
MA-SO301	85
MA-SO302	85
MA-W1480	84
MA-W3480	85
MA-W5480	85
MA-WC348	84
MA-WC548	84
MA-WO171	85
MA-WO172	85
MA-WO301	85
MA-WO302	85
MB-AN152	104
MB-AN252	104
MB-DB235	105
MB-DMH10	105
MB-GPS10	105

Cat. No. Page

MB-N1375	104
MB-N2330	104
MB-N2375	104
MB-N3330	104
MB-N3375	104
MB-N4330	104
MB-N4375	104
MB-N5375	104
MB-NZL00	109
MB-NZL01	109
MB-NZL02	109
MB-NZL03	109
MB-NZL04	109
MB-NZL05	110
MB-NZL06	110
MB-PPC10	105
MB-PPR10	105
MB-PR010	105
MB-RS375	104
MB-SF200	105
MB-SZL00	109
MB-SZL01	109
MB-SZL02	109
MB-SZL03	109
MB-SZL04	109
MB-SZL05	110
MB-SZL06	110
MB-TBS10	105
MB-TBS20	105
MB-TTP10	105
MB-WZL00	109
MB-WZL01	109
MB-WZL02	109
MB-WZL03	109
MB-WZL04	109
MB-WZL05	110
MB-WZL06	110
MD-A0010	95
MD-A1510	95
MD-A2510	95
MD-AGT12	93
MD-AN151	95
MD-AN251	95
MD-AT152	94
MD-AT153	94
MD-AT252	95
MD-AT253	95
MD-CC010	88
MD-CC110	88
MD-CP013	87
MD-CP050	87
MD-CPC62	100
MD-CPC63	100

Cat. No.	Page	Cat. No.	Page	Cat. No.	Page
MD-CPC64	100	MD-S0200	81	MF4-13420	21
MD-CPH13	87	MD-S0200	81	MF4-13500	23
MD-CPH50	87	MD-S0200	88	MF4-13600	25
MD-CPK41	101	MD-S0200	96	MF4-16330	17
MD-CPK42	101	MD-S0200	98	MF4-16375	19
MD-CPK43	101	MD-S0220	88	MF4-16420	21
MD-CPK44	101	MD-S0220	88	MF4-16500	23
MD-CPK61	101	MD-S0220	90	MF7-06420	11
MD-CPK62	101	MD-S0220	90	MF7-06500	13
MD-CPK63	101	MD-S0220	96	MF7-06600	15
MD-CPK64	101	MD-S0220	96	MF7-08375	9
MD-CPK81	101	MD-S0220	98	MF7-08420	11
MD-CPK82	101	MD-S0220	98	MF7-08500	13
MD-CPK83	101	MD-S0222	88	MF7-08600	15
MD-CPK84	101	MD-S0222	96	MF7-10330	7
MD-CTP10	98	MD-S0222	98	MF7-10375	9
MD-E0220	89	MD-S0224	88	MF7-10420	11
MD-EZB15	89	MD-S0224	96	MF7-10500	13
MD-FTB15	90	MD-S0224	98	MF7-10600	15
MD-FTB30	90	MD-SP102	91	MF7-11330	7
MD-G0213	81	MD-TB001	90	MF7-11375	9
MD-G0213	81	MD-TB002	90	MF7-11420	11
MD-G0220	88	MD-TBC15	90	MF7-11500	13
MD-G0220	96	MD-TBC30	90	MF7-11600	15
MD-G0220	98	MD-TC013	83	MF7-13330	7
MD-GP010	88	MD-TC023	82	MF7-13375	9
MD-GP100	81	MD-TC033	82	MF7-13420	11
MD-GP100	81	MD-TCH13	83	MF7-13500	13
MD-GPC10	88	MD-TCH23	82	MF7-13600	15
MD-I0375	80	MD-TCH33	82	MF7-16330	7
MD-IB091	93	MD-TPA10	83	MF7-16375	9
MD-IB121	93	MD-TPA12	83	MF7-16420	11
MD-IN060	90	MD-TPH50	83	MF7-16500	13
MD-IO481	80	MD-WMAC1	97	MF7-18375	9
MD-IT100	80	MF4-06420	21	MF7-18420	11
MD-IT300	81	MF4-06500	23	MF7-20375	9
MD-ITC30	80	MF4-06600	25	MF7-20420	11
MD-LOC01	106	MF4-08375	19	MG2-06160	31
MD-LOC02	106	MF4-08420	21	MG2-08160	31
MD-LOC03	106	MF4-08500	23	MG2-10160	31
MD-LOC04	106	MF4-08600	25	MG2-12160	31
MD-LOC05	106	MF4-10330	17	MG-BM047	117
MD-MAB10	93	MF4-10375	19	MG-BM055	117
MD-MAC10	97	MF4-10420	21	MG-D0624	117
MD-MACF1	97	MF4-10500	23	MG-D0633	118
MD-MAN10	92	MF4-10600	25	MG-D0637	118
MD-MC102	97	MF4-11330	17	MG-D0642	119
MD-P0030	95	MF4-11375	19	MG-D0650	119
MD-P1530	95	MF4-11420	21	MG-D0824	117
MD-P2530	95	MF4-11500	23	MG-D0833	118
MD-PF375	52	MF4-11600	25	MG-D0837	118
MD-PF375	81	MF4-13330	17	MG-D0842	119
MD-RSM10	81	MF4-13375	19	MG-D0850	119

Cat. No.	Page	Cat. No.	Page	Cat. No.	Page
MG-D1024	117	MG-TMP20	116	MK-NPK63	100
MG-D1033	118	MG-TP047	117	MK-NPK64	100
MG-D1037	118	MG-TP055	117	MK-SD01	53
MG-D1042	119	MK-0001	74	MK-SDS06	63
MG-D1050	119	MK-0011	59	MK-SDS08	63
MG-D1124	118	MK-0014	57	MK-SDS10	63
MG-D1133	118	MK-0016	54	MK-SDS11	63
MG-D1137	118	MK-0020	66	MK-SDS13	63
MG-D1142	119	MK-0022	75	MK-SLC1	107
MG-D1150	119	MK-0023	68	MK-SLC2	107
MG-D1324	118	MK-0024	69	MK-SLC3	107
MG-D1333	118	MK-0036	60	MK-SLC4	107
MG-D1337	118	MK-0039	70	MK-SLC5	107
MG-D1342	119	MK-0040	73	MK-SOE1	102
MG-D1350	119	MK-0056	91	MK-SOE2	102
MG-DFP20	120	MK-0058	64	MK-SOE3	102
MG-DLG55	119	MK-0059	65	MK-SOE4	102
MG-FP020	120	MK-BS001	62	MK-SOE5	103
MG-GMI10	120	MK-CPC62	99	MK-T048	49
MG-GRI01	119	MK-CPC63	99	MK-WLC1	107
MG-GRI10	120	MK-CPC64	99	MK-WLC3	107
MG-GRN01	120	MK-CPK41	99	MK-WLC5	107
MG-IE160	120	MK-CPK42	99	MK-WOE1	102
MG-IE172	120	MK-CPK43	99	MK-WOE3	102
MG-K001	117	MK-CPK44	100	MK-WOE5	103
MG-K002	121	MK-CPK61	100	MK-WPC62	99
MG-N0624	121	MK-CPK62	100	MK-WPC63	99
MG-N0633	122	MK-CPK63	100	MK-WPC64	99
MG-N0637	122	MK-CPK64	100	MK-WPK41	99
MG-N0824	121	MK-CPK81	100	MK-WPK42	99
MG-N0833	122	MK-CPK82	100	MK-WPK43	99
MG-N0837	122	MK-CPK83	100	MK-WPK44	100
MG-N1024	121	MK-CPK84	100	MK-WPK61	100
MG-N1033	122	MK-DB01	76	MK-WPK62	100
MG-N1037	122	MK-NLC1	107	MK-WPK63	100
MG-N1124	122	MK-NLC2	107	MK-WPK64	100
MG-N1133	122	MK-NLC3	107	MK-WPK81	100
MG-N1137	122	MK-NLC4	107	MK-WPK82	100
MG-N1324	122	MK-NLC5	107	MK-WPK83	100
MG-N1333	122	MK-NOE1	102	MK-WPK84	100
MG-N1337	122	MK-NOE2	102	MM-BLA10	108
MG-NBM40	121	MK-NOE3	102	MM-BLU10	107
MG-NLG40	123	MK-NOE4	102	MM-CLE10	107
MG-NMN10	123	MK-NOE5	103	MM-GB100	112
MG-NMS10	123	MK-NPC62	99	MM-GBU10	112
MG-NRN01	123	MK-NPC63	99	MM-GRE10	108
MG-NRN10	123	MK-NPC64	99	MM-LBP10	111
MG-NRS01	123	MK-NPK41	99	MM-LCT10	47
MG-NRS10	123	MK-NPK42	99	MM-LCT10	72
MG-NTAS0	123	MK-NPK43	99	MM-LCT10	110
MG-NTP40	121	MK-NPK44	100	MM-LEL10	110
MG-TAS55	120	MK-NPK61	100	MM-LELE1	110
MG-TMP10	116	MK-NPK62	100	MM-LER10	110

Cat. No.	Page	Cat. No.	Page	Cat. No.	Page
MM-LFA40	110	MN-I0330	80	MT-00400	41
MM-LFA50	110	MN-IB091	93	MT-00500	41
MM-LIC10	110	MN-IB121	93	MT-00600	41
MM-LLR10	110	MN-IN060	90	MT-A4022	76
MM-LMP02	110	MN-IO401	80	MT-B4018	76
MM-LOA40	107	MN-IT100	80	MT-BGP32	65
MM-LOA50	107	MN-IT300	81	MT-BGP37	65
MM-LOC02	107	MN-ITC30	80	MT-BGP46	65
MM-LOC1	107	MN-LOC01	106	MT-BP320	65
MM-LPP10	110	MN-LOC02	106	MT-BP370	65
MM-LRM10	110	MN-LOC03	106	MT-BP460	65
MM-LSD15	111	MN-LOC04	106	MT-BTT20	60
MM-LSD21	111	MN-LOC05	106	MT-BTT28	50
MM-PBU10	112	MN-MAB10	93	MT-BTT32	50
MM-PC100	112	MN-MAC10	97	MT-BTT40	50
MM-PIN10	107	MN-MAN10	92	MT-BTT45	50
MM-RED10	108	MN-MC102	97	MT-BTT50	51
MM-RSD15	47	MN-PF330	52	MT-C3125	76
MM-RSD15	71	MN-PF330	81	MT-CRD20	40
MM-RSD15	111	MN-RSM10	81	MT-CRD21	40
MM-RSD20	47	MN-S0160	81	MT-CRD28	40
MM-RSD20	71	MN-S0160	88	MT-CSN33	39
MM-RSD20	111	MN-S0160	90	MT-CSN33	55
MM-TIT10	108	MN-S0160	96	MT-CSN33	58
MM-TRU10	112	MN-S0160	98	MT-DE001	43
MN-AGT12	93	MN-SP102	91	MT-DE001	44
MN-AN020	95	MN-TB001	90	MT-DE001	51
MN-AT101	95	MN-TB002	90	MT-DE001	55
MN-AT102	94	MN-TBC15	90	MT-DI001	44
MN-AT202	94	MN-TBC30	90	MT-DI001	44
MN-CC010	88	MN-TC013	83	MT-ELM10	89
MN-CCI10	88	MN-TC023	82	MT-ELR10	72
MN-CP013	87	MN-TC033	82	MT-ELR10	89
MN-CPC62	100	MN-TCH13	83	MT-ESM10	89
MN-CPC63	100	MN-TCH23	82	MT-ESR10	89
MN-CPC64	100	MN-TCH33	82	MT-ETD24	64
MN-CPH13	87	MN-TPA10	83	MT-ETD28	64
MN-CPK41	101	MN-TPA12	83	MT-ETD32	64
MN-CPK42	101	MO1-10300	27	MT-ETD38	64
MN-CPK43	101	MO1-10350	29	MT-F2121	76
MN-CPK44	101	MO1-11300	27	MT-GDM01	47
MN-CPK61	101	MO1-11350	29	MT-GDN33	39
MN-CPK62	101	MO1-13300	27	MT-GDN33	51
MN-CPK63	101	MO1-13350	29	MT-GDN33	55
MN-CPK64	101	MO1-16300	27	MT-GDN33	58
MN-E0160	89	MO1-16350	29	MT-GDN50	39
MN-EZB15	89	MO-CO160	66	MT-GDN50	51
MN-FTB15	90	MO-CO200	66	MT-GDN50	55
MN-FTB30	90	MO-CO240	66	MT-GDN50	58
MN-G0160	81	MO-CO280	66	MT-HKO21	45
MN-GP010	88	MO-SO300	66	MT-HLI10	42
MN-GP100	81	MO-SO350	66	MT-HLI10	51
MN-GPC10	88	MO-SO400	66	MT-HLI10	55

Cat. No.	Page	Cat. No.	Page	Cat. No.	Page
MT-HLI10	67	MT-RA480	120	MT-SRA10	43
MT-HLI21	42	MT-RB225	43	MT-SRA10	44
MT-HLI21	51	MT-RB225	47	MT-SRH20	43
MT-HSI10	42	MT-RB225	71	MT-SRH20	51
MT-HSI10	51	MT-RB225	105	MT-SRH20	56
MT-HSI10	55	MT-RDE30	48	MT-SRH20	67
MT-HSI10	67	MT-RDL30	43	MT-SRH21	42
MT-HSI21	42	MT-RDL30	48	MT-TD110	38
MT-HTS10	47	MT-RDL30	52	MT-TDI28	36
MT-HW001	43	MT-RDL30	56	MT-TDI32	36
MT-HW001	44	MT-RDL30	70	MT-TDI38	36
MT-IT100	46	MT-RDL30	103	MT-TDI40	36
MT-K2023	76	MT-RDL30	120	MT-TDI45	37
MT-LBT24	64	MT-RDM30	47	MT-TDI50	37
MT-LBT28	64	MT-RDS30	43	MT-TDI55	37
MT-LBT32	64	MT-RDS30	47	MT-TDN19	38
MT-LBT38	64	MT-RDS30	52	MT-TDN19	49
MT-LCD20	31	MT-RDS30	70	MT-TDN19	54
MT-LM005	43	MT-RDS30	103	MT-TDN20	32
MT-LM005	46	MT-RE160	48	MT-TDN20	60
MT-LM005	55	MT-RE160	71	MT-TDN28	35
MT-LM005	70	MT-RE172	48	MT-TDN28	54
MT-LOC10	107	MT-RE172	71	MT-TDN28	57
MT-LOC11	108	MT-RI030	56	MT-TDN32	35
MT-LRH20	43	MT-RI030	61	MT-TDN32	54
MT-LRH20	51	MT-RI030	67	MT-TDN32	57
MT-LRH20	56	MT-RI030	120	MT-TDN38	35
MT-LRH20	67	MT-RI040	48	MT-TDN38	55
MT-LRH21	42	MT-RI040	72	MT-TDN38	57
MT-LRH21	51	MT-RKL21	44	MT-TDN45	35
MT-LRH21	56	MT-RKL21	45	MT-TDN45	55
MT-MFXGS	45	MT-RKL21	61	MT-TDN45	57
MT-MMK07	86	MT-RKS15	44	MT-TDN50	35
MT-MSD20	31	MT-RKS15	44	MT-TDN50	55
MT-MSD20	46	MT-RKS15	61	MT-TDN50	57
MT-MSD20	72	MT-RMR10	43	MT-TDN55	35
MT-MUL02	86	MT-RMR10	44	MT-TDN55	55
MT-MUML2	71	MT-RMR10	51	MT-TDN55	57
MT-MUML2	86	MT-RMR10	56	MT-TDO01	31
MT-MURL2	48	MT-RSD19	108	MT-TDT28	34
MT-MURL2	70	MT-RSD24	108	MT-TDT28	50
MT-MURL2	86	MT-RT070	45	MT-TDT28	53
MT-NB225	46	MT-RT070	52	MT-TDT30	60
MT-NB225	105	MT-SCD20	31	MT-TDT32	34
MT-P2416	60	MT-SM005	43	MT-TDT32	50
MT-PD440	38	MT-SM005	46	MT-TDT32	53
MT-PP001	43	MT-SM005	70	MT-TDT40	34
MT-PP001	44	MT-SMD10	38	MT-TDT40	50
MT-PP001	61	MT-SMD10	49	MT-TDT40	53
MT-PP240	51	MT-SMD10	54	MT-TDT45	34
MT-PP240	55	MT-SMD10	60	MT-TDT45	50
MT-RA480	45	MT-SMD10	67	MT-TDT45	53

Cat. No. Page

MT-TDT50	34
MT-TDT50	50
MT-TP500	44
MT-TP500	44
MT-TSD10	46
MT-UML21	45
MT-UML21	60
MT-UMS21	45
MT-UN002	47
MT-UN002	71
MT-URA10	47
MT-URA10	72
MT-US002	47
MT-US002	71
MT-UW002	47
MT-UW002	71
MU-BGC48	85
MU-CC480	85
MU-CP048	85
MU-G0220	86
MU-H4480	86
MU-I0480	86
MU-IT480	86
MU-MAN10	86
MU-MAN10	92
MU-MG480	86
MU-RSM48	85
MU-S0220	85
MU-SP102	86
MU-SP102	91
MU-TO480	86
MW-AGT12	93
MW-AN151	95
MW-AT152	94
MW-B1500	104
MW-B3500	104
MW-B5500	104
MW-CC010	88
MW-CC110	88
MW-CP013	87
MW-CP060	87
MW-CPC62	100
MW-CPC63	100
MW-CPC64	100
MW-CPH13	87
MW-CPH60	87
MW-CPK41	101
MW-CPK42	101
MW-CPK43	101
MW-CPK44	101
MW-CPK61	101
MW-CPK62	101

Cat. No. Page

MW-CPK63	101
MW-CPK64	101
MW-CPK81	101
MW-CPK82	101
MW-CPK83	101
MW-CPK84	101
MW-CTP10	98
MW-EZB15	89
MW-FTB15	90
MW-FTB30	90
MW-GP010	88
MW-GPC10	88
MWH-2STUB	77
MWH-CAL59	77
MWH-M06002	77
MWH-M07002	77
MWH-M7559	77
MWH-MMOTR	77
MW-I0470	80
MW-IB091	93
MW-IB121	93
MW-IO551	80
MW-IT100	80
MW-IT300	81
MW-ITC30	80
MW-LOC01	106
MW-LOC03	106
MW-LOC05	106
MW-MAB10	93
MW-MAC10	97
MW-MAN10	92
MW-MC102	97
MW-P0010	95
MW-P1510	95
MW-PF550	81
MW-RSM10	81
MW-SP102	91
MW-TB001	90
MW-TB002	90
MW-TBC15	90
MW-TBC30	90
MW-TC013	83
MW-TC023	82
MW-TC033	82
MW-TCH13	83
MW-TCH23	82
MW-TCH33	82
MW-TPA10	83
MW-TPA12	83
MW-TPH50	83
MW-WMAC1	97


Cat. No. Page




OE-IC001	103
OE-IC002	103
OE-MH001	103
OE-RCB01	103
OE-RCP01	103
OE-RCV01	103
OE-RCW01	103
OE-RCY01	103










The MIS Quality System complies with international quality standards: ISO 13485: 2016 - Quality Management System for Medical Devices and Medical Device Directive 93/42/EEC. Please note, not all products are registered or available in every country/region.

IT'S SIMPLE TO BE A  
**WINNER**



Learn more about MIS Implants.  
Visit our website: [www.mis-implants.com](http://www.mis-implants.com)

**MIS**<sup>®</sup>  
**SEVEN**<sup>®</sup>

