



Safety Data Sheet

Maxcem Elite Base

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878
Issue date: 02/09/2022 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Maxcem Elite Base

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Professional use
Use of the substance/mixture : Preparation intended for dental medical use
Function or use category : Dental materials.

Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

Kerr Italia S.r.l.
Via Passanti, 174
Scafati (SA) 84018 (Italy)
T +39 081 850 3511 / Information Phone Number: 1-800-841-1428 (Customer Service)
safety@envistaco.com

1.4. Emergency telephone number

Emergency number : CHEMTREC® Emergency Call Center. Emergency Telephone Number (for USA only) 001-800-424-9300
International and Maritime Telephone Number +1 (703) 527-3887

Country	Official advisory body	Address	Emergency number	Comment
Gibraltar	GHA Call Centre Zone 2, Level3, St Bernard's Hospital	Harbour Views Road	+350 200 79700 +350 200 72266	
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD 2090 Msida	+356 2545 6508	
United Kingdom	National Poisons Information Service (Newcastle Unit)	Claremont Place Newcastle-upon-Tyne, Newcastle	+44 191 2606182 +44 191 2606180	Hours of operation: 24hrs

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Irrit. 2 H315
Eye Irrit. 2 H319
Skin Sens. 1 H317
STOT SE 3 H335

Full text of hazard classes and H-statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

Safety Data Sheet

Maxcem Elite Base

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP)	: Warning
Contains	: 2-hydroxyethyl methacrylate, mequinol; 4-methoxyphenol; hydroquinone monomethyl ether
Hazard statements (CLP)	: H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H335 - May cause respiratory irritation.
Precautionary statements (CLP)	: P261 - Avoid breathing spray, vapours, mist. P280 - Wear eye protection, protective gloves. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention.
EUH-statements	: EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
Extra phrases	: The product is seen as a medical device (Directive 90/385/EEC, 93/42/EEC, 98/79/EC) and therefore not subject to labelling (EU-regulation 1272/2008, article 1, paragraph 5d). A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis. For professional users only.

2.3. Other hazards

Other hazards which do not result in classification : None under normal conditions.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate	(CAS-No.) 72869-86-4 (EC-No.) 276-957-5 (REACH-no) 01-2119408252-52	15 – 25	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 STOT SE 3, H335
Ytterbium trifluorid	(CAS-No.) 13760-80-0 (EC-No.) 237-354-2 (REACH-no) N/A	10 – 20	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
2-hydroxyethyl methacrylate (Note D)	(CAS-No.) 868-77-9 (EC-No.) 212-782-2 (EC Index-No.) 607-124-00-X (REACH-no) 01-2119490169-29	2 – 5	Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1, H317
2-hydroxy-1,3-propanediyl bismethacrylate	(CAS-No.) 1830-78-0 (EC-No.) 217-388-4 (REACH-no) N/A	2 – 5	Eye Irrit. 2, H319 Skin Irrit. 2, H315 STOT SE 3, H335

Safety Data Sheet

Maxcem Elite Base

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit	(CAS-No.) 68909-20-6 (EC-No.) 272-697-1 (REACH-no) n/a	1 – 4	Not classified
mequinol; 4-methoxyphenol; hydroquinone monomethyl ether substance with national workplace exposure limit(s) (IE)	(CAS-No.) 150-76-5 (EC-No.) 205-769-8 (EC Index-No.) 604-044-00-7 (REACH-no) 01-2119541813-40	0.1 – 1	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Eye Irrit. 2, H319 Skin Sens. 1, H317
titanium dioxide substance with national workplace exposure limit(s) (GB, IE)	(CAS-No.) 13463-67-7 (EC-No.) 236-675-5 (EC Index-No.) 022-006-00-2 (REACH-no) 01-2119489379-17	0.1 – 1	Not classified
Iron hydroxide oxide yellow substance with national workplace exposure limit(s) (GB, IE)	(CAS-No.) 51274-00-1 (EC-No.) 257-098-5	0.1 – 1	Not classified

Note D : Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3. However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state on the label the name of the substance followed by the words 'non-stabilised'.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: In all cases of doubt, or when symptoms persist, seek medical attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
First-aid measures after skin contact	: Gently wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: May cause an allergic skin reaction. Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. In all cases of doubt, or when symptoms persist, seek medical attention.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire. Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Non-flammable.
Explosion hazard	: Product is not explosive.
Hazardous decomposition products in case of fire	: Carbon dioxide. Carbon monoxide. Nitrogen oxides. Phosphorus oxides (POx). Halogenated compounds. metallic oxide.

5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper personal protective equipment, including respiratory protection (EN137).

Safety Data Sheet

Maxcem Elite Base

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid contact with skin and eyes. Concerning personal protective equipment to use, see section 8.

6.1.1. For non-emergency personnel

Protective equipment : See Section 8.
Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup and emergency crew with proper protection.
Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect all waste in suitable and labelled containers and dispose according to local legislation.
Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

For further information refer to section 13. See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Keep container tightly closed. Avoid contact with skin and eyes. Provide good ventilation in process area to prevent formation of vapour. Avoid breathing mist, spray, vapours.
Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in dry protected location to prevent any moisture contact. Keep container tightly closed. Keep cool. Keep only in original container. Keep away from ignition sources. Protect from sunlight. Store in a well-ventilated place.
Incompatible materials : Oxidizing substances. reducing materials. Organic peroxides. Amines.
Storage area : Store in a well-ventilated place.

7.3. Specific end use(s)

No additional data.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

mequinol; 4-methoxyphenol; hydroquinone monomethyl ether (150-76-5)	
Ireland - Occupational Exposure Limits	
Local name	4-Methoxyphenol [Mequinol]
OEL TWA [1]	5 mg/m ³
Regulatory reference	Chemical Agents Code of Practice 2021

titanium dioxide (13463-67-7)	
Ireland - Occupational Exposure Limits	
Local name	Titanium dioxide
OEL TWA [1]	10 mg/m ³ total inhalable dust 4 mg/m ³ respirable dust
Regulatory reference	Chemical Agents Code of Practice 2021

Safety Data Sheet

Maxcem Elite Base

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

United Kingdom - Occupational Exposure Limits	
Local name	Titanium dioxide
WEL TWA (OEL TWA) [1]	10 mg/m ³ total inhalable 4 mg/m ³ respirable
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

Iron hydroxide oxide yellow (51274-00-1)	
Ireland - Occupational Exposure Limits	
Local name	Iron salts (as Fe)
OEL TWA [1]	1 mg/m ³
OEL STEL	2 mg/m ³
Regulatory reference	Chemical Agents Code of Practice 2021

United Kingdom - Occupational Exposure Limits	
Local name	Iron salts
WEL TWA (OEL TWA) [1]	1 mg/m ³ (as Fe)
WEL STEL (OEL STEL)	2 mg/m ³ (as Fe)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica (68909-20-6)	
United Kingdom - Occupational Exposure Limits	
Local name	Silica, amorphous
WEL TWA (OEL TWA) [1]	6 mg/m ³ inhalable dust 2.4 mg/m ³ respirable dust
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Gloves. Safety glasses.



8.2.2.1. Eye and face protection

Eye protection:

Use splash goggles when eye contact due to splashing is possible. STANDARD EN 166.

8.2.2.2. Skin protection

Safety Data Sheet

Maxcem Elite Base

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Wear protective gloves. Butylrubber protective gloves. Layer thickness : 0,2 - 0,4 mm. Breakthrough time : >480 min. STANDARD EN 374.

8.2.2.3. Respiratory protection

Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Extra personal protection: A/P2 filter respirator for organic vapour and harmful dust. STANDARD: EN 140 / EN 141 / EN 136 / EN 143 / EN 405 / EN 137 / EN 147

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke during use. Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Various colours.
Appearance	: Paste.
Odour	: mint. Slight.
Odour threshold	: Not determined.
Melting point	: Not determined.
Freezing point	: Not determined.
Boiling point	: Not determined.
Flammability	: Non flammable.
Explosive properties	: Product is not explosive.
Oxidising properties	: Non flammable.
Explosive limits	: Not determined.
Lower explosive limit (LEL)	: Not available
Upper explosive limit (UEL)	: Not available
Flash point	: Not determined.
Auto-ignition temperature	: Not determined.
Decomposition temperature	: Not determined.
pH	: Not determined.
Viscosity, kinematic	: Not determined.
Viscosity, dynamic	: Not determined.
Solubility	: Insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Partition coefficient n-octanol/water (Log Pow)	: Not determined.
Vapour pressure	: Not determined.
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 2.5 g/cm3
Relative vapour density at 20°C	: Not determined.
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

Relative evaporation rate (butylacetate=1) : Not determined.

Safety Data Sheet

Maxcem Elite Base

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. No polymerization.

10.4. Conditions to avoid

No flames, no sparks. Eliminate all sources of ignition. Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Oxidizing agent. reducing materials. Organic peroxides. Amines.

10.6. Hazardous decomposition products

No decomposition if stored and used normally.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Additional information	: Based on available data, the classification criteria are not met

2-hydroxyethyl methacrylate (868-77-9)	
LD50 oral rat	5050 mg/kg
LD50 dermal rabbit	> 3000 mg/kg

titanium dioxide (13463-67-7)	
LD50 oral rat	> 10000 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	> 6.82 mg/l/4h

Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica (68909-20-6)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 3000 mg/kg
LC50 Inhalation - Rat	> 2000 mg/l/4h

L-menthol (2216-51-5)	
LD50 oral rat	3300 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal	> 2000 mg/kg

Skin corrosion/irritation	: Causes skin irritation. pH: Not determined.
Serious eye damage/irritation	: Causes serious eye irritation. pH: Not determined.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met

Safety Data Sheet

Maxcem Elite Base

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: May cause respiratory irritation.

2-hydroxy-1,3-propanediyl bismethacrylate (1830-78-0)	
STOT-single exposure	May cause respiratory irritation.

Ytterbium trifluorid (13760-80-0)	
STOT-single exposure	May cause respiratory irritation.

7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate (72869-86-4)	
STOT-single exposure	May cause respiratory irritation.

STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met

Maxcem Elite Base	
Viscosity, kinematic	Not determined.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

11.2.2 Other information

Potential adverse human health effects and symptoms : For further information see section 4

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified
 Hazardous to the aquatic environment, long-term (chronic) : Not classified

2-hydroxyethyl methacrylate (868-77-9)	
LC50 - Fish [1]	227 mg/l (96 hours - Pimephales promelas)
EC50 - Crustacea [1]	> 280 mg/l Daphnia magna, 48 hours

titanium dioxide (13463-67-7)	
LC50 - Fish [1]	> 1000 mg/l Fundulus heteroclitus
EC50 - Crustacea [1]	> 1000 mg/l (48 hours - Daphnia magna)

L-menthol (2216-51-5)	
LC50 - Fish [1]	18.9 (96 hours - Pimephales promelas)

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	
LC50 - Fish [1]	0.7 mg/l
EC50 - Crustacea [1]	0.4 g/l

Safety Data Sheet

Maxcem Elite Base

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

12.2. Persistence and degradability

Maxcem Elite Base	
Persistence and degradability	No data available.
2-hydroxyethyl methacrylate (868-77-9)	
Biodegradation	84 % (OECD 301D method)
7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diyl bismethacrylate (72869-86-4)	
Biodegradation	22 % (OECD 301F method)

12.3. Bioaccumulative potential

Maxcem Elite Base	
Partition coefficient n-octanol/water (Log Pow)	Not determined.
Bioaccumulative potential	Not established.
2-hydroxyethyl methacrylate (868-77-9)	
Bioconcentration factor (BCF REACH)	1,3 - 1,5
Partition coefficient n-octanol/water (Log Pow)	0.47
7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diyl bismethacrylate (72869-86-4)	
Bioconcentration factor (BCF REACH)	1.91
Partition coefficient n-octanol/water (Log Pow)	4.69
L-menthol (2216-51-5)	
Bioconcentration factor (BCF REACH)	15
Partition coefficient n-octanol/water (Log Pow)	3.3

12.4. Mobility in soil

Maxcem Elite Base	
Ecology - soil	Material insoluble in water.

12.5. Results of PBT and vPvB assessment

Maxcem Elite Base	
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Other adverse effects : None to our knowledge.
 Additional information : No other effects known. Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Must not be disposed together with household garbage. Do not allow product to reach the sewage system.
 Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Empty container completely. After cleaning, recycle or dispose of at an authorised site.
 European List of Waste (LoW) code : 18 01 06* - chemicals consisting of or containing dangerous substances

Safety Data Sheet

Maxcem Elite Base

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID /

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shipping name				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Listed on REACH Annex XVII (Restriction Conditions). The following restrictions are applicable:		
Reference code	Applicable on	Entry title or description
40.	(R)-p-mentha-1,8-diene; d-limonene	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

Contains no substance(s) listed on the REACH Candidate List

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

15.1.2. National regulations

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Safety Data Sheet

Maxcem Elite Base

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
EUH211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

The information in this safety data sheet is based on information from the manufacturer/supplier, present european and national legislation, and presupposes that the product is used within the specified area of application.



Safety Data Sheet

Maxcem Elite Catalyst

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878
Issue date: 02/09/2022 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Maxcem Elite Catalyst

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Professional use
Use of the substance/mixture : Preparation intended for dental medical use
Function or use category : Dental materials.

Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

Kerr Italia S.r.l.
Via Passanti, 174
Scafati (SA) 84018 (Italy)
T +39 081 850 3511 / Information Phone Number: 1-800-841-1428 (Customer Service)
safety@envistaco.com

1.4. Emergency telephone number

Emergency number : CHEMTREC® Emergency Call Center. Emergency Telephone Number (for USA only) 001-800-424-9300
International and Maritime Telephone Number +1 (703) 527-3887

Country	Official advisory body	Address	Emergency number	Comment
Gibraltar	GHA Call Centre Zone 2, Level3, St Bernard's Hospital	Harbour Views Road	+350 200 79700 +350 200 72266	
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD 2090 Msida	+356 2545 6508	
United Kingdom	National Poisons Information Service (Newcastle Unit)	Claremont Place Newcastle-upon-Tyne, Newcastle	+44 191 2606182 +44 191 2606180	Hours of operation: 24hrs

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Irrit. 2 H315
Eye Irrit. 2 H319
Skin Sens. 1 H317
STOT SE 3 H335

Full text of hazard classes and H-statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

Safety Data Sheet

Maxcem Elite Catalyst

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) :

Warning

Contains :

2-hydroxyethyl methacrylate, Propylidynetrimethanol, ethoxylated, esters with acrylic acid, (1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate, α , α -dimethylbenzyl hydroperoxide; cumene hydroperoxide, 1,1,3,3-Tetramethylbutyl hydroperoxide

Hazard statements (CLP) :

H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.
H319 - Causes serious eye irritation.
H335 - May cause respiratory irritation.

Precautionary statements (CLP) :

P261 - Avoid breathing vapours, mist, gas.
P280 - Wear eye protection, protective gloves.
P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 - If eye irritation persists: Get medical advice/attention.

Extra phrases :

The product is seen as a medical device (Directive 90/385/EEC, 93/42/EEC, 98/79/EC) and therefore not subject to labelling (EU-regulation 1272/2008, article 1, paragraph 5d).
A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis.
For professional users only.

2.3. Other hazards

Other hazards which do not result in classification : None under normal conditions.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-hydroxy-1,3-propanediyl bismethacrylate	(CAS-No.) 1830-78-0 (EC-No.) 217-388-4 (REACH-no) N/A	7 - 15	Eye Irrit. 2, H319 Skin Irrit. 2, H315 STOT SE 3, H335
2-hydroxyethyl methacrylate (Note D)	(CAS-No.) 868-77-9 (EC-No.) 212-782-2 (EC Index-No.) 607-124-00-X (REACH-no) 01-2119490169-29	3 - 9	Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1, H317
(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate	(CAS-No.) 1565-94-2 (EC-No.) 216-367-7 (REACH-no) N/A	3 - 9	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	(CAS-No.) 28961-43-5 (EC-No.) 500-066-5 (REACH-no) 01-2119489900-30	1 - 5	Eye Irrit. 2, H319 Skin Sens. 1, H317

Safety Data Sheet

Maxcem Elite Catalyst

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit	(CAS-No.) 68909-20-6 (EC-No.) 272-697-1 (REACH-no) n/a	1 – 5	Not classified
phosphorus pentoxide substance with national workplace exposure limit(s) (GB, GI, IE, MT); substance with a Community workplace exposure limit	(CAS-No.) 1314-56-3 (EC-No.) 215-236-1 (EC Index-No.) 015-010-00-0 (REACH-no) 01-2119489912-25	0.5 - 1.5	Skin Corr. 1A, H314
2,6-Di-tert-butyl-4-methylphenol (BHT) substance with national workplace exposure limit(s) (GB, IE)	(CAS-No.) 128-37-0 (EC-No.) 204-881-4 (REACH-no) 01-2119480433-40	0.1 – 1	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
α , α -dimethylbenzyl hydroperoxide; cumene hydroperoxide	(CAS-No.) 80-15-9 (EC-No.) 201-254-7 (EC Index-No.) 617-002-00-8 (REACH-no) 01-2119475796-19	0.1 – 1	Org. Perox. E, H242 Acute Tox. 4 (Oral), H302 (ATE=382 mg/kg bodyweight) Acute Tox. 4 (Dermal), H312 (ATE=1100 mg/kg bodyweight) Acute Tox. 3 (Inhalation), H331 (ATE=3 mg/l/4h) Skin Corr. 1B, H314 STOT RE 2, H373 Aquatic Chronic 2, H411
1,1,3,3-Tetramethylbutyl hydroperoxide	(CAS-No.) 5809-08-5 (EC-No.) 227-369-2	0.1 – 1	Flam. Liq. 3, H226 Org. Perox. CD, H242 Acute Tox. 4 (Oral), H302 (ATE=1150 mg/kg bodyweight) Acute Tox. 3 (Inhalation:vapour), H331 (ATE=3.3 mg/l/4h) Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Chronic 2, H411
mequinol; 4-methoxyphenol; hydroquinone monomethyl ether substance with national workplace exposure limit(s) (IE)	(CAS-No.) 150-76-5 (EC-No.) 205-769-8 (EC Index-No.) 604-044-00-7 (REACH-no) 01-2119541813-40	< 0.01	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Eye Irrit. 2, H319 Skin Sens. 1, H317 Repr. 2, H361d Aquatic Chronic 3, H412

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
α , α -dimethylbenzyl hydroperoxide; cumene hydroperoxide	(CAS-No.) 80-15-9 (EC-No.) 201-254-7 (EC Index-No.) 617-002-00-8 (REACH-no) 01-2119475796-19	(0 < C < 10) STOT SE 3, H335 (1 \leq C < 3) Eye Irrit. 2, H319 (3 \leq C < 10) Eye Dam. 1, H318 (3 \leq C < 10) Skin Irrit. 2, H315 (10 \leq C < 100) Skin Corr. 1B, H314

Note D : Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3. However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state on the label the name of the substance followed by the words 'non-stabilised'.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: In all cases of doubt, or when symptoms persist, seek medical attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention if you feel unwell.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER/doctor if you feel unwell.

Safety Data Sheet

Maxcem Elite Catalyst

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: May cause an allergic skin reaction. Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. In all cases of doubt, or when symptoms persist, seek medical attention.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire. Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Non-flammable.
Explosion hazard	: Product is not explosive.
Hazardous decomposition products in case of fire	: Carbon dioxide. Carbon monoxide. Nitrogen oxides. Phosphorus oxides (POx). Halogenated compounds. metallic oxide.

5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper personal protective equipment, including respiratory protection (EN137).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Avoid contact with skin and eyes. Concerning personal protective equipment to use, see section 8.
------------------	---

6.1.1. For non-emergency personnel

Protective equipment	: See Section 8.
Emergency procedures	: Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment	: Equip cleanup and emergency crew with proper protection.
Emergency procedures	: Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment	: Collect all waste in suitable and labelled containers and dispose according to local legislation.
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

For further information refer to section 13. See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

Safety Data Sheet

Maxcem Elite Catalyst

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Keep container tightly closed. Store in original container. Keep cool. Store in a dry place. Keep container closed when not in use. Protect from sunlight. Keep away from ignition sources.
Incompatible materials	: Oxidizing substances. reducing materials. Organic peroxides. Amines.
Storage area	: Store in a well-ventilated place.

7.3. Specific end use(s)

No additional data.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

2,6-Di-tert-butyl-4-methylphenol (BHT) (128-37-0)	
Ireland - Occupational Exposure Limits	
Local name	2,6-Ditertiary-butyl-para-cresol [Butylated hydroxytoluene (BHT)]
OEL TWA [1]	2 mg/m ³
Regulatory reference	Chemical Agents Code of Practice 2021
United Kingdom - Occupational Exposure Limits	
Local name	2,6-Di-tert-butyl-p-cresol
WEL TWA (OEL TWA) [1]	10 mg/m ³
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

mequinol; 4-methoxyphenol; hydroquinone monomethyl ether (150-76-5)	
Ireland - Occupational Exposure Limits	
Local name	4-Methoxyphenol [Mequinol]
OEL TWA [1]	5 mg/m ³
Regulatory reference	Chemical Agents Code of Practice 2021

phosphorus pentoxide (1314-56-3)	
Gibraltar - Occupational Exposure Limits	
Local name	Diphosphorus pentoxide
OEL TWA	1 mg/m ³
Regulatory reference	Factories (Control of Chemical Agents at Work) Regulations 2003 (LN. 2018/181)
Ireland - Occupational Exposure Limits	
Local name	Diphosphorus pentoxide
OEL TWA [1]	1 mg/m ³
Remark	IOELV (Indicative Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2021
Malta - Occupational Exposure Limits	
Local name	Diphosphorus pentoxide
OEL TWA	1 mg/m ³
Regulatory reference	S.L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021)
United Kingdom - Occupational Exposure Limits	
Local name	Disphosphorus pentoxide
WEL TWA (OEL TWA) [1]	1 mg/m ³
WEL STEL (OEL STEL)	2 mg/m ³

Safety Data Sheet

Maxcem Elite Catalyst

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica (68909-20-6)	
United Kingdom - Occupational Exposure Limits	
Local name	Silica, amorphous
WEL TWA (OEL TWA) [1]	6 mg/m ³ inhalable dust 2.4 mg/m ³ respirable dust
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Gloves. Safety glasses.



8.2.2.1. Eye and face protection

Eye protection:

Use splash goggles when eye contact due to splashing is possible. STANDARD EN 166.

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Wear protective gloves. Butylrubber protective gloves. Layer thickness : 0,2 - 0,4 mm. Breakthrough time : >480 min. STANDARD EN 374.

8.2.2.3. Respiratory protection

Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Extra personal protection: A/P2 filter respirator for organic vapour and harmful dust. STANDARD: EN 140 / EN 141 / EN 136 / EN 143 / EN 405 / EN 137 / EN 147

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke during use. Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment.

Safety Data Sheet

Maxcem Elite Catalyst

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Various colours.
Appearance	: Paste.
Odour	: mint. Slight.
Odour threshold	: Not determined.
Melting point	: Not determined.
Freezing point	: Not determined.
Boiling point	: Not determined.
Flammability	: Non flammable.
Explosive properties	: Product is not explosive.
Oxidising properties	: Non flammable.
Explosive limits	: Not determined.
Lower explosive limit (LEL)	: Not available
Upper explosive limit (UEL)	: Not available
Flash point	: Not determined.
Auto-ignition temperature	: Not determined.
Decomposition temperature	: Not determined.
pH	: Not determined.
Viscosity, kinematic	: Not determined.
Viscosity, dynamic	: Not determined.
Solubility	: Insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Partition coefficient n-octanol/water (Log Pow)	: Not determined.
Vapour pressure	: Not determined.
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 2.5 g/cm ³
Relative vapour density at 20°C	: Not determined.
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

Relative evaporation rate (butylacetate=1) : Not determined.

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. No polymerization.

10.4. Conditions to avoid

No flames, no sparks. Eliminate all sources of ignition. Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Oxidizing agent. reducing materials. Organic peroxides. Amines.

10.6. Hazardous decomposition products

No decomposition if stored and used normally.

Safety Data Sheet

Maxcem Elite Catalyst

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Additional information	: Based on available data, the classification criteria are not met

2-hydroxyethyl methacrylate (868-77-9)

LD50 oral rat	5050 mg/kg
LD50 dermal rabbit	> 3000 mg/kg

2,6-Di-tert-butyl-4-methylphenol (BHT) (128-37-0)

LD50 oral rat	6000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

α , α -dimethylbenzyl hydroperoxide; cumene hydroperoxide (80-15-9)

LD50 oral rat	382 mg/kg
---------------	-----------

1,1,3,3-Tetramethylbutyl hydroperoxide (5809-08-5)

LD50 oral rat	1150 mg/kg
LC50 Inhalation - Rat	3.3 mg/l/4h

Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica (68909-20-6)

LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 3000 mg/kg
LC50 Inhalation - Rat	> 2000 mg/l/4h

L-menthol (2216-51-5)

LD50 oral rat	3300 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)

LD50 oral rat	> 5000 mg/kg
LD50 dermal	> 2000 mg/kg

Skin corrosion/irritation	: Causes skin irritation. pH: Not determined.
Serious eye damage/irritation	: Causes serious eye irritation. pH: Not determined.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: May cause respiratory irritation.

2-hydroxy-1,3-propanediyl bismethacrylate (1830-78-0)

STOT-single exposure	May cause respiratory irritation.
----------------------	-----------------------------------

Safety Data Sheet

Maxcem Elite Catalyst

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2,6-Di-tert-butyl-4-methylphenol (BHT) (128-37-0)	
NOAEL (oral, rat)	100 mg/kg bodyweight

STOT-repeated exposure : Not classified
 Additional information : Based on available data, the classification criteria are not met

2,6-Di-tert-butyl-4-methylphenol (BHT) (128-37-0)	
NOAEL (oral, rat, 90 days)	25 mg/kg bodyweight/day

α , α -dimethylbenzyl hydroperoxide; cumene hydroperoxide (80-15-9)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified
 Additional information : Based on available data, the classification criteria are not met

Maxcem Elite Catalyst	
Viscosity, kinematic	Not determined.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

11.2.2 Other information

Potential adverse human health effects and symptoms : For further information see section 4

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified
 Hazardous to the aquatic environment, long-term (chronic) : Not classified

2-hydroxyethyl methacrylate (868-77-9)	
LC50 - Fish [1]	227 mg/l (96 hours - Pimephales promelas)
EC50 - Crustacea [1]	> 280 mg/l Daphnia magna, 48 hours

2,6-Di-tert-butyl-4-methylphenol (BHT) (128-37-0)	
LC50 - Fish [1]	0.57 g/l (96 hours - Brachydanio rerio, zebra-fish)
EC50 - Crustacea [1]	0.31 mg/l Daphnia magna, 48 hours
ErC50 algae	0.42 (96 hours -Scenedesmus subspicatus)
NOEC chronic crustacea	0.316 mg/l (48 hours -Daphnia hyalina)

mequinol; 4-methoxyphenol; hydroquinone monomethyl ether (150-76-5)	
LC50 - Fish [1]	28.5 mg/l Oncorhynchus mykiss (Rainbow trout)
EC50 - Crustacea [1]	3 mg/l Daphnia magna, 48 hours
ErC50 algae	54.7 mg/l (96 hours - Pseudokirchneriella subcapitata)
NOEC chronic algae	2.96 mg/l (OECD 201 method)

α , α -dimethylbenzyl hydroperoxide; cumene hydroperoxide (80-15-9)	
LC50 - Fish [1]	3.9 mg/l (96 hours - Rainbow trout)
EC50 - Crustacea [1]	18 mg/l Daphnia magna, 48 hours

Safety Data Sheet

Maxcem Elite Catalyst

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ErC50 algae	3.1 mg/l 72 hours - Pseudokirchnerella subcapitata
-------------	--

1,1,3,3-Tetramethylbutyl hydroperoxide (5809-08-5)	
EC50 - Crustacea [1]	6.7 mg/l Daphnia magna, 48 hours
ErC50 algae	5.6 mg/l

L-menthol (2216-51-5)	
LC50 - Fish [1]	18.9 (96 hours - Pimephales promelas)

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	
LC50 - Fish [1]	0.7 mg/l
EC50 - Crustacea [1]	0.4 g/l

12.2. Persistence and degradability

Maxcem Elite Catalyst	
Persistence and degradability	Not established.

2-hydroxyethyl methacrylate (868-77-9)	
Biodegradation	84 % (OECD 301D method)

2,6-Di-tert-butyl-4-methylphenol (BHT) (128-37-0)	
Persistence and degradability	Not readily biodegradable.
Biodegradation	10 % (OECD 301D method)

mequinol; 4-methoxyphenol; hydroquinone monomethyl ether (150-76-5)	
Biodegradation	86 % (OECD 301C method)

phosphorus pentoxide (1314-56-3)	
Persistence and degradability	Readily biodegradable.

α , α -dimethylbenzyl hydroperoxide; cumene hydroperoxide (80-15-9)	
Biodegradation	18 % (OECD 301C method)

1,1,3,3-Tetramethylbutyl hydroperoxide (5809-08-5)	
Persistence and degradability	Not readily biodegradable.

12.3. Bioaccumulative potential

Maxcem Elite Catalyst	
Partition coefficient n-octanol/water (Log Pow)	Not determined.
Bioaccumulative potential	Not established.

2-hydroxyethyl methacrylate (868-77-9)	
Bioconcentration factor (BCF REACH)	1,3 - 1,5
Partition coefficient n-octanol/water (Log Pow)	0.47

2,6-Di-tert-butyl-4-methylphenol (BHT) (128-37-0)	
Bioconcentration factor (BCF REACH)	598
Partition coefficient n-octanol/water (Log Pow)	5.1

Safety Data Sheet

Maxcem Elite Catalyst

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate (1565-94-2)	
Bioconcentration factor (BCF REACH)	2.46
Partition coefficient n-octanol/water (Log Pow)	4.94

α , α -dimethylbenzyl hydroperoxide; cumene hydroperoxide (80-15-9)	
BCF - Fish [1]	2.8
Partition coefficient n-octanol/water (Log Pow)	0.16

L-menthol (2216-51-5)	
Bioconcentration factor (BCF REACH)	15
Partition coefficient n-octanol/water (Log Pow)	3.3

12.4. Mobility in soil

Maxcem Elite Catalyst	
Ecology - soil	Material insoluble in water.

12.5. Results of PBT and vPvB assessment

Maxcem Elite Catalyst	
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

Component	
2,6-Di-tert-butyl-4-methylphenol (BHT) (128-37-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Other adverse effects : None to our knowledge.
Additional information : No other effects known. Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Must not be disposed together with household garbage. Do not allow product to reach the sewage system.
Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Empty container completely. After cleaning, recycle or dispose of at an authorised site.
European List of Waste (LoW) code : 18 01 06* - chemicals consisting of or containing dangerous substances

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID /

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

Safety Data Sheet

Maxcem Elite Catalyst

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Listed on REACH Annex XVII (Restriction Conditions). The following restrictions are applicable:

Reference code	Applicable on	Entry title or description
40.	1,1,3,3-Tetramethylbutyl hydroperoxide ; (R)-p-mentha-1,8-diene; d-limonene	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

Contains no substance(s) listed on the REACH Candidate List

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

15.1.2. National regulations

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:

Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1

Safety Data Sheet

Maxcem Elite Catalyst

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H242	Heating may cause a fire.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H361d	Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Org. Perox. CD	Organic Peroxides, Type C,D
Org. Perox. E	Organic Peroxides, Type E
Repr. 2	Reproductive toxicity, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

The information in this safety data sheet is based on information from the manufacturer/supplier, present european and national legislation, and presupposes that the product is used within the specified area of application.